MOOSE, SHEEP & GOAT

Hunting Statistics Table

Harvest Statistics Table

Time Period of Kill Statistics Table

Sampling Statistics Table

Montana Fish, Wildlife & Parks

LICENSE YEAR 2004

MONTANA

Montana State Library
3 0864 1006 8933 3

This report was compiled by the Montana Fish, Wildlife & Parks,
Wildlife Division, Research and Technical Services,
Harvest Surveys Section

Keith Aune
Research & Technical Services Chief
kaune@state.mt.us
(406)444-5633

Steve A. Martin
Programmer/Analyst
smartin@state.mt.us
(406)994-6821

Candy Hinz
Program Specialist
chinz@state.mt.us
(406)994-6429

Montana Fish, Wildlife & Parks
Research and Technical Services, 1400 South 19th Bozeman, MT 59718

Special Big Game Hunting and Harvest Report

March 25, 2005

License Year 2004

Harvest Surveys

Montana Fish Wildlife and Parks

Table of Contents

Introduction 1

Moose Tables 7
Hunting Effort 9
Harvest Success 23
Harvest by Time Period 41

Bighorn Sheep Tables 55
Hunting Effort 57
Harvest Success 65
Harvest by Time Period 75

Mountain Goat Tables 83
Hunting Effort 85
Harvest Success 95
Harvest by Time Period 107

Appendix A: Sampling Statistics Tables 117
Moose 119
Bighorn Sheep 133
Mountain Goat 141

Appendix B: 1996-2004 Special Big Game Hunting and Harvest Statistics Data File Description 151

Enclosures
2004 SBG Hunting and Harvest Survey Questionnaire
2004 Montana Hunting Regulations - Moose, Sheep, Goat

Digitized by the Internet Archive
in 2019 with funding from
Montana State Library

https://archive.org/details/moosesheepgoathu2004mont

Introduction

This report contains statistical estimates of **Moose, Bighorn Sheep, and Mountain Goat** hunting effort and harvest success, plus characteristics of special big game harvested, in Montana during the License Year 2004 (**LY2004**) hunting season. It is based on an analysis and summary of the LY2004 statewide **Special Big Game Hunting and Harvest Survey** conducted in December following the hunting season. (See **Survey Questionnaire enclosure**.) An attempt was made to contact all special big game license holders, first by phone interview, then if unsuccessful by return mail. All completed responses received by the date of analysis (March 25, 2005) were summarized and expanded to statistical estimates (with confidence intervals) based on expansion factors computed from license sales divided by returned responses, for each combination of species, location, residency, and license type. Estimates of hunting and harvest statistics are presented for each special big game **Species,** by **Location** hunted (Statewide, Regional, and by Hunting District), **Residency** of hunter (Residents, Non-residents, and Both combined), and **License Type** (Special License and All Licenses combined).

Three Special Big Game hunting and harvest table types are presented for each of the 3 species:

1) **Hunting Statistics Table:** This table includes the number of **special licenses issued** and the **expansion factor** applied to the response data to obtain all the estimates for that combination of species, location, residency, and license type. Estimates are given for the **number of hunters** and **hunter days**, lower and upper **80% confidence bounds** on these estimates, and relevant **ratios** based on these statistics.

2) **Harvest Statistics Table:** This table repeats the number of **special licenses issued** and the estimate of **number of hunters**. Estimates are given for **total harvest**, lower and upper **80% confidence bounds** on harvest, **harvest by sex-age class**, **percent harvest** by sex-age class, and relevant **ratios** based on these statistics.

3) **Time Period of Kill Statistics Table:** This table repeats the estimate of **total harvest,** then provides the **distribution of harvest among six time periods**. **Percent of total harvest** within each time period is also presented.

In addition, **sampling effort and survey response information** for each species is presented in:

- **Sampling Statistics Tables:** These tables include the number of **licenses issued**, the number of license **holders sampled**, the number of **holders responding** to the survey, and **rates and ratios** based on these numbers, including the **expansion factor**, for Moose, Bighorn Sheep, and Mountain Goat.

The tables are organized based on the following four variables:

1) **Species:** All hunting and harvest statistics were computed separately for each of the three species: **Moose, Bighorn Sheep,** and **Mountain Goat**.

2) **Location of Hunt:**

- **Statewide (State):** Statistics are computed without regard to the Special Big Game District hunted. Provides an overall picture of hunting in Montana for the particular species.
- **Regional (Reg 1…Reg 7):** Statistics are computed based on MFWP Region of the District hunted.
- **Hunting District:** Statistics are computed based on the Special Big Game Hunting District in which the license is valid.

  Special Big Game Hunting Districts differ for Moose, Sheep, and Goats (**2004 Montana Hunting Regulations - Moose, Sheep, Goat**). Hunters report hunting effort and harvest success for the species and special license they hold. Each license is valid in a single District.

3) **Residency of Special Big Game License Holder:**

- **All:** Statistics are computed without regard to residency of the license holder.
- **Residency (R/N):** Statistics are computed based on residency status of license holder as indicated by the Automated Licensing System database. Montana resident is abbreviated **R**, non-resident **N**.

4) **Special License Held by Sportsperson:**

- **All:** Statistics are computed without regard to which special license the sportsperson held.
- **License/Permit Type (Lic Type or Lpt):** Special Big Game hunting is by special license, and each survey response is linked to a particular license. Within a species, every special license is identified by a **unique 5 digit code**. These codes correspond to the license code descriptions presented in the **Regulations**. In addition, survey responses from a Moose and a Sheep **auctioned license holder** are indicated by the reported District of hunt, followed by "**XX**".

Table 1: License Year 2004 Statewide Special Big Game Sampling and Survey Results

Species & Res	Licenses Issued	Holders Sampled	Responses Returned	Sample Rate	Return Rate	Response Rate	Expansion Factor	Estimated Hunters	Hunting Rate	Estimated Harvest	Percent Success
Moose	649	649	616	100	94.9	94.9	1.054	642	98.9	537	83.7
R	632	632	599	100	94.8	94.8	1.055	625	98.8	525	84.1
N	17	17	17	100	100	100	1.000	17	100	12	70.6
Sheep	392	392	347	100	88.5	88.5	1.130	324	82.7	195	60.3
R	339	339	269	100	87.9	87.9	1.138	282	83.2	183	64.9
N	53	53	49	100	92.5	92.5	1.082	42	79.6	13	30.8
Goat	334	334	317	100	94.9	94.9	1.054	321	96.2	250	77.7
R	311	311	295	100	94.9	94.9	1.054	299	96.3	232	77.5
N	23	23	22	100	95.7	95.7	1.045	22	95.5	18	81.8

Overall Sampling and Survey Results

Table 1 presents overall **statewide counts** of number of licenses issued, license holders sampled and surveyed by phone or mail, sportspersons who returned valid responses, and various rates derived from these counts, expressed as percents, for each Special Big Game species, and by residency of the sportsperson. **Sample rate** is the percent of license holders surveyed for hunting and harvest information. One hundred percent of Special Big Game holders are sampled. **Return rate** is the percent of those sampled who returned valid survey information. **Response rate** is the bottom line percent of license holders who returned valid responses. Because the Sample Rate is 100 percent, Return Rate equals Response Rate for Special Big Game.

Overall **expansion factors** (license holders divided by valid responses) are also presented. Expanded statistics were computed at all levels and combinations of Species, Location, Residency, and License Type by multiplying the expansion factor by the corresponding non-expanded statistics. **Estimated Hunters** is computed by multiplying the expansion factor by the number of responses indicating active hunting. **Hunting Rate** is the estimated percent of license holders actively hunting. **Estimated Harvest** is computed by multiplying the expansion factor by the number of responses indicating a kill. **Percent Success** is the estimated percent of active hunters successfully harvesting a moose, sheep, or goat.

Estimated statistics and ratios are formatted in the printed tables to a meaningful level of precision. However, all calculations deriving these estimates and ratios were performed using high precision floating point real numbers. Any subsequent calculations based on the formatted numbers presented in the printed tables will be subject to **round-off error**.

In some cases, at the most detailed summary level by Species, Location, Residency, and License Type, **no response data** were returned. In these cases, the **expansion factor is undefined** (license holders

divided by zero responses). Estimates of hunting and harvest statistics based on an undefined expansion factor are also undefined. In other cases, response data were returned, but **no sportspersons reported active hunting, or kills**. This resulted in **undefined ratios**. Undefined values were flagged as **–9.9** in the underlying hunting and harvest data table. In the printed tables of this report, undefined values are formatted to appear as **–0** or **–0.0**.

Appendix A presents **sampling statistics tables** for all the levels and combinations of Species, Location, Residency, and License Type presented in the hunting and harvest statistics tables.

Expansion Factors and Statistical Estimation

All Special Big Game hunting and harvest statistics presented are estimates based on the underlying response set for a particular combination of the various levels of species, location, hunter residency, and license/permit type (Lpt). Summarized harvest results from survey responses are expanded to estimated statistics based on the ratio: number of licenses issued divided by number of valid responses received from license holders. Separate expansion factors were computed at all levels and groupings of species, location, hunter residency, and license/permit type. These expansion factors are presented in the **Hunting Statistics** and the **Sampling Statistics** tables.

A low expansion factor (close to 1) indicates a high overall response rate, and relatively good statistical precision in the hunting or harvest estimate. Good statistical precision is reflected in relatively narrow 80% confidence bounds on the estimate. An expansion factor significantly higher than 1 indicates a low response rate, relatively poor statistical precision in the estimate, and relatively wide 80% confidence bounds on the estimate.

A second factor affecting precision of a hunting or harvest estimate is the raw number of survey responses reporting hunting activity, or harvest, for a given combination of Species, Location, Residency, and Lpt. The survey response counts are multiplied by the expansion factor to obtain the hunting or harvest estimate. A higher total count of responding active hunters, or reported kill, will result in better statistical precision of the hunting and harvest estimates than will lower counts. The 80% confidence intervals on the hunter and harvest estimates are presented as an index of the relative precision of the estimates.

Special Big Game statistics presented at the higher groupings of Location, Residency, and Lpt are themselves estimates, not sums of the underlying estimates. They are based on expansion factors computed from ratios of tags issued to responses returned, given the particular grouping of location, residency, and license type. This explains why a harvest estimate for a given location, for a given residency, over all license types, may differ from the sum of the underlying license type estimates. The overall expansion factor used is the sum of the included sales divided by the sum of the included responses. The more heterogeneous the underlying populations, the more the overall estimates will vary from the sum of the underlying estimates. These “Lpt=ALL” estimates are made for the given location and residency without regard to Lpt.

Hunting and harvest statistics at the combined residency level are estimates when residency is disregarded. They are not simple sums of the resident and non-resident estimates. Resident and non-resident harvest estimates will not necessarily sum to the combined residency estimate (Res=ALL). Similarly, separate estimates are computed at all three levels of location (District, Regional, and Statewide). Regional estimates are made without regard to reported District of activity within the Region. Statewide estimates are derived without regard to any reported District of activity.

Relative statistical precision will be better for estimates at levels and groupings of location, residency, and Lpt, where the response rate is relatively higher, and the total reported number hunting or number harvested is relatively higher. Total reported hunters and kill accumulate as the three grouping variables are lumped into higher levels. Therefore relative precision of the estimates improves. For example, precision in Statewide estimates will generally be better than precision in Regional estimates, which will generally be significantly better than precision in District level estimates. In general, the worst relative

precision in the estimates occur at the finest level of response data splitting: for a particular hunting district, a particular residency, and a particular individual Lpt. This is especially true for an Lpt issued to few hunters.

One can sum the estimates made at the finest level of data splitting and compare the results to those presented at the Lpt=All or Res=All levels. (The confidence intervals on the estimates should be summed as well to get a ball park idea of the variability in the sum of estimates.) Summing the estimates has the disadvantage of accumulating errors in the sums of estimates. At the finest level of analysis these errors can be relatively large, resulting in a large accumulation of errors in the sum of estimates. The magnitude of these accumulated errors is difficult to quantify, because it is difficult to numerically compute a confidence interval on a sum of heterogeneous estimates. On the other hand, the disadvantage of the method used in this report, of computing separate estimates at all levels and groupings of analysis, disregarding the differences between the underlying known subdivisions in the data, is that we lose information regarding heterogeneity in these underlying subpopulations. For example, estimates made without regard to underlying Lpt (Lpt=All) will be most influenced by those underlying Lpts with high sales, and may mask the influence of estimates for individual special Lpts with much lower sales. In using this report to look up harvest statistics for a given District, compare the sum of the estimates at the finest level of analysis with the estimates for the higher grouped levels. Be sure to also look at the confidence intervals on the estimates to assess relative statistical precision.

Because the presented hunting and harvest statistics are estimates, upper and lower confidence bounds on the estimates may exceed the range of values thought to be reasonable for a given statistic. For example, though the estimate of number of active hunters never exceeds the number of licenses issued, the upper bound on the estimate of number of hunters may do so. Though the estimate of harvest never exceeds the estimate of the number of active hunters, the upper bound on harvest may do so. The confidence bounds are included as a measure of variability in the estimate. They are allowed to fall where they may, and are truncated only when the lower bound falls below zero.

Hunting Statistics Tables

The Special Big Game Hunting Statistics Tables present **basic hunting effort statistics**, and ratios based on these statistics, for various levels and combinations of location hunted (**Location**), license type held (**Lic Type**), and residency of hunter (**Res**). Tables are presented for each species separately. These tables are organized as follows:

- **Statewide and Regional**
- **By Hunting District and License Type**

The following statistics are presented:

- **Number Issued:** Number of licenses issued.
- **Expand Factor:** Expansion Factor. Licenses issued divided by number of valid responses.
- **Hunters:** Point estimate of number of license holders that actively hunted.
- **Hunters Low Bnd:** Lower bound of 80% confidence interval on number of hunters.
- **Hunters Up Bnd:** Upper bound of 80% confidence interval on number of hunters.
- **Percent Hunting:** Estimate of the percent of license holders that actively hunted.
- **Hunter Days:** Point estimate of total number of days or partial days hunters actively hunted.
- **HDays Low Bnd:** Lower bound of 80% confidence interval on number of hunter days.
- **HDays Up Bnd:** Upper bound of 80% confidence interval on number of hunter days.
- **Days Per Hunter:** Hunter Days divided by Hunters. An estimate of the number of days the average hunter actively hunted.

Harvest Statistics Tables

The Special Big Game Harvest Statistics Tables present **basic harvest statistics**, and ratios based on these statistics, for various levels and combinations of location hunted (**Location**), license type held (**Lic Type**), and residency of hunter (**Res**). Tables are presented for each species separately. These tables are organized as follows:

- **Statewide and Regional**
- **By Hunting District and License Type**

The following statistics are presented:

- **Number Issued:** Number of licenses issued.
- **Hunters:** Point estimate of number of license holders that actively hunted.
- **Total Harvest:** Point estimate of total number harvested. One kill is allowed per licensed hunter, therefore the harvest estimate is also an estimate of the number of successful hunters.
- **Harvest Low Bnd:** Lower bound of 80% confidence interval on total harvest.
- **Harvest Up Bnd:** Upper bound of 80% confidence interval on total harvest.
- **Harvest Unkn:** Point estimate of number harvested where sex and age was unknown.
- **Harvest Young:** Point estimate of number of young of year harvested.
- **Harvest Female:** Point estimate of number of non-young females harvested.
- **Harvest Male:** Point estimate of number of non-young males harvested.
- **Pcnt Young:** Estimate of percent of young of year in harvest.
- **Pcnt Female:** Estimate of percent of non-young females in harvest.
- **Pcnt Male:** Estimate of percent of non-young males in harvest.
- **Percent Success:** Estimated harvest (successful hunters) divided by estimated number of active hunters. Percent of active hunters who are successful.
- **Days To Kill:** Hunter days divided by total harvest. An estimate of the average number of hunter days required to harvest an animal.
- **Tags To Kill:** Licenses issued divided by total harvest. An estimate of the average number of licenses which must be issued to harvest an animal.

Time Period of Kill Tables

The Special Big Game Time Period of Kill Tables present point estimates of Total Harvest, plus the **distribution of harvest by time period**, for various levels and combinations of location hunted (**Location**), license type held (**Lic Type**), and residency of hunter (**Res**). Percentages of harvest by time period are also presented. Tables are presented for each species separately. These tables are organized as follows:

- **Statewide and Regional**
- **By Hunting District and License Type**

The following statistics are presented:

- **Total Harvest:** Point estimate of total number harvested.
- **Date Unkn:** Estimate of harvest occurring during an unknown time period.
- **Bfr Sep 15:** Estimate of harvest occurring early in the season. (**TP 1**)
- **Sep 15 Oct 3:** Estimate of harvest occurring during the next 3 week period. (**TP 2**)
- **Oct 4 - Oct 31:** Estimate of harvest occurring during the next 4 week period. (**TP 3**)
- **Nov 1 - Nov 21:** Estimate of harvest occurring during the next 3 week period. (**TP 4**)
- **Nov 22 - Nov 28:** Estimate of harvest occurring during the week of Thanksgiving. (**TP 5**)

- **After Nov 28:** Estimate of harvest occurring late in the season. (**TP 6**)
- **Pcnt 1st:** Percent of total harvest occurring during the first time period.
- **Pcnt 2nd:** Percent of total harvest occurring during the second time period.
- **Pcnt 3rd:** Percent of total harvest occurring during the third time period.
- **Pcnt 4th:** Percent of total harvest occurring during the fourth time period.
- **Pcnt 5th:** Percent of total harvest occurring during the fifth time period.
- **Pcnt 6th:** Percent of total harvest occurring during the sixth time period.

Notes Applying to All Special Big Game Tables:

- **Undefined values are indicated with the flag –0.0**. It occurs when no response data was received, or when an estimate of zero is used in the denominator of a ratio.
- **Out of format range values are indicated with ######.** These entries occur when the numerator of a ratio, relative to the denominator, is so large that the ratio is essentially meaningless.
- **The page numbers** in the lower right hand corner indicate the consecutive page in the Special Big Game Report. The page numbers in the upper right of each table title header indicate a page within a given table. Each table will have pages numbered beginning with 1.
- **The date March 25, 2005** printed throughout this report and in the title of the tables indicates the date the statistical estimates presented in this report were generated. This provides a version stamp in the event the statistics are regenerated using altered source data or analysis methods.

Moose

License Year 2004

Tables of Statistical Estimates

Hunting

Harvest

Time Period of Kill

Moose
Hunting Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

MOOSE - HUNTING

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
Statewide and Regional

Location	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
State	ALL	649	1.054	642	634.1	649.1	98.9	6,052	6,028.6	6,074.8	9.4
	R	632	1.055	625	617.1	632.1	98.8	5,916	5,892.8	5,939.0	9.5
	N	17	1.000	17	17.0	17.0	100.0	137	137.0	137.0	8.1
Reg 1	ALL	144	1.043	144	140.8	147.2	100.0	1,653	1,642.0	1,663.7	11.5
	R	138	1.045	138	134.8	141.2	100.0	1,597	1,586.5	1,608.4	11.6
	N	6	1.000	6	6.0	6.0	100.0	56	56.0	56.0	9.3
Reg 2	ALL	82	1.038	82	79.7	84.3	100.0	830	823.2	837.6	10.1
	R	81	1.038	81	78.7	83.3	100.0	830	822.5	837.0	10.2
	N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
Reg 3	ALL	376	1.059	370	363.6	375.6	98.3	3,032	3,015.2	3,049.5	8.2
	R	367	1.061	361	354.6	366.6	98.3	2,967	2,949.6	2,984.0	8.2
	N	9	1.000	9	9.0	9.0	100.0	66	66.0	66.0	7.3
Reg 4	ALL	13	1.083	13	11.7	14.3	100.0	173	168.5	178.2	13.3
	R	12	1.091	12	10.7	13.3	100.0	159	154.4	164.2	13.3
	N	1	1.000	1	1.0	1.0	100.0	14	14.0	14.0	14.0
Reg 5	ALL	34	1.063	33	31.1	34.8	96.9	358	352.0	364.1	10.9
	R	34	1.063	33	31.1	34.8	96.9	358	352.0	364.1	10.9

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
100	ALL	ALL	15	1.071	15	13.7	16.3	100.0	188	182.8	192.2	12.5
		R	14	1.077	14	12.7	15.3	100.0	171	166.6	175.9	12.2
		N	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
	10000	ALL	15	1.071	15	13.7	16.3	100.0	188	182.8	192.2	12.5
		R	14	1.077	14	12.7	15.3	100.0	171	166.6	175.9	12.2
		N	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
101	ALL	ALL	15	1.071	15	13.7	16.3	100.0	200	195.5	205.2	13.4
		R	14	1.077	14	12.7	15.3	100.0	191	185.7	195.5	13.6
		N	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
	10100	ALL	15	1.071	15	13.7	16.3	100.0	200	195.5	205.2	13.4
		R	14	1.077	14	12.7	15.3	100.0	191	185.7	195.5	13.6
		N	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
102	ALL	ALL	12	1.000	12	12.0	12.0	100.0	60	60.0	60.0	5.0
		R	11	1.000	11	11.0	11.0	100.0	54	54.0	54.0	4.9
		N	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
	10200	ALL	12	1.000	12	12.0	12.0	100.0	60	60.0	60.0	5.0
		R	11	1.000	11	11.0	11.0	100.0	54	54.0	54.0	4.9
		N	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
103	ALL	ALL	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
		R	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
	10300	ALL	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
		R	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
104	ALL	ALL	5	1.000	5	5.0	5.0	100.0	79	79.0	79.0	15.8
		R	5	1.000	5	5.0	5.0	100.0	79	79.0	79.0	15.8
	10400	ALL	5	1.000	5	5.0	5.0	100.0	79	79.0	79.0	15.8
		R	5	1.000	5	5.0	5.0	100.0	79	79.0	79.0	15.8
105	ALL	ALL	20	1.000	20	20.0	20.0	100.0	169	169.0	169.0	8.5
		R	18	1.000	18	18.0	18.0	100.0	153	153.0	153.0	8.5
		N	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
	10500	ALL	20	1.000	20	20.0	20.0	100.0	169	169.0	169.0	8.5
		R	18	1.000	18	18.0	18.0	100.0	153	153.0	153.0	8.5
		N	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
106	ALL	ALL	15	1.000	15	15.0	15.0	100.0	189	189.0	189.0	12.6
		R	15	1.000	15	15.0	15.0	100.0	189	189.0	189.0	12.6
	10600	ALL	15	1.000	15	15.0	15.0	100.0	189	189.0	189.0	12.6
		R	15	1.000	15	15.0	15.0	100.0	189	189.0	189.0	12.6
110	ALL	ALL	10	1.250	10	8.0	12.0	100.0	59	53.8	63.7	5.9
		R	10	1.250	10	8.0	12.0	100.0	59	53.8	63.7	5.9
	11000	ALL	10	1.250	10	8.0	12.0	100.0	59	53.8	63.7	5.9
		R	10	1.250	10	8.0	12.0	100.0	59	53.8	63.7	5.9
111	ALL	ALL	10	1.000	10	10.0	10.0	100.0	107	107.0	107.0	10.7
		R	9	1.000	9	9.0	9.0	100.0	99	99.0	99.0	11.0
		N	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
	11100	ALL	10	1.000	10	10.0	10.0	100.0	107	107.0	107.0	10.7
		R	9	1.000	9	9.0	9.0	100.0	99	99.0	99.0	11.0
		N	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
112	ALL	ALL	5	1.000	5	5.0	5.0	100.0	48	48.0	48.0	9.6
		R	5	1.000	5	5.0	5.0	100.0	48	48.0	48.0	9.6
	11200	ALL	5	1.000	5	5.0	5.0	100.0	48	48.0	48.0	9.6
		R	5	1.000	5	5.0	5.0	100.0	48	48.0	48.0	9.6
121	ALL	ALL	6	1.000	6	6.0	6.0	100.0	74	74.0	74.0	12.3
		R	6	1.000	6	6.0	6.0	100.0	74	74.0	74.0	12.3
	12100	ALL	6	1.000	6	6.0	6.0	100.0	74	74.0	74.0	12.3
		R	6	1.000	6	6.0	6.0	100.0	74	74.0	74.0	12.3
122	ALL	ALL	6	1.000	6	6.0	6.0	100.0	43	43.0	43.0	7.2
		R	6	1.000	6	6.0	6.0	100.0	43	43.0	43.0	7.2
	12200	ALL	6	1.000	6	6.0	6.0	100.0	43	43.0	43.0	7.2
		R	6	1.000	6	6.0	6.0	100.0	43	43.0	43.0	7.2
125	ALL	ALL	2	1.000	2	2.0	2.0	100.0	95	95.0	95.0	47.5
		R	2	1.000	2	2.0	2.0	100.0	95	95.0	95.0	47.5
	12500	ALL	2	1.000	2	2.0	2.0	100.0	95	95.0	95.0	47.5
		R	2	1.000	2	2.0	2.0	100.0	95	95.0	95.0	47.5
130	ALL	ALL	5	1.250	5	3.6	6.4	100.0	98	91.2	103.8	19.5
		R	5	1.250	5	3.6	6.4	100.0	98	91.2	103.8	19.5
	13000	ALL	5	1.250	5	3.6	6.4	100.0	98	91.2	103.8	19.5
		R	5	1.250	5	3.6	6.4	100.0	98	91.2	103.8	19.5
140	ALL	ALL	5	1.000	5	5.0	5.0	100.0	69	69.0	69.0	13.8
		R	5	1.000	5	5.0	5.0	100.0	69	69.0	69.0	13.8
	14000	ALL	5	1.000	5	5.0	5.0	100.0	69	69.0	69.0	13.8
		R	5	1.000	5	5.0	5.0	100.0	69	69.0	69.0	13.8
141	ALL	ALL	6	1.200	6	4.6	7.4	100.0	142	134.8	148.4	23.6
		R	6	1.200	6	4.6	7.4	100.0	142	134.8	148.4	23.6
	14100	ALL	6	1.200	6	4.6	7.4	100.0	142	134.8	148.4	23.6
		R	6	1.200	6	4.6	7.4	100.0	142	134.8	148.4	23.6
150	ALL	ALL	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
		R	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
	15000	ALL	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
		R	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
210	ALL	ALL	8	1.143	8	6.6	9.4	100.0	79	74.6	83.2	9.9
		R	8	1.143	8	6.6	9.4	100.0	79	74.6	83.2	9.9
	21010	ALL	4	1.000	4	4.0	4.0	100.0	29	29.0	29.0	7.3
		R	4	1.000	4	4.0	4.0	100.0	29	29.0	29.0	7.3
	21020	ALL	4	1.333	4	2.5	5.5	100.0	53	47.9	58.7	13.3
		R	4	1.333	4	2.5	5.5	100.0	53	47.9	58.7	13.3

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
211	ALL	ALL	6	1.000	6	6.0	6.0	100.0	20	20.0	20.0	3.3
		R	5	1.000	5	5.0	5.0	100.0	19	19.0	19.0	3.8
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	21110	ALL	3	1.000	3	3.0	3.0	100.0	3	3.0	3.0	1.0
		R	3	1.000	3	3.0	3.0	100.0	3	3.0	3.0	1.0
	21120	ALL	3	1.000	3	3.0	3.0	100.0	17	17.0	17.0	5.7
		R	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
212	ALL	ALL	13	1.000	13	13.0	13.0	100.0	97	97.0	97.0	7.5
		R	13	1.000	13	13.0	13.0	100.0	97	97.0	97.0	7.5
	21210	ALL	5	1.000	5	5.0	5.0	100.0	28	28.0	28.0	5.6
		R	5	1.000	5	5.0	5.0	100.0	28	28.0	28.0	5.6
	21220	ALL	8	1.000	8	8.0	8.0	100.0	69	69.0	69.0	8.6
		R	8	1.000	8	8.0	8.0	100.0	69	69.0	69.0	8.6
214	ALL	ALL	8	1.000	8	8.0	8.0	100.0	120	120.0	120.0	15.0
		R	8	1.000	8	8.0	8.0	100.0	120	120.0	120.0	15.0
	21400	ALL	5	1.000	5	5.0	5.0	100.0	99	99.0	99.0	19.8
		R	5	1.000	5	5.0	5.0	100.0	99	99.0	99.0	19.8
	21410	ALL	3	1.000	3	3.0	3.0	100.0	21	21.0	21.0	7.0
		R	3	1.000	3	3.0	3.0	100.0	21	21.0	21.0	7.0
215	ALL	ALL	5	1.000	5	5.0	5.0	100.0	71	71.0	71.0	14.2
		R	5	1.000	5	5.0	5.0	100.0	71	71.0	71.0	14.2
	21510	ALL	2	1.000	2	2.0	2.0	100.0	15	15.0	15.0	7.5
		R	2	1.000	2	2.0	2.0	100.0	15	15.0	15.0	7.5
	21520	ALL	3	1.000	3	3.0	3.0	100.0	56	56.0	56.0	18.7
		R	3	1.000	3	3.0	3.0	100.0	56	56.0	56.0	18.7
220	ALL	ALL	3	1.500	3	1.4	4.6	100.0	30	25.0	35.0	10.0
		R	3	1.500	3	1.4	4.6	100.0	30	25.0	35.0	10.0
	22020	ALL	3	1.500	3	1.4	4.6	100.0	30	25.0	35.0	10.0
		R	3	1.500	3	1.4	4.6	100.0	30	25.0	35.0	10.0
230	ALL	ALL	4	1.000	4	4.0	4.0	100.0	57	57.0	57.0	14.3
		R	4	1.000	4	4.0	4.0	100.0	57	57.0	57.0	14.3
	23020	ALL	4	1.000	4	4.0	4.0	100.0	57	57.0	57.0	14.3
		R	4	1.000	4	4.0	4.0	100.0	57	57.0	57.0	14.3
240	ALL	ALL	5	1.250	5	3.6	6.4	100.0	49	44.3	53.2	9.8
		R	5	1.250	5	3.6	6.4	100.0	49	44.3	53.2	9.8
	24000	ALL	5	1.250	5	3.6	6.4	100.0	49	44.3	53.2	9.8
		R	5	1.250	5	3.6	6.4	100.0	49	44.3	53.2	9.8
250	ALL	ALL	5	1.000	5	5.0	5.0	100.0	46	46.0	46.0	9.2
		R	5	1.000	5	5.0	5.0	100.0	46	46.0	46.0	9.2
	25020	ALL	5	1.000	5	5.0	5.0	100.0	46	46.0	46.0	9.2
		R	5	1.000	5	5.0	5.0	100.0	46	46.0	46.0	9.2

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
261	ALL	ALL	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
		R	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
	26120	ALL	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
		R	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
270	ALL	ALL	10	1.000	10	10.0	10.0	100.0	92	92.0	92.0	9.2
		R	10	1.000	10	10.0	10.0	100.0	92	92.0	92.0	9.2
	27000	ALL	10	1.000	10	10.0	10.0	100.0	92	92.0	92.0	9.2
		R	10	1.000	10	10.0	10.0	100.0	92	92.0	92.0	9.2
280	ALL	ALL	2	1.000	2	2.0	2.0	100.0	32	32.0	32.0	16.0
		R	2	1.000	2	2.0	2.0	100.0	32	32.0	32.0	16.0
	28020	ALL	2	1.000	2	2.0	2.0	100.0	32	32.0	32.0	16.0
		R	2	1.000	2	2.0	2.0	100.0	32	32.0	32.0	16.0
285	ALL	ALL	2	1.000	2	2.0	2.0	100.0	25	25.0	25.0	12.5
		R	2	1.000	2	2.0	2.0	100.0	25	25.0	25.0	12.5
	28520	ALL	2	1.000	2	2.0	2.0	100.0	25	25.0	25.0	12.5
		R	2	1.000	2	2.0	2.0	100.0	25	25.0	25.0	12.5
291	ALL	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
	29100	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
292	ALL	ALL	6	1.000	6	6.0	6.0	100.0	70	70.0	70.0	11.7
		R	6	1.000	6	6.0	6.0	100.0	70	70.0	70.0	11.7
	29220	ALL	6	1.000	6	6.0	6.0	100.0	70	70.0	70.0	11.7
		R	6	1.000	6	6.0	6.0	100.0	70	70.0	70.0	11.7
293	ALL	ALL	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
		R	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
	29320	ALL	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
		R	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
300	ALL	ALL	15	1.154	15	13.1	16.9	100.0	78	74.0	82.9	5.2
		R	14	1.167	14	12.0	16.0	100.0	74	69.0	78.0	5.3
		N	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
	30010	ALL	10	1.250	10	8.0	12.0	100.0	46	41.9	50.6	4.6
		R	10	1.250	10	8.0	12.0	100.0	46	41.9	50.6	4.6
	30020	ALL	5	1.000	5	5.0	5.0	100.0	31	31.0	31.0	6.2
		R	4	1.000	4	4.0	4.0	100.0	26	26.0	26.0	6.5
		N	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
301	ALL	ALL	20	1.053	20	18.7	21.3	100.0	164	160.4	168.0	8.2
		R	20	1.053	20	18.7	21.3	100.0	164	160.4	168.0	8.2
	30110	ALL	10	1.111	10	8.6	11.4	100.0	80	76.2	83.8	8.0
		R	10	1.111	10	8.6	11.4	100.0	80	76.2	83.8	8.0
	30120	ALL	10	1.000	10	10.0	10.0	100.0	84	84.0	84.0	8.4
		R	10	1.000	10	10.0	10.0	100.0	84	84.0	84.0	8.4

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
302	ALL	ALL	10	1.000	10	10.0	10.0	100.0	77	77.0	77.0	7.7
		R	10	1.000	10	10.0	10.0	100.0	77	77.0	77.0	7.7
	30210	ALL	5	1.000	5	5.0	5.0	100.0	20	20.0	20.0	4.0
		R	5	1.000	5	5.0	5.0	100.0	20	20.0	20.0	4.0
	30220	ALL	5	1.000	5	5.0	5.0	100.0	57	57.0	57.0	11.4
		R	5	1.000	5	5.0	5.0	100.0	57	57.0	57.0	11.4
303	ALL	ALL	6	1.000	6	6.0	6.0	100.0	54	54.0	54.0	9.0
		R	5	1.000	5	5.0	5.0	100.0	47	47.0	47.0	9.4
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	30300	ALL	4	1.000	4	4.0	4.0	100.0	50	50.0	50.0	12.5
		R	3	1.000	3	3.0	3.0	100.0	43	43.0	43.0	14.3
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	30310	ALL	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
		R	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
304	ALL	ALL	4	1.333	4	2.5	5.5	100.0	32	27.8	36.2	8.0
		R	4	1.333	4	2.5	5.5	100.0	32	27.8	36.2	8.0
	30420	ALL	4	1.333	4	2.5	5.5	100.0	32	27.8	36.2	8.0
		R	4	1.333	4	2.5	5.5	100.0	32	27.8	36.2	8.0
306	ALL	ALL	3	1.000	2	2.0	2.0	66.7	8	8.0	8.0	4.0
		R	3	1.000	2	2.0	2.0	66.7	8	8.0	8.0	4.0
	30620	ALL	3	1.000	2	2.0	2.0	66.7	8	8.0	8.0	4.0
		R	3	1.000	2	2.0	2.0	66.7	8	8.0	8.0	4.0
307	ALL	ALL	1	1.000	1	1.0	1.0	100.0	35	35.0	35.0	35.0
		R	1	1.000	1	1.0	1.0	100.0	35	35.0	35.0	35.0
	30720	ALL	1	1.000	1	1.0	1.0	100.0	35	35.0	35.0	35.0
		R	1	1.000	1	1.0	1.0	100.0	35	35.0	35.0	35.0
308	ALL	ALL	5	1.000	5	5.0	5.0	100.0	95	95.0	95.0	19.0
		R	5	1.000	5	5.0	5.0	100.0	95	95.0	95.0	19.0
	30820	ALL	4	1.000	4	4.0	4.0	100.0	87	87.0	87.0	21.8
		R	4	1.000	4	4.0	4.0	100.0	87	87.0	87.0	21.8
	308XX	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
309	ALL	ALL	7	1.400	7	4.9	9.1	100.0	34	28.9	38.3	4.8
		R	7	1.400	7	4.9	9.1	100.0	34	28.9	38.3	4.8
	30920	ALL	7	1.400	7	4.9	9.1	100.0	34	28.9	38.3	4.8
		R	7	1.400	7	4.9	9.1	100.0	34	28.9	38.3	4.8
310	ALL	ALL	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
		R	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
	31020	ALL	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
		R	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
311	ALL	ALL	15	1.000	15	15.0	15.0	100.0	195	195.0	195.0	13.0
		R	15	1.000	15	15.0	15.0	100.0	195	195.0	195.0	13.0
	31120	ALL	15	1.000	15	15.0	15.0	100.0	195	195.0	195.0	13.0
		R	15	1.000	15	15.0	15.0	100.0	195	195.0	195.0	13.0
312	ALL	ALL	5	1.000	5	5.0	5.0	100.0	44	44.0	44.0	8.8
		R	5	1.000	5	5.0	5.0	100.0	44	44.0	44.0	8.8
	31220	ALL	5	1.000	5	5.0	5.0	100.0	44	44.0	44.0	8.8
		R	5	1.000	5	5.0	5.0	100.0	44	44.0	44.0	8.8
313	ALL	ALL	5	1.667	5	2.7	7.3	100.0	92	81.6	101.7	18.3
		R	5	1.667	5	2.7	7.3	100.0	92	81.6	101.7	18.3
	31320	ALL	5	1.667	5	2.7	7.3	100.0	92	81.6	101.7	18.3
		R	5	1.667	5	2.7	7.3	100.0	92	81.6	101.7	18.3
314	ALL	ALL	6	1.000	6	6.0	6.0	100.0	116	116.0	116.0	19.3
		R	6	1.000	6	6.0	6.0	100.0	116	116.0	116.0	19.3
	31420	ALL	6	1.000	6	6.0	6.0	100.0	116	116.0	116.0	19.3
		R	6	1.000	6	6.0	6.0	100.0	116	116.0	116.0	19.3
315	ALL	ALL	7	1.000	7	7.0	7.0	100.0	75	75.0	75.0	10.7
		R	7	1.000	7	7.0	7.0	100.0	75	75.0	75.0	10.7
	31510	ALL	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
		R	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	31520	ALL	6	1.000	6	6.0	6.0	100.0	71	71.0	71.0	11.8
		R	6	1.000	6	6.0	6.0	100.0	71	71.0	71.0	11.8
316	ALL	ALL	3	1.000	3	3.0	3.0	100.0	25	25.0	25.0	8.3
		R	3	1.000	3	3.0	3.0	100.0	25	25.0	25.0	8.3
	31620	ALL	3	1.000	3	3.0	3.0	100.0	25	25.0	25.0	8.3
		R	3	1.000	3	3.0	3.0	100.0	25	25.0	25.0	8.3
317	ALL	ALL	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
		R	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
	31720	ALL	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
		R	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
318	ALL	ALL	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
		R	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
	31820	ALL	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
		R	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
319	ALL	ALL	5	1.000	5	5.0	5.0	100.0	23	23.0	23.0	4.6
		R	5	1.000	5	5.0	5.0	100.0	23	23.0	23.0	4.6
	31910	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
	31920	ALL	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8
		R	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
320	ALL	ALL	6	1.000	5	5.0	5.0	83.3	27	27.0	27.0	5.4
		R	6	1.000	5	5.0	5.0	83.3	27	27.0	27.0	5.4
	32010	ALL	3	1.000	2	2.0	2.0	66.7	6	6.0	6.0	3.0
		R	3	1.000	2	2.0	2.0	66.7	6	6.0	6.0	3.0
	32020	ALL	3	1.000	3	3.0	3.0	100.0	21	21.0	21.0	7.0
		R	3	1.000	3	3.0	3.0	100.0	21	21.0	21.0	7.0
321	ALL	ALL	4	1.000	4	4.0	4.0	100.0	52	52.0	52.0	13.0
		R	4	1.000	4	4.0	4.0	100.0	52	52.0	52.0	13.0
	32110	ALL	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
		R	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
	32120	ALL	3	1.000	3	3.0	3.0	100.0	42	42.0	42.0	14.0
		R	3	1.000	3	3.0	3.0	100.0	42	42.0	42.0	14.0
322	ALL	ALL	5	1.000	5	5.0	5.0	100.0	37	37.0	37.0	7.4
		R	5	1.000	5	5.0	5.0	100.0	37	37.0	37.0	7.4
	32220	ALL	5	1.000	5	5.0	5.0	100.0	37	37.0	37.0	7.4
		R	5	1.000	5	5.0	5.0	100.0	37	37.0	37.0	7.4
323	ALL	ALL	50	1.064	48	45.6	50.1	95.7	264	258.6	269.1	5.5
		R	49	1.065	47	44.6	49.1	95.7	257	251.5	262.0	5.5
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	32300	ALL	10	1.000	10	10.0	10.0	100.0	68	68.0	68.0	6.8
		R	9	1.000	9	9.0	9.0	100.0	61	61.0	61.0	6.8
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	32310	ALL	30	1.071	28	26.0	29.7	92.9	146	141.6	149.9	5.2
		R	30	1.071	28	26.0	29.7	92.9	146	141.6	149.9	5.2
	32320	ALL	10	1.111	10	8.6	11.4	100.0	49	45.9	51.9	4.9
		R	10	1.111	10	8.6	11.4	100.0	49	45.9	51.9	4.9
324	ALL	ALL	22	1.100	22	20.1	23.9	100.0	206	199.9	211.5	9.4
		R	20	1.111	20	18.1	21.9	100.0	188	181.9	193.6	9.4
		N	2	1.000	2	2.0	2.0	100.0	18	18.0	18.0	9.0
	32400	ALL	2	1.000	2	2.0	2.0	100.0	21	21.0	21.0	10.5
		R	2	1.000	2	2.0	2.0	100.0	21	21.0	21.0	10.5
	32410	ALL	10	1.250	10	8.0	12.0	100.0	51	46.7	55.8	5.1
		R	9	1.286	9	6.9	11.1	100.0	48	42.8	52.3	5.3
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	32420	ALL	10	1.000	10	10.0	10.0	100.0	125	125.0	125.0	12.5
		R	9	1.000	9	9.0	9.0	100.0	111	111.0	111.0	12.3
		N	1	1.000	1	1.0	1.0	100.0	14	14.0	14.0	14.0
325	ALL	ALL	6	1.000	6	6.0	6.0	100.0	38	38.0	38.0	6.3
		R	6	1.000	6	6.0	6.0	100.0	38	38.0	38.0	6.3
	32510	ALL	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
		R	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
	32520	ALL	4	1.000	4	4.0	4.0	100.0	34	34.0	34.0	8.5
		R	4	1.000	4	4.0	4.0	100.0	34	34.0	34.0	8.5

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
326	ALL	ALL	22	1.048	21	19.7	22.2	95.2	136	132.9	139.5	6.5
		R	22	1.048	21	19.7	22.2	95.2	136	132.9	139.5	6.5
	32600	ALL	5	1.250	5	3.6	6.4	100.0	13	10.2	14.8	2.5
		R	5	1.250	5	3.6	6.4	100.0	13	10.2	14.8	2.5
	32610	ALL	12	1.000	11	11.0	11.0	91.7	73	73.0	73.0	6.6
		R	12	1.000	11	11.0	11.0	91.7	73	73.0	73.0	6.6
	32620	ALL	5	1.000	5	5.0	5.0	100.0	47	47.0	47.0	9.4
		R	5	1.000	5	5.0	5.0	100.0	47	47.0	47.0	9.4
327	ALL	ALL	19	1.056	19	17.7	20.3	100.0	121	118.1	124.7	6.4
		R	18	1.059	18	16.7	19.3	100.0	121	117.3	124.1	6.7
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	32700	ALL	5	1.250	5	3.6	6.4	100.0	39	34.8	42.7	7.8
		R	5	1.250	5	3.6	6.4	100.0	39	34.8	42.7	7.8
	32710	ALL	7	1.000	7	7.0	7.0	100.0	23	23.0	23.0	3.3
		R	7	1.000	7	7.0	7.0	100.0	23	23.0	23.0	3.3
	32720	ALL	7	1.000	7	7.0	7.0	100.0	61	61.0	61.0	8.7
		R	6	1.000	6	6.0	6.0	100.0	60	60.0	60.0	10.0
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
328	ALL	ALL	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
		R	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
	32820	ALL	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
		R	2	1.000	2	2.0	2.0	100.0	23	23.0	23.0	11.5
329	ALL	ALL	5	1.250	5	3.6	6.4	100.0	68	62.2	72.8	13.5
		R	5	1.250	5	3.6	6.4	100.0	68	62.2	72.8	13.5
	32920	ALL	5	1.250	5	3.6	6.4	100.0	68	62.2	72.8	13.5
		R	5	1.250	5	3.6	6.4	100.0	68	62.2	72.8	13.5
330	ALL	ALL	10	1.000	10	10.0	10.0	100.0	50	50.0	50.0	5.0
		R	10	1.000	10	10.0	10.0	100.0	50	50.0	50.0	5.0
	33010	ALL	5	1.000	5	5.0	5.0	100.0	10	10.0	10.0	2.0
		R	5	1.000	5	5.0	5.0	100.0	10	10.0	10.0	2.0
	33020	ALL	5	1.000	5	5.0	5.0	100.0	40	40.0	40.0	8.0
		R	5	1.000	5	5.0	5.0	100.0	40	40.0	40.0	8.0
331	ALL	ALL	20	1.000	20	20.0	20.0	100.0	130	130.0	130.0	6.5
		R	19	1.000	19	19.0	19.0	100.0	109	109.0	109.0	5.7
		N	1	1.000	1	1.0	1.0	100.0	21	21.0	21.0	21.0
	33110	ALL	10	1.000	10	10.0	10.0	100.0	51	51.0	51.0	5.1
		R	10	1.000	10	10.0	10.0	100.0	51	51.0	51.0	5.1
	33120	ALL	10	1.000	10	10.0	10.0	100.0	79	79.0	79.0	7.9
		R	9	1.000	9	9.0	9.0	100.0	58	58.0	58.0	6.4
		N	1	1.000	1	1.0	1.0	100.0	21	21.0	21.0	21.0

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
332	ALL	ALL	10	1.000	10	10.0	10.0	100.0	50	50.0	50.0	5.0
		R	10	1.000	10	10.0	10.0	100.0	50	50.0	50.0	5.0
	33210	ALL	5	1.000	5	5.0	5.0	100.0	16	16.0	16.0	3.2
		R	5	1.000	5	5.0	5.0	100.0	16	16.0	16.0	3.2
	33220	ALL	5	1.000	5	5.0	5.0	100.0	34	34.0	34.0	6.8
		R	5	1.000	5	5.0	5.0	100.0	34	34.0	34.0	6.8
333	ALL	ALL	4	1.000	4	4.0	4.0	100.0	19	19.0	19.0	4.8
		R	4	1.000	4	4.0	4.0	100.0	19	19.0	19.0	4.8
	33310	ALL	2	1.000	2	2.0	2.0	100.0	10	10.0	10.0	5.0
		R	2	1.000	2	2.0	2.0	100.0	10	10.0	10.0	5.0
	33320	ALL	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
		R	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
334	ALL	ALL	11	1.000	10	10.0	10.0	90.9	75	75.0	75.0	7.5
		R	11	1.000	10	10.0	10.0	90.9	75	75.0	75.0	7.5
	33410	ALL	3	1.000	2	2.0	2.0	66.7	10	10.0	10.0	5.0
		R	3	1.000	2	2.0	2.0	66.7	10	10.0	10.0	5.0
	33411	ALL	3	1.000	3	3.0	3.0	100.0	6	6.0	6.0	2.0
		R	3	1.000	3	3.0	3.0	100.0	6	6.0	6.0	2.0
	33420	ALL	5	1.000	5	5.0	5.0	100.0	59	59.0	59.0	11.8
		R	5	1.000	5	5.0	5.0	100.0	59	59.0	59.0	11.8
335	ALL	ALL	3	1.000	3	3.0	3.0	100.0	33	33.0	33.0	11.0
		R	3	1.000	3	3.0	3.0	100.0	33	33.0	33.0	11.0
	33520	ALL	3	1.000	3	3.0	3.0	100.0	33	33.0	33.0	11.0
		R	3	1.000	3	3.0	3.0	100.0	33	33.0	33.0	11.0
340	ALL	ALL	20	1.111	20	18.1	21.9	100.0	124	119.7	129.2	6.2
		R	20	1.111	20	18.1	21.9	100.0	124	119.7	129.2	6.2
	34010	ALL	10	1.000	10	10.0	10.0	100.0	43	43.0	43.0	4.3
		R	10	1.000	10	10.0	10.0	100.0	43	43.0	43.0	4.3
	34020	ALL	10	1.250	10	8.0	12.0	100.0	86	80.3	92.2	8.6
		R	10	1.250	10	8.0	12.0	100.0	86	80.3	92.2	8.6
341	ALL	ALL	4	1.333	4	2.5	5.5	100.0	37	32.8	41.9	9.3
		R	4	1.333	4	2.5	5.5	100.0	37	32.8	41.9	9.3
	34110	ALL	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
		R	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	34120	ALL	3	1.500	3	1.4	4.6	100.0	36	30.6	41.4	12.0
		R	3	1.500	3	1.4	4.6	100.0	36	30.6	41.4	12.0
350	ALL	ALL	7	1.000	7	7.0	7.0	100.0	133	133.0	133.0	19.0
		R	7	1.000	7	7.0	7.0	100.0	133	133.0	133.0	19.0
	35010	ALL	2	1.000	2	2.0	2.0	100.0	35	35.0	35.0	17.5
		R	2	1.000	2	2.0	2.0	100.0	35	35.0	35.0	17.5
	35020	ALL	5	1.000	5	5.0	5.0	100.0	98	98.0	98.0	19.6
		R	5	1.000	5	5.0	5.0	100.0	98	98.0	98.0	19.6

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
360	ALL	ALL	5	1.000	5	5.0	5.0	100.0	61	61.0	61.0	12.2
		R	5	1.000	5	5.0	5.0	100.0	61	61.0	61.0	12.2
	36020	ALL	5	1.000	5	5.0	5.0	100.0	61	61.0	61.0	12.2
		R	5	1.000	5	5.0	5.0	100.0	61	61.0	61.0	12.2
361	ALL	ALL	5	1.250	5	3.6	6.4	100.0	16	13.7	18.8	3.3
		R	4	1.333	4	2.5	5.5	100.0	12	9.4	14.6	3.0
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	36120	ALL	5	1.250	5	3.6	6.4	100.0	16	13.7	18.8	3.3
		R	4	1.333	4	2.5	5.5	100.0	12	9.4	14.6	3.0
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
362	ALL	ALL	3	1.000	3	3.0	3.0	100.0	17	17.0	17.0	5.7
		R	3	1.000	3	3.0	3.0	100.0	17	17.0	17.0	5.7
	36220	ALL	3	1.000	3	3.0	3.0	100.0	17	17.0	17.0	5.7
		R	3	1.000	3	3.0	3.0	100.0	17	17.0	17.0	5.7
380	ALL	ALL	7	1.000	7	7.0	7.0	100.0	84	84.0	84.0	12.0
		R	6	1.000	6	6.0	6.0	100.0	81	81.0	81.0	13.5
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	38010	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
	38020	ALL	5	1.000	5	5.0	5.0	100.0	76	76.0	76.0	15.2
		R	4	1.000	4	4.0	4.0	100.0	73	73.0	73.0	18.3
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
382	ALL	ALL	3	1.000	3	3.0	3.0	100.0	32	32.0	32.0	10.7
		R	3	1.000	3	3.0	3.0	100.0	32	32.0	32.0	10.7
	38220	ALL	3	1.000	3	3.0	3.0	100.0	32	32.0	32.0	10.7
		R	3	1.000	3	3.0	3.0	100.0	32	32.0	32.0	10.7
415	ALL	ALL	3	1.000	3	3.0	3.0	100.0	44	44.0	44.0	14.7
		R	2	1.000	2	2.0	2.0	100.0	30	30.0	30.0	15.0
		N	1	1.000	1	1.0	1.0	100.0	14	14.0	14.0	14.0
	41520	ALL	3	1.000	3	3.0	3.0	100.0	44	44.0	44.0	14.7
		R	2	1.000	2	2.0	2.0	100.0	30	30.0	30.0	15.0
		N	1	1.000	1	1.0	1.0	100.0	14	14.0	14.0	14.0
494	ALL	ALL	6	1.200	6	4.6	7.4	100.0	55	50.9	59.5	9.2
		R	6	1.200	6	4.6	7.4	100.0	55	50.9	59.5	9.2
	49400	ALL	6	1.200	6	4.6	7.4	100.0	55	50.9	59.5	9.2
		R	6	1.200	6	4.6	7.4	100.0	55	50.9	59.5	9.2
496	ALL	ALL	4	1.000	4	4.0	4.0	100.0	70	70.0	70.0	17.5
		R	4	1.000	4	4.0	4.0	100.0	70	70.0	70.0	17.5
	49600	ALL	4	1.000	4	4.0	4.0	100.0	70	70.0	70.0	17.5
		R	4	1.000	4	4.0	4.0	100.0	70	70.0	70.0	17.5

Montana Fish Wildlife and Parks
2004 Moose Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
512	ALL	ALL	1	1.000	1	1.0	1.0	100.0	22	22.0	22.0	22.0
		R	1	1.000	1	1.0	1.0	100.0	22	22.0	22.0	22.0
	51220	ALL	1	1.000	1	1.0	1.0	100.0	22	22.0	22.0	22.0
		R	1	1.000	1	1.0	1.0	100.0	22	22.0	22.0	22.0
513	ALL	ALL	3	1.000	3	3.0	3.0	100.0	60	60.0	60.0	20.0
		R	3	1.000	3	3.0	3.0	100.0	60	60.0	60.0	20.0
	51320	ALL	3	1.000	3	3.0	3.0	100.0	60	60.0	60.0	20.0
		R	3	1.000	3	3.0	3.0	100.0	60	60.0	60.0	20.0
514	ALL	ALL	22	1.100	22	20.1	23.9	100.0	231	224.8	237.2	10.5
		R	22	1.100	22	20.1	23.9	100.0	231	224.8	237.2	10.5
	51400	ALL	2	1.000	2	2.0	2.0	100.0	41	41.0	41.0	20.5
		R	2	1.000	2	2.0	2.0	100.0	41	41.0	41.0	20.5
	51410	ALL	3	1.500	3	1.4	4.6	100.0	12	8.9	15.1	4.0
		R	3	1.500	3	1.4	4.6	100.0	12	8.9	15.1	4.0
	51411	ALL	3	1.000	3	3.0	3.0	100.0	10	10.0	10.0	3.3
		R	3	1.000	3	3.0	3.0	100.0	10	10.0	10.0	3.3
	51412	ALL	3	1.000	3	3.0	3.0	100.0	22	22.0	22.0	7.3
		R	3	1.000	3	3.0	3.0	100.0	22	22.0	22.0	7.3
	51420	ALL	5	1.000	5	5.0	5.0	100.0	43	43.0	43.0	8.6
		R	5	1.000	5	5.0	5.0	100.0	43	43.0	43.0	8.6
	51421	ALL	6	1.200	6	4.6	7.4	100.0	103	97.4	109.0	17.2
		R	6	1.200	6	4.6	7.4	100.0	103	97.4	109.0	17.2
515	ALL	ALL	5	1.000	4	4.0	4.0	80.0	26	26.0	26.0	6.5
		R	5	1.000	4	4.0	4.0	80.0	26	26.0	26.0	6.5
	51520	ALL	5	1.000	4	4.0	4.0	80.0	26	26.0	26.0	6.5
		R	5	1.000	4	4.0	4.0	80.0	26	26.0	26.0	6.5
516	ALL	ALL	3	1.000	3	3.0	3.0	100.0	19	19.0	19.0	6.3
		R	3	1.000	3	3.0	3.0	100.0	19	19.0	19.0	6.3
	51620	ALL	3	1.000	3	3.0	3.0	100.0	19	19.0	19.0	6.3
		R	3	1.000	3	3.0	3.0	100.0	19	19.0	19.0	6.3

Moose
Harvest Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
Statewide and Regional

Location	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
State	ALL	649	642	537	530.4	544.2	0	15	142	380	2.7	26.5	70.8	83.7	11.3	1.2
	R	632	625	525	518.5	532.3	0	15	140	370	2.8	26.7	70.5	84.1	11.3	1.2
	N	17	17	12	12.0	12.0	0	0	2	10	0.0	16.7	83.3	70.6	11.4	1.4
Reg 1	ALL	144	144	134	130.5	136.7	0	1	11	121	0.8	8.6	90.6	92.8	12.4	1.1
	R	138	138	129	125.5	131.7	0	1	10	117	0.8	8.1	91.1	93.2	12.4	1.1
	N	6	6	5	5.0	5.0	0	0	1	4	0.0	20.0	80.0	83.3	11.2	1.2
Reg 2	ALL	82	82	70	67.5	71.6	0	2	17	51	3.0	23.9	73.1	84.8	11.9	1.2
	R	81	81	69	66.5	70.6	0	2	17	50	3.0	24.2	72.7	84.6	12.1	1.2
	N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
Reg 3	ALL	376	370	303	297.5	308.3	0	12	108	183	3.8	35.7	60.5	81.9	10.0	1.2
	R	367	361	297	291.6	302.4	0	12	107	178	3.9	36.1	60.0	82.4	10.0	1.2
	N	9	9	6	6.0	6.0	0	0	1	5	0.0	16.7	83.3	66.7	11.0	1.5
Reg 4	ALL	13	13	8	6.6	8.6	0	0	0	8	0.0	0.0	100.0	58.3	22.9	1.7
	R	12	12	8	6.6	8.7	0	0	0	8	0.0	0.0	100.0	63.6	20.9	1.6
	N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
Reg 5	ALL	34	33	23	21.8	24.9	0	0	6	17	0.0	27.3	72.7	71.0	15.3	1.5
	R	34	33	23	21.8	24.9	0	0	6	17	0.0	27.3	72.7	71.0	15.3	1.5

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
100	ALL	ALL	15	15	14	12.6	15.2	0	0	1	13	0.0	7.7	92.3	92.9	13.5	1.1
		R	14	14	14	12.7	15.3	0	0	1	13	0.0	7.7	92.3	100.0	12.2	1.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	10000	ALL	15	15	14	12.6	15.2	0	0	1	13	0.0	7.7	92.3	92.9	13.5	1.1
		R	14	14	14	12.7	15.3	0	0	1	13	0.0	7.7	92.3	100.0	12.2	1.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
101	ALL	ALL	15	15	13	11.6	14.1	0	0	3	10	0.0	25.0	75.0	85.7	15.6	1.2
		R	14	14	12	10.6	13.1	0	0	3	9	0.0	27.3	72.7	84.6	16.1	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
	10100	ALL	15	15	13	11.6	14.1	0	0	3	10	0.0	25.0	75.0	85.7	15.6	1.2
		R	14	14	12	10.6	13.1	0	0	3	9	0.0	27.3	72.7	84.6	16.1	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
102	ALL	ALL	12	12	12	12.0	12.0	0	0	1	11	0.0	8.3	91.7	100.0	5.0	1.0
		R	11	11	11	11.0	11.0	0	0	1	10	0.0	9.1	90.9	100.0	4.9	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
	10200	ALL	12	12	12	12.0	12.0	0	0	1	11	0.0	8.3	91.7	100.0	5.0	1.0
		R	11	11	11	11.0	11.0	0	0	1	10	0.0	9.1	90.9	100.0	4.9	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
103	ALL	ALL	5	5	5	5.0	5.0	0	0	2	3	0.0	40.0	60.0	100.0	3.6	1.0
		R	5	5	5	5.0	5.0	0	0	2	3	0.0	40.0	60.0	100.0	3.6	1.0
	10300	ALL	5	5	5	5.0	5.0	0	0	2	3	0.0	40.0	60.0	100.0	3.6	1.0
		R	5	5	5	5.0	5.0	0	0	2	3	0.0	40.0	60.0	100.0	3.6	1.0
104	ALL	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	15.8	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	15.8	1.0
	10400	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	15.8	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	15.8	1.0
105	ALL	ALL	20	20	19	19.0	19.0	0	0	1	18	0.0	5.3	94.7	95.0	8.9	1.1
		R	18	18	17	17.0	17.0	0	0	0	17	0.0	0.0	100.0	94.4	9.0	1.1
		N	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0
	10500	ALL	20	20	19	19.0	19.0	0	0	1	18	0.0	5.3	94.7	95.0	8.9	1.1
		R	18	18	17	17.0	17.0	0	0	0	17	0.0	0.0	100.0	94.4	9.0	1.1
		N	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
106	ALL	ALL	15	15	14	14.0	14.0	0	0	1	13	0.0	7.1	92.9	93.3	13.5	1.1
		R	15	15	14	14.0	14.0	0	0	1	13	0.0	7.1	92.9	93.3	13.5	1.1
	10600	ALL	15	15	14	14.0	14.0	0	0	1	13	0.0	7.1	92.9	93.3	13.5	1.1
		R	15	15	14	14.0	14.0	0	0	1	13	0.0	7.1	92.9	93.3	13.5	1.1
110	ALL	ALL	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	5.9	1.0
		R	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	5.9	1.0
	11000	ALL	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	5.9	1.0
		R	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	5.9	1.0
111	ALL	ALL	10	10	9	9.0	9.0	0	0	0	9	0.0	0.0	100.0	90.0	11.9	1.1
		R	9	9	8	8.0	8.0	0	0	0	8	0.0	0.0	100.0	88.9	12.4	1.1
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
	11100	ALL	10	10	9	9.0	9.0	0	0	0	9	0.0	0.0	100.0	90.0	11.9	1.1
		R	9	9	8	8.0	8.0	0	0	0	8	0.0	0.0	100.0	88.9	12.4	1.1
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
112	ALL	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	12.0	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	12.0	1.3
	11200	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	12.0	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	12.0	1.3
121	ALL	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	12.3	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	12.3	1.0
	12100	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	12.3	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	12.3	1.0
122	ALL	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	7.2	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	7.2	1.0
	12200	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	7.2	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	7.2	1.0
125	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	47.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	47.5	1.0
	12500	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	47.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	47.5	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
130	ALL	ALL	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	26.0	1.3
		R	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	26.0	1.3
	13000	ALL	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	26.0	1.3
		R	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	26.0	1.3
140	ALL	ALL	5	5	4	4.0	4.0	0	1	0	3	25.0	0.0	75.0	80.0	17.3	1.3
		R	5	5	4	4.0	4.0	0	1	0	3	25.0	0.0	75.0	80.0	17.3	1.3
	14000	ALL	5	5	4	4.0	4.0	0	1	0	3	25.0	0.0	75.0	80.0	17.3	1.3
		R	5	5	4	4.0	4.0	0	1	0	3	25.0	0.0	75.0	80.0	17.3	1.3
141	ALL	ALL	6	6	5	3.5	6.1	0	0	1	4	0.0	25.0	75.0	80.0	29.5	1.3
		R	6	6	5	3.5	6.1	0	0	1	4	0.0	25.0	75.0	80.0	29.5	1.3
	14100	ALL	6	6	5	3.5	6.1	0	0	1	4	0.0	25.0	75.0	80.0	29.5	1.3
		R	6	6	5	3.5	6.1	0	0	1	4	0.0	25.0	75.0	80.0	29.5	1.3
150	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	14.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	14.0	1.0
	15000	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	14.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	14.0	1.0
210	ALL	ALL	8	8	7	5.6	8.1	0	0	3	3	0.0	50.0	50.0	85.7	11.5	1.2
		R	8	8	7	5.6	8.1	0	0	3	3	0.0	50.0	50.0	85.7	11.5	1.2
	21010	ALL	4	4	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	100.0	7.3	1.0
		R	4	4	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	100.0	7.3	1.0
	21020	ALL	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	20.0	1.5
		R	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	20.0	1.5
211	ALL	ALL	6	6	6	6.0	6.0	0	0	3	3	0.0	50.0	50.0	100.0	3.3	1.0
		R	5	5	5	5.0	5.0	0	0	3	2	0.0	60.0	40.0	100.0	3.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
	21110	ALL	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	1.0	1.0
		R	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	1.0	1.0
	21120	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	5.7	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	8.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
212	ALL	ALL	13	13	10	10.0	10.0	0	1	4	5	10.0	40.0	50.0	76.9	9.7	1.3
		R	13	13	10	10.0	10.0	0	1	4	5	10.0	40.0	50.0	76.9	9.7	1.3
	21210	ALL	5	5	5	5.0	5.0	0	1	4	0	20.0	80.0	0.0	100.0	5.6	1.0
		R	5	5	5	5.0	5.0	0	1	4	0	20.0	80.0	0.0	100.0	5.6	1.0
	21220	ALL	8	8	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	62.5	13.8	1.6
		R	8	8	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	62.5	13.8	1.6
214	ALL	ALL	8	8	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	50.0	30.0	2.0
		R	8	8	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	50.0	30.0	2.0
	21400	ALL	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	33.0	1.7
		R	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	33.0	1.7
	21410	ALL	3	3	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	33.3	21.0	3.0
		R	3	3	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	33.3	21.0	3.0
215	ALL	ALL	5	5	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	80.0	17.8	1.3
		R	5	5	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	80.0	17.8	1.3
	21510	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	7.5	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	7.5	1.0
	21520	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	28.0	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	28.0	1.5
220	ALL	ALL	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	10.0	1.0
		R	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	10.0	1.0
	22020	ALL	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	10.0	1.0
		R	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	10.0	1.0
230	ALL	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.3	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.3	1.0
	23020	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.3	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.3	1.0
240	ALL	ALL	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	9.8	1.0
		R	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	9.8	1.0
	24000	ALL	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	9.8	1.0
		R	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	9.8	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
250	ALL	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.2	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.2	1.0
	25020	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.2	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.2	1.0
261	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	11.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	11.5	1.0
	26120	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	11.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	11.5	1.0
270	ALL	ALL	10	10	9	9.0	9.0	0	0	2	7	0.0	22.2	77.8	90.0	10.2	1.1
		R	10	10	9	9.0	9.0	0	0	2	7	0.0	22.2	77.8	90.0	10.2	1.1
	27000	ALL	10	10	9	9.0	9.0	0	0	2	7	0.0	22.2	77.8	90.0	10.2	1.1
		R	10	10	9	9.0	9.0	0	0	2	7	0.0	22.2	77.8	90.0	10.2	1.1
280	ALL	ALL	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	28020	ALL	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
285	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.5	1.0
	28520	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.5	1.0
291	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
	29100	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
292	ALL	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.7	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.7	1.0
	29220	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.7	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.7	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
293	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	5.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	5.5	1.0
	29320	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	5.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	5.5	1.0
300	ALL	ALL	15	15	14	12.0	15.7	0	0	9	5	0.0	66.7	33.3	92.3	5.7	1.1
		R	14	14	13	11.0	14.7	0	0	9	4	0.0	72.7	27.3	91.7	5.7	1.1
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
	30010	ALL	10	10	10	8.0	12.0	0	0	10	0	0.0	100.0	0.0	100.0	4.6	1.0
		R	10	10	10	8.0	12.0	0	0	10	0	0.0	100.0	0.0	100.0	4.6	1.0
	30020	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	7.8	1.3
		R	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	8.7	1.3
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
301	ALL	ALL	20	20	16	14.6	17.0	0	0	7	8	0.0	46.7	53.3	78.9	10.4	1.3
		R	20	20	16	14.6	17.0	0	0	7	8	0.0	46.7	53.3	78.9	10.4	1.3
	30110	ALL	10	10	8	6.6	9.0	0	0	8	0	0.0	100.0	0.0	77.8	10.3	1.3
		R	10	10	8	6.6	9.0	0	0	8	0	0.0	100.0	0.0	77.8	10.3	1.3
	30120	ALL	10	10	8	8.0	8.0	0	0	0	8	0.0	0.0	100.0	80.0	10.5	1.3
		R	10	10	8	8.0	8.0	0	0	0	8	0.0	0.0	100.0	80.0	10.5	1.3
302	ALL	ALL	10	10	6	6.0	6.0	0	0	3	3	0.0	50.0	50.0	60.0	12.8	1.7
		R	10	10	6	6.0	6.0	0	0	3	3	0.0	50.0	50.0	60.0	12.8	1.7
	30210	ALL	5	5	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	60.0	6.7	1.7
		R	5	5	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	60.0	6.7	1.7
	30220	ALL	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	19.0	1.7
		R	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	19.0	1.7
303	ALL	ALL	6	6	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	66.7	13.5	1.5
		R	5	5	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	80.0	11.8	1.3
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	30300	ALL	4	4	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	50.0	25.0	2.0
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	21.5	1.5
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	30310	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
304	ALL	ALL	4	4	4	2.5	5.5	0	0	0	4	0.0	0.0	100.0	100.0	8.0	1.0
		R	4	4	4	2.5	5.5	0	0	0	4	0.0	0.0	100.0	100.0	8.0	1.0
	30420	ALL	4	4	4	2.5	5.5	0	0	0	4	0.0	0.0	100.0	100.0	8.0	1.0
		R	4	4	4	2.5	5.5	0	0	0	4	0.0	0.0	100.0	100.0	8.0	1.0
306	ALL	ALL	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.5
		R	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.5
	30620	ALL	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.5
		R	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.5
307	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	30720	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
308	ALL	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	23.8	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	23.8	1.3
	30820	ALL	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	29.0	1.3
		R	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	29.0	1.3
	308XX	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
309	ALL	ALL	7	7	6	3.7	7.5	0	0	0	6	0.0	0.0	100.0	80.0	6.0	1.3
		R	7	7	6	3.7	7.5	0	0	0	6	0.0	0.0	100.0	80.0	6.0	1.3
	30920	ALL	7	7	6	3.7	7.5	0	0	0	6	0.0	0.0	100.0	80.0	6.0	1.3
		R	7	7	6	3.7	7.5	0	0	0	6	0.0	0.0	100.0	80.0	6.0	1.3
310	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
	31020	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
311	ALL	ALL	15	15	12	12.0	12.0	0	0	0	12	0.0	0.0	100.0	80.0	16.3	1.3
		R	15	15	12	12.0	12.0	0	0	0	12	0.0	0.0	100.0	80.0	16.3	1.3
	31120	ALL	15	15	12	12.0	12.0	0	0	0	12	0.0	0.0	100.0	80.0	16.3	1.3
		R	15	15	12	12.0	12.0	0	0	0	12	0.0	0.0	100.0	80.0	16.3	1.3

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
312	ALL	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	11.0	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	11.0	1.3
	31220	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	11.0	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	11.0	1.3
313	ALL	ALL	5	5	2	0.3	3.0	0	0	0	2	0.0	0.0	100.0	33.3	55.0	3.0
		R	5	5	2	0.3	3.0	0	0	0	2	0.0	0.0	100.0	33.3	55.0	3.0
	31320	ALL	5	5	2	0.3	3.0	0	0	0	2	0.0	0.0	100.0	33.3	55.0	3.0
		R	5	5	2	0.3	3.0	0	0	0	2	0.0	0.0	100.0	33.3	55.0	3.0
314	ALL	ALL	6	6	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	50.0	38.7	2.0
		R	6	6	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	50.0	38.7	2.0
	31420	ALL	6	6	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	50.0	38.7	2.0
		R	6	6	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	50.0	38.7	2.0
315	ALL	ALL	7	7	7	7.0	7.0	0	0	1	6	0.0	14.3	85.7	100.0	10.7	1.0
		R	7	7	7	7.0	7.0	0	0	1	6	0.0	14.3	85.7	100.0	10.7	1.0
	31510	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
	31520	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.8	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	11.8	1.0
316	ALL	ALL	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	25.0	3.0
		R	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	25.0	3.0
	31620	ALL	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	25.0	3.0
		R	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	25.0	3.0
317	ALL	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	17.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	17.0	2.0
	31720	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	17.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	17.0	2.0
318	ALL	ALL	3	3	2	0.4	2.6	0	0	0	2	0.0	0.0	100.0	50.0	4.0	2.0
		R	3	3	2	0.4	2.6	0	0	0	2	0.0	0.0	100.0	50.0	4.0	2.0
	31820	ALL	3	3	2	0.4	2.6	0	0	0	2	0.0	0.0	100.0	50.0	4.0	2.0
		R	3	3	2	0.4	2.6	0	0	0	2	0.0	0.0	100.0	50.0	4.0	2.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
319	ALL	ALL	5	5	5	5.0	5.0	0	0	1	4	0.0	20.0	80.0	100.0	4.6	1.0
		R	5	5	5	5.0	5.0	0	0	1	4	0.0	20.0	80.0	100.0	4.6	1.0
	31910	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	8.0	1.0
	31920	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	3.8	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	3.8	1.0
320	ALL	ALL	6	5	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	80.0	6.8	1.5
		R	6	5	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	80.0	6.8	1.5
	32010	ALL	3	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	3.0	1.5
		R	3	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	3.0	1.5
	32020	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	10.5	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	10.5	1.5
321	ALL	ALL	4	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	52.0	4.0
		R	4	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	52.0	4.0
	32110	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	32120	ALL	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	42.0	3.0
		R	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	42.0	3.0
322	ALL	ALL	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	12.3	1.7
		R	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	12.3	1.7
	32220	ALL	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	12.3	1.7
		R	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	12.3	1.7
323	ALL	ALL	50	48	46	43.6	47.9	0	4	21	20	9.3	46.5	44.2	95.6	5.8	1.1
		R	49	47	45	42.5	46.9	0	4	21	19	9.5	47.6	42.9	95.5	5.7	1.1
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	7.0	1.0
	32300	ALL	10	10	10	10.0	10.0	0	0	1	9	0.0	10.0	90.0	100.0	6.8	1.0
		R	9	9	9	9.0	9.0	0	0	1	8	0.0	11.1	88.9	100.0	6.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	7.0	1.0
323	32310	ALL	30	28	26	24.0	27.5	0	4	20	1	16.7	79.2	4.2	92.3	5.7	1.2
		R	30	28	26	24.0	27.5	0	4	20	1	16.7	79.2	4.2	92.3	5.7	1.2
	32320	ALL	10	10	10	8.6	11.4	0	0	0	10	0.0	0.0	100.0	100.0	4.9	1.0
		R	10	10	10	8.6	11.4	0	0	0	10	0.0	0.0	100.0	100.0	4.9	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
324	ALL	ALL	22	22	17	14.9	18.1	0	0	10	7	0.0	60.0	40.0	75.0	12.5	1.3
		R	20	20	16	13.9	17.2	0	0	9	7	0.0	57.1	42.9	77.8	12.1	1.3
		N	2	2	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	50.0	18.0	2.0
	32400	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.5	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.5	1.0
	32410	ALL	10	10	10	8.0	12.0	0	0	10	0	0.0	100.0	0.0	100.0	5.1	1.0
		R	9	9	9	6.9	11.1	0	0	9	0	0.0	100.0	0.0	100.0	5.3	1.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
	32420	ALL	10	10	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	50.0	25.0	2.0
		R	9	9	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	55.6	22.2	1.8
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
325	ALL	ALL	6	6	6	6.0	6.0	0	0	2	4	0.0	33.3	66.7	100.0	6.3	1.0
		R	6	6	6	6.0	6.0	0	0	2	4	0.0	33.3	66.7	100.0	6.3	1.0
	32510	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0
	32520	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	8.5	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	8.5	1.0
326	ALL	ALL	22	21	20	18.7	21.2	0	2	10	7	10.5	52.6	36.8	95.0	6.8	1.1
		R	22	21	20	18.7	21.2	0	2	10	7	10.5	52.6	36.8	95.0	6.8	1.1
	32600	ALL	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	2.5	1.0
		R	5	5	5	3.6	6.4	0	1	1	3	25.0	25.0	50.0	100.0	2.5	1.0
	32610	ALL	12	11	10	10.0	10.0	0	1	9	0	10.0	90.0	0.0	90.9	7.3	1.2
		R	12	11	10	10.0	10.0	0	1	9	0	10.0	90.0	0.0	90.9	7.3	1.2
	32620	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.4	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.4	1.0
327	ALL	ALL	19	19	16	14.6	17.0	0	3	4	8	20.0	26.7	53.3	83.3	7.7	1.2
		R	18	18	15	13.6	16.0	0	3	4	7	21.4	28.6	50.0	82.4	8.1	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
	32700	ALL	5	5	4	2.5	5.0	0	1	1	1	33.3	33.3	33.3	75.0	10.3	1.3
		R	5	5	4	2.5	5.0	0	1	1	1	33.3	33.3	33.3	75.0	10.3	1.3
	32710	ALL	7	7	5	5.0	5.0	0	2	3	0	40.0	60.0	0.0	71.4	4.6	1.4
		R	7	7	5	5.0	5.0	0	2	3	0	40.0	60.0	0.0	71.4	4.6	1.4
	32720	ALL	7	7	7	7.0	7.0	0	0	0	7	0.0	0.0	100.0	100.0	8.7	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	10.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
328	ALL	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	23.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	23.0	2.0
	32820	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	23.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	23.0	2.0
329	ALL	ALL	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	18.0	1.3
		R	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	18.0	1.3
	32920	ALL	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	18.0	1.3
		R	5	5	4	2.5	5.0	0	0	0	4	0.0	0.0	100.0	75.0	18.0	1.3
330	ALL	ALL	10	10	10	10.0	10.0	0	2	3	5	20.0	30.0	50.0	100.0	5.0	1.0
		R	10	10	10	10.0	10.0	0	2	3	5	20.0	30.0	50.0	100.0	5.0	1.0
	33010	ALL	5	5	5	5.0	5.0	0	2	3	0	40.0	60.0	0.0	100.0	2.0	1.0
		R	5	5	5	5.0	5.0	0	2	3	0	40.0	60.0	0.0	100.0	2.0	1.0
	33020	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	8.0	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	8.0	1.0
331	ALL	ALL	20	20	16	16.0	16.0	0	0	6	10	0.0	37.5	62.5	80.0	8.1	1.3
		R	19	19	15	15.0	15.0	0	0	6	9	0.0	40.0	60.0	78.9	7.3	1.3
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	21.0	1.0
	33110	ALL	10	10	6	6.0	6.0	0	0	6	0	0.0	100.0	0.0	60.0	8.5	1.7
		R	10	10	6	6.0	6.0	0	0	6	0	0.0	100.0	0.0	60.0	8.5	1.7
	33120	ALL	10	10	10	10.0	10.0	0	0	0	10	0.0	0.0	100.0	100.0	7.9	1.0
		R	9	9	9	9.0	9.0	0	0	0	9	0.0	0.0	100.0	100.0	6.4	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	21.0	1.0
332	ALL	ALL	10	10	10	10.0	10.0	0	0	5	5	0.0	50.0	50.0	100.0	5.0	1.0
		R	10	10	10	10.0	10.0	0	0	5	5	0.0	50.0	50.0	100.0	5.0	1.0
	33210	ALL	5	5	5	5.0	5.0	0	0	5	0	0.0	100.0	0.0	100.0	3.2	1.0
		R	5	5	5	5.0	5.0	0	0	5	0	0.0	100.0	0.0	100.0	3.2	1.0
	33220	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	6.8	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	6.8	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
333	ALL	ALL	4	4	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	100.0	4.8	1.0
		R	4	4	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	100.0	4.8	1.0
	33310	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	5.0	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	5.0	1.0
	33320	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.0
334	ALL	ALL	11	10	10	10.0	10.0	0	0	5	5	0.0	50.0	50.0	100.0	7.5	1.1
		R	11	10	10	10.0	10.0	0	0	5	5	0.0	50.0	50.0	100.0	7.5	1.1
	33410	ALL	3	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	5.0	1.5
		R	3	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	5.0	1.5
	33411	ALL	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	2.0	1.0
		R	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	2.0	1.0
	33420	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	11.8	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	11.8	1.0
335	ALL	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	11.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	11.0	1.0
	33520	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	11.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	11.0	1.0
340	ALL	ALL	20	20	20	18.1	21.9	0	0	11	9	0.0	55.6	44.4	100.0	6.2	1.0
		R	20	20	20	18.1	21.9	0	0	11	9	0.0	55.6	44.4	100.0	6.2	1.0
	34010	ALL	10	10	10	10.0	10.0	0	0	10	0	0.0	100.0	0.0	100.0	4.3	1.0
		R	10	10	10	10.0	10.0	0	0	10	0	0.0	100.0	0.0	100.0	4.3	1.0
	34020	ALL	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	8.6	1.0
		R	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	8.6	1.0
341	ALL	ALL	4	4	4	2.5	5.5	0	0	1	3	0.0	33.3	66.7	100.0	9.3	1.0
		R	4	4	4	2.5	5.5	0	0	1	3	0.0	33.3	66.7	100.0	9.3	1.0
	34110	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
	34120	ALL	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	12.0	1.0
		R	3	3	3	1.4	4.6	0	0	0	3	0.0	0.0	100.0	100.0	12.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
350	ALL	ALL	7	7	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	42.9	44.3	2.3
		R	7	7	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	42.9	44.3	2.3
	35010	ALL	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	35020	ALL	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	32.7	1.7
		R	5	5	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	60.0	32.7	1.7
360	ALL	ALL	5	5	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	20.0	61.0	5.0
		R	5	5	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	20.0	61.0	5.0
	36020	ALL	5	5	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	20.0	61.0	5.0
		R	5	5	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	20.0	61.0	5.0
361	ALL	ALL	5	5	3	1.5	3.5	0	0	0	3	0.0	0.0	100.0	50.0	6.5	2.0
		R	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	4.5	1.5
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	36120	ALL	5	5	3	1.5	3.5	0	0	0	3	0.0	0.0	100.0	50.0	6.5	2.0
		R	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	4.5	1.5
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
362	ALL	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	8.5	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	8.5	1.5
	36220	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	8.5	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	8.5	1.5
380	ALL	ALL	7	7	6	6.0	6.0	0	0	2	4	0.0	33.3	66.7	85.7	14.0	1.2
		R	6	6	5	5.0	5.0	0	0	2	3	0.0	40.0	60.0	83.3	16.2	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
	38010	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	4.0	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	4.0	1.0
	38020	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	19.0	1.3
		R	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	24.3	1.3
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
382	ALL	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	16.0	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	16.0	1.5
	38220	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	16.0	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	16.0	1.5
415	ALL	ALL	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	44.0	3.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	30.0	2.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	41520	ALL	3	3	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	33.3	44.0	3.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	30.0	2.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
494	ALL	ALL	6	6	5	3.5	6.1	0	0	0	5	0.0	0.0	100.0	80.0	11.5	1.3
		R	6	6	5	3.5	6.1	0	0	0	5	0.0	0.0	100.0	80.0	11.5	1.3
	49400	ALL	6	6	5	3.5	6.1	0	0	0	5	0.0	0.0	100.0	80.0	11.5	1.3
		R	6	6	5	3.5	6.1	0	0	0	5	0.0	0.0	100.0	80.0	11.5	1.3
496	ALL	ALL	4	4	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	50.0	35.0	2.0
		R	4	4	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	50.0	35.0	2.0
	49600	ALL	4	4	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	50.0	35.0	2.0
		R	4	4	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	50.0	35.0	2.0
512	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	51220	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
513	ALL	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	20.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	20.0	1.0
	51320	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	20.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	20.0	1.0

Montana Fish Wildlife and Parks
2004 Moose Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
514	ALL	ALL	22	22	18	15.9	19.3	0	0	7	11	0.0	37.5	62.5	80.0	13.1	1.3
		R	22	22	18	15.9	19.3	0	0	7	11	0.0	37.5	62.5	80.0	13.1	1.3
	51400	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	41.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	41.0	2.0
	51410	ALL	3	3	3	1.4	4.6	0	0	3	0	0.0	100.0	0.0	100.0	4.0	1.0
		R	3	3	3	1.4	4.6	0	0	3	0	0.0	100.0	0.0	100.0	4.0	1.0
	51411	ALL	3	3	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	66.7	5.0	1.5
		R	3	3	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	66.7	5.0	1.5
	51412	ALL	3	3	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	66.7	11.0	1.5
		R	3	3	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	66.7	11.0	1.5
	51420	ALL	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	10.8	1.3
		R	5	5	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	80.0	10.8	1.3
	51421	ALL	6	6	6	4.6	7.4	0	0	0	6	0.0	0.0	100.0	100.0	17.2	1.0
		R	6	6	6	4.6	7.4	0	0	0	6	0.0	0.0	100.0	100.0	17.2	1.0
515	ALL	ALL	5	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	26.0	5.0
		R	5	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	26.0	5.0
	51520	ALL	5	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	26.0	5.0
		R	5	4	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	25.0	26.0	5.0
516	ALL	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	9.5	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	9.5	1.5
	51620	ALL	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	9.5	1.5
		R	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	9.5	1.5

Moose
Time Period of Kill
Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

MOOSE – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
Statewide and Regional

Location	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
State	ALL	537	0	2	199	166	119	45	5	0.4	37.1	31.0	22.2	8.4	1.0
	R	525	0	2	193	166	117	42	5	0.4	36.7	31.5	22.3	8.0	1.0
	N	12	0	0	6	1	2	3	0	0.0	50.0	8.3	16.7	25.0	0.0
Reg 1	ALL	134	0	1	40	46	32	15	0	0.8	29.7	34.4	24.2	10.9	0.0
	R	129	0	1	38	46	31	13	0	0.8	29.3	35.8	24.4	9.8	0.0
	N	5	0	0	2	0	1	2	0	0.0	40.0	0.0	20.0	40.0	0.0
Reg 2	ALL	70	0	0	30	26	11	2	0	0.0	43.3	37.3	16.4	3.0	0.0
	R	69	0	0	29	26	11	2	0	0.0	42.4	37.9	16.7	3.0	0.0
	N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
Reg 3	ALL	303	0	1	119	84	69	25	5	0.3	39.2	27.6	22.7	8.4	1.7
	R	297	0	1	116	83	68	24	5	0.4	38.9	27.9	22.9	8.2	1.8
	N	6	0	0	3	1	1	1	0	0.0	50.0	16.7	16.7	16.7	0.0
Reg 4	ALL	8	0	0	3	1	2	1	0	0.0	42.9	14.3	28.6	14.3	0.0
	R	8	0	0	3	1	2	1	0	0.0	42.9	14.3	28.6	14.3	0.0
	N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
Reg 5	ALL	23	0	0	7	10	4	2	0	0.0	31.8	40.9	18.2	9.1	0.0
	R	23	0	0	7	10	4	2	0	0.0	31.8	40.9	18.2	9.1	0.0

MOOSE – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
100	ALL	ALL	14	0	0	2	9	3	0	0	0.0	15.4	61.5	23.1	0.0	0.0
		R	14	0	0	2	9	3	0	0	0.0	15.4	61.5	23.1	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	10000	ALL	14	0	0	2	9	3	0	0	0.0	15.4	61.5	23.1	0.0	0.0
		R	14	0	0	2	9	3	0	0	0.0	15.4	61.5	23.1	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
101	ALL	ALL	13	0	0	1	4	5	2	0	0.0	8.3	33.3	41.7	16.7	0.0
		R	12	0	0	1	4	5	1	0	0.0	9.1	36.4	45.5	9.1	0.0
		N	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	10100	ALL	13	0	0	1	4	5	2	0	0.0	8.3	33.3	41.7	16.7	0.0
		R	12	0	0	1	4	5	1	0	0.0	9.1	36.4	45.5	9.1	0.0
		N	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
102	ALL	ALL	12	0	0	9	2	1	0	0	0.0	75.0	16.7	8.3	0.0	0.0
		R	11	0	0	8	2	1	0	0	0.0	72.7	18.2	9.1	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	10200	ALL	12	0	0	9	2	1	0	0	0.0	75.0	16.7	8.3	0.0	0.0
		R	11	0	0	8	2	1	0	0	0.0	72.7	18.2	9.1	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
103	ALL	ALL	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
		R	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
	10300	ALL	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
		R	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
104	ALL	ALL	5	0	0	1	2	1	1	0	0.0	20.0	40.0	20.0	20.0	0.0
		R	5	0	0	1	2	1	1	0	0.0	20.0	40.0	20.0	20.0	0.0
	10400	ALL	5	0	0	1	2	1	1	0	0.0	20.0	40.0	20.0	20.0	0.0
		R	5	0	0	1	2	1	1	0	0.0	20.0	40.0	20.0	20.0	0.0
105	ALL	ALL	19	0	0	6	6	5	2	0	0.0	31.6	31.6	26.3	10.5	0.0
		R	17	0	0	5	6	5	1	0	0.0	29.4	35.3	29.4	5.9	0.0
		N	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
	10500	ALL	19	0	0	6	6	5	2	0	0.0	31.6	31.6	26.3	10.5	0.0
		R	17	0	0	5	6	5	1	0	0.0	29.4	35.3	29.4	5.9	0.0
		N	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
106	ALL	ALL	14	0	0	4	4	5	1	0	0.0	28.6	28.6	35.7	7.1	0.0
		R	14	0	0	4	4	5	1	0	0.0	28.6	28.6	35.7	7.1	0.0
	10600	ALL	14	0	0	4	4	5	1	0	0.0	28.6	28.6	35.7	7.1	0.0
		R	14	0	0	4	4	5	1	0	0.0	28.6	28.6	35.7	7.1	0.0
110	ALL	ALL	10	0	0	6	1	1	1	0	0.0	62.5	12.5	12.5	12.5	0.0
		R	10	0	0	6	1	1	1	0	0.0	62.5	12.5	12.5	12.5	0.0
	11000	ALL	10	0	0	6	1	1	1	0	0.0	62.5	12.5	12.5	12.5	0.0
		R	10	0	0	6	1	1	1	0	0.0	62.5	12.5	12.5	12.5	0.0
111	ALL	ALL	9	0	1	1	3	3	1	0	11.1	11.1	33.3	33.3	11.1	0.0
		R	8	0	1	1	3	2	1	0	12.5	12.5	37.5	25.0	12.5	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	11100	ALL	9	0	1	1	3	3	1	0	11.1	11.1	33.3	33.3	11.1	0.0
		R	8	0	1	1	3	2	1	0	12.5	12.5	37.5	25.0	12.5	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
112	ALL	ALL	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0
		R	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0
	11200	ALL	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0
		R	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0
121	ALL	ALL	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
		R	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
	12100	ALL	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
		R	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
122	ALL	ALL	6	0	0	2	3	0	1	0	0.0	33.3	50.0	0.0	16.7	0.0
		R	6	0	0	2	3	0	1	0	0.0	33.3	50.0	0.0	16.7	0.0
	12200	ALL	6	0	0	2	3	0	1	0	0.0	33.3	50.0	0.0	16.7	0.0
		R	6	0	0	2	3	0	1	0	0.0	33.3	50.0	0.0	16.7	0.0
125	ALL	ALL	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
		R	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
	12500	ALL	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
		R	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
130	ALL	ALL	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
		R	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
	13000	ALL	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
		R	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
140	ALL	ALL	4	0	0	0	2	1	1	0	0.0	0.0	50.0	25.0	25.0	0.0
		R	4	0	0	0	2	1	1	0	0.0	0.0	50.0	25.0	25.0	0.0
	14000	ALL	4	0	0	0	2	1	1	0	0.0	0.0	50.0	25.0	25.0	0.0
		R	4	0	0	0	2	1	1	0	0.0	0.0	50.0	25.0	25.0	0.0
141	ALL	ALL	5	0	0	0	1	2	1	0	0.0	0.0	25.0	50.0	25.0	0.0
		R	5	0	0	0	1	2	1	0	0.0	0.0	25.0	50.0	25.0	0.0
	14100	ALL	5	0	0	0	1	2	1	0	0.0	0.0	25.0	50.0	25.0	0.0
		R	5	0	0	0	1	2	1	0	0.0	0.0	25.0	50.0	25.0	0.0
150	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	15000	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
210	ALL	ALL	7	0	0	5	1	1	0	0	0.0	66.7	16.7	16.7	0.0	0.0
		R	7	0	0	5	1	1	0	0	0.0	66.7	16.7	16.7	0.0	0.0
	21010	ALL	4	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
		R	4	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
	21020	ALL	3	0	0	3	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	3	0	0	3	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0

MOOSE – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
211	ALL	ALL	6	0	0	5	0	1	0	0	0.0	83.3	0.0	16.7	0.0	0.0
		R	5	0	0	4	0	1	0	0	0.0	80.0	0.0	20.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	21110	ALL	3	0	0	3	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	3	0	0	3	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	21120	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
212	ALL	ALL	10	0	0	5	4	1	0	0	0.0	50.0	40.0	10.0	0.0	0.0
		R	10	0	0	5	4	1	0	0	0.0	50.0	40.0	10.0	0.0	0.0
	21210	ALL	5	0	0	2	3	0	0	0	0.0	40.0	60.0	0.0	0.0	0.0
		R	5	0	0	2	3	0	0	0	0.0	40.0	60.0	0.0	0.0	0.0
	21220	ALL	5	0	0	3	1	1	0	0	0.0	60.0	20.0	20.0	0.0	0.0
		R	5	0	0	3	1	1	0	0	0.0	60.0	20.0	20.0	0.0	0.0
214	ALL	ALL	4	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
		R	4	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
	21400	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	21410	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
215	ALL	ALL	4	0	0	1	1	1	1	0	0.0	25.0	25.0	25.0	25.0	0.0
		R	4	0	0	1	1	1	1	0	0.0	25.0	25.0	25.0	25.0	0.0
	21510	ALL	2	0	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
		R	2	0	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
	21520	ALL	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
220	ALL	ALL	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
	22020	ALL	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
230	ALL	ALL	4	0	0	1	3	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
		R	4	0	0	1	3	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
	23020	ALL	4	0	0	1	3	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
		R	4	0	0	1	3	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
240	ALL	ALL	5	0	0	1	4	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
		R	5	0	0	1	4	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
	24000	ALL	5	0	0	1	4	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
		R	5	0	0	1	4	0	0	0	0.0	25.0	75.0	0.0	0.0	0.0
250	ALL	ALL	5	0	0	2	1	2	0	0	0.0	40.0	20.0	40.0	0.0	0.0
		R	5	0	0	2	1	2	0	0	0.0	40.0	20.0	40.0	0.0	0.0
	25020	ALL	5	0	0	2	1	2	0	0	0.0	40.0	20.0	40.0	0.0	0.0
		R	5	0	0	2	1	2	0	0	0.0	40.0	20.0	40.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
261	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	26120	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
270	ALL	ALL	9	0	0	4	3	2	0	0	0.0	44.4	33.3	22.2	0.0	0.0
		R	9	0	0	4	3	2	0	0	0.0	44.4	33.3	22.2	0.0	0.0
	27000	ALL	9	0	0	4	3	2	0	0	0.0	44.4	33.3	22.2	0.0	0.0
		R	9	0	0	4	3	2	0	0	0.0	44.4	33.3	22.2	0.0	0.0
280	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	28020	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
285	ALL	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	28520	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
291	ALL	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	29100	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
292	ALL	ALL	6	0	0	1	4	1	0	0	0.0	16.7	66.7	16.7	0.0	0.0
		R	6	0	0	1	4	1	0	0	0.0	16.7	66.7	16.7	0.0	0.0
	29220	ALL	6	0	0	1	4	1	0	0	0.0	16.7	66.7	16.7	0.0	0.0
		R	6	0	0	1	4	1	0	0	0.0	16.7	66.7	16.7	0.0	0.0
293	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	29320	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
300	ALL	ALL	14	0	0	6	2	2	3	0	0.0	41.7	16.7	16.7	25.0	0.0
		R	13	0	0	6	1	2	4	0	0.0	45.5	9.1	18.2	27.3	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	30010	ALL	10	0	0	5	1	1	3	0	0.0	50.0	12.5	12.5	25.0	0.0
		R	10	0	0	5	1	1	3	0	0.0	50.0	12.5	12.5	25.0	0.0
	30020	ALL	4	0	0	1	1	1	1	0	0.0	25.0	25.0	25.0	25.0	0.0
		R	3	0	0	1	0	1	1	0	0.0	33.3	0.0	33.3	33.3	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
301	ALL	ALL	16	0	0	4	2	7	2	0	0.0	26.7	13.3	46.7	13.3	0.0
		R	16	0	0	4	2	7	2	0	0.0	26.7	13.3	46.7	13.3	0.0
	30110	ALL	8	0	0	2	0	3	2	0	0.0	28.6	0.0	42.9	28.6	0.0
		R	8	0	0	2	0	3	2	0	0.0	28.6	0.0	42.9	28.6	0.0
	30120	ALL	8	0	0	2	2	4	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	8	0	0	2	2	4	0	0	0.0	25.0	25.0	50.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
302	ALL	ALL	6	0	0	3	2	1	0	0	0.0	50.0	33.3	16.7	0.0	0.0
		R	6	0	0	3	2	1	0	0	0.0	50.0	33.3	16.7	0.0	0.0
	30210	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
	30220	ALL	3	0	0	1	2	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
		R	3	0	0	1	2	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
303	ALL	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	30300	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	30310	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
304	ALL	ALL	4	0	0	3	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
	30420	ALL	4	0	0	3	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
306	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	30620	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
307	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	30720	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
308	ALL	ALL	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
	30820	ALL	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	308XX	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
309	ALL	ALL	6	0	0	3	3	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	6	0	0	3	3	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	30920	ALL	6	0	0	3	3	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	6	0	0	3	3	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
310	ALL	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	31020	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
311	ALL	ALL	12	0	0	1	8	3	0	0	0.0	8.3	66.7	25.0	0.0	0.0
		R	12	0	0	1	8	3	0	0	0.0	8.3	66.7	25.0	0.0	0.0
	31120	ALL	12	0	0	1	8	3	0	0	0.0	8.3	66.7	25.0	0.0	0.0
		R	12	0	0	1	8	3	0	0	0.0	8.3	66.7	25.0	0.0	0.0
312	ALL	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	31220	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
313	ALL	ALL	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
	31320	ALL	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
314	ALL	ALL	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	31420	ALL	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
315	ALL	ALL	7	0	0	2	4	1	0	0	0.0	28.6	57.1	14.3	0.0	0.0
		R	7	0	0	2	4	1	0	0	0.0	28.6	57.1	14.3	0.0	0.0
	31510	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	31520	ALL	6	0	0	2	4	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
		R	6	0	0	2	4	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
316	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	31620	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
317	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	31720	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
318	ALL	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	31820	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
319	ALL	ALL	5	0	0	3	0	1	1	0	0.0	60.0	0.0	20.0	20.0	0.0
		R	5	0	0	3	0	1	1	0	0.0	60.0	0.0	20.0	20.0	0.0
	31910	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	31920	ALL	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0
		R	4	0	0	3	0	0	1	0	0.0	75.0	0.0	0.0	25.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
320	ALL	ALL	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
	32010	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	32020	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
321	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	32110	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	32120	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
322	ALL	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	32220	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
323	ALL	ALL	46	0	1	10	10	17	6	2	2.3	20.9	20.9	37.2	14.0	4.7
		R	45	0	1	10	10	16	6	2	2.4	21.4	21.4	35.7	14.3	4.8
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	32300	ALL	10	0	0	1	0	4	3	2	0.0	10.0	0.0	40.0	30.0	20.0
		R	9	0	0	1	0	3	3	2	0.0	11.1	0.0	33.3	33.3	22.2
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	32310	ALL	26	0	1	5	7	9	3	0	4.2	20.8	29.2	33.3	12.5	0.0
		R	26	0	1	5	7	9	3	0	4.2	20.8	29.2	33.3	12.5	0.0
	32320	ALL	10	0	0	3	2	4	0	0	0.0	33.3	22.2	44.4	0.0	0.0
		R	10	0	0	3	2	4	0	0	0.0	33.3	22.2	44.4	0.0	0.0
324	ALL	ALL	17	0	0	9	1	4	2	0	0.0	53.3	6.7	26.7	13.3	0.0
		R	16	0	0	8	1	4	2	0	0.0	50.0	7.1	28.6	14.3	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	32400	ALL	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	2	0	0	0	0	0	2	0	0.0	0.0	0.0	0.0	100.0	0.0
	32410	ALL	10	0	0	5	1	4	0	0	0.0	50.0	12.5	37.5	0.0	0.0
		R	9	0	0	4	1	4	0	0	0.0	42.9	14.3	42.9	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	32420	ALL	5	0	0	4	0	1	0	0	0.0	80.0	0.0	20.0	0.0	0.0
		R	5	0	0	4	0	1	0	0	0.0	80.0	0.0	20.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
325	ALL	ALL	6	0	0	5	1	0	0	0	0.0	83.3	16.7	0.0	0.0	0.0
		R	6	0	0	5	1	0	0	0	0.0	83.3	16.7	0.0	0.0	0.0
	32510	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	32520	ALL	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
326	ALL	ALL	20	0	0	6	5	5	1	2	0.0	31.6	26.3	26.3	5.3	10.5
		R	20	0	0	6	5	5	1	2	0.0	31.6	26.3	26.3	5.3	10.5
	32600	ALL	5	0	0	0	0	3	0	3	0.0	0.0	0.0	50.0	0.0	50.0
		R	5	0	0	0	0	3	0	3	0.0	0.0	0.0	50.0	0.0	50.0
	32610	ALL	10	0	0	5	2	2	1	0	0.0	50.0	20.0	20.0	10.0	0.0
		R	10	0	0	5	2	2	1	0	0.0	50.0	20.0	20.0	10.0	0.0
	32620	ALL	5	0	0	1	3	1	0	0	0.0	20.0	60.0	20.0	0.0	0.0
		R	5	0	0	1	3	1	0	0	0.0	20.0	60.0	20.0	0.0	0.0
327	ALL	ALL	16	0	0	10	3	2	1	0	0.0	60.0	20.0	13.3	6.7	0.0
		R	15	0	0	8	3	2	1	0	0.0	57.1	21.4	14.3	7.1	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	32700	ALL	4	0	0	0	0	3	1	0	0.0	0.0	0.0	66.7	33.3	0.0
		R	4	0	0	0	0	3	1	0	0.0	0.0	0.0	66.7	33.3	0.0
	32710	ALL	5	0	0	4	1	0	0	0	0.0	80.0	20.0	0.0	0.0	0.0
		R	5	0	0	4	1	0	0	0	0.0	80.0	20.0	0.0	0.0	0.0
	32720	ALL	7	0	0	5	2	0	0	0	0.0	71.4	28.6	0.0	0.0	0.0
		R	6	0	0	4	2	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
328	ALL	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	32820	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
329	ALL	ALL	4	0	0	1	1	0	1	0	0.0	33.3	33.3	0.0	33.3	0.0
		R	4	0	0	1	1	0	1	0	0.0	33.3	33.3	0.0	33.3	0.0
	32920	ALL	4	0	0	1	1	0	1	0	0.0	33.3	33.3	0.0	33.3	0.0
		R	4	0	0	1	1	0	1	0	0.0	33.3	33.3	0.0	33.3	0.0
330	ALL	ALL	10	0	0	2	4	3	1	0	0.0	20.0	40.0	30.0	10.0	0.0
		R	10	0	0	2	4	3	1	0	0.0	20.0	40.0	30.0	10.0	0.0
	33010	ALL	5	0	0	2	0	2	1	0	0.0	40.0	0.0	40.0	20.0	0.0
		R	5	0	0	2	0	2	1	0	0.0	40.0	0.0	40.0	20.0	0.0
	33020	ALL	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
		R	5	0	0	0	4	1	0	0	0.0	0.0	80.0	20.0	0.0	0.0
331	ALL	ALL	16	0	0	5	5	4	2	0	0.0	31.3	31.3	25.0	12.5	0.0
		R	15	0	0	5	5	4	1	0	0.0	33.3	33.3	26.7	6.7	0.0
		N	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	33110	ALL	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
		R	6	0	0	1	3	2	0	0	0.0	16.7	50.0	33.3	0.0	0.0
	33120	ALL	10	0	0	4	2	2	2	0	0.0	40.0	20.0	20.0	20.0	0.0
		R	9	0	0	4	2	2	1	0	0.0	44.4	22.2	22.2	11.1	0.0
		N	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
332	ALL	ALL	10	0	0	5	4	1	0	0	0.0	50.0	40.0	10.0	0.0	0.0
		R	10	0	0	5	4	1	0	0	0.0	50.0	40.0	10.0	0.0	0.0
	33210	ALL	5	0	0	4	1	0	0	0	0.0	80.0	20.0	0.0	0.0	0.0
		R	5	0	0	4	1	0	0	0	0.0	80.0	20.0	0.0	0.0	0.0
	33220	ALL	5	0	0	1	3	1	0	0	0.0	20.0	60.0	20.0	0.0	0.0
		R	5	0	0	1	3	1	0	0	0.0	20.0	60.0	20.0	0.0	0.0
333	ALL	ALL	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
	33310	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	33320	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
334	ALL	ALL	10	0	0	0	4	3	2	1	0.0	0.0	40.0	30.0	20.0	10.0
		R	10	0	0	0	4	3	2	1	0.0	0.0	40.0	30.0	20.0	10.0
	33410	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	33411	ALL	3	0	0	0	0	1	1	1	0.0	0.0	0.0	33.3	33.3	33.3
		R	3	0	0	0	0	1	1	1	0.0	0.0	0.0	33.3	33.3	33.3
	33420	ALL	5	0	0	0	2	2	1	0	0.0	0.0	40.0	40.0	20.0	0.0
		R	5	0	0	0	2	2	1	0	0.0	0.0	40.0	40.0	20.0	0.0
335	ALL	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
	33520	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
340	ALL	ALL	20	0	0	13	2	4	0	0	0.0	66.7	11.1	22.2	0.0	0.0
		R	20	0	0	13	2	4	0	0	0.0	66.7	11.1	22.2	0.0	0.0
	34010	ALL	10	0	0	7	1	2	0	0	0.0	70.0	10.0	20.0	0.0	0.0
		R	10	0	0	7	1	2	0	0	0.0	70.0	10.0	20.0	0.0	0.0
	34020	ALL	10	0	0	6	1	3	0	0	0.0	62.5	12.5	25.0	0.0	0.0
		R	10	0	0	6	1	3	0	0	0.0	62.5	12.5	25.0	0.0	0.0
341	ALL	ALL	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
		R	4	0	0	3	0	0	1	0	0.0	66.7	0.0	0.0	33.3	0.0
	34110	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	34120	ALL	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	3	0	0	2	0	0	2	0	0.0	50.0	0.0	0.0	50.0	0.0
350	ALL	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	35010	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	35020	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
360	ALL	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	36020	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
361	ALL	ALL	3	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	3	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	36120	ALL	3	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	3	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
362	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	36220	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
380	ALL	ALL	6	0	0	4	1	1	0	0	0.0	66.7	16.7	16.7	0.0	0.0
		R	5	0	0	3	1	1	0	0	0.0	60.0	20.0	20.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	38010	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	38020	ALL	4	0	0	3	0	1	0	0	0.0	75.0	0.0	25.0	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
382	ALL	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	38220	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
415	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	41520	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
494	ALL	ALL	5	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
		R	5	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
	49400	ALL	5	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
		R	5	0	0	2	1	1	0	0	0.0	50.0	25.0	25.0	0.0	0.0
496	ALL	ALL	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
		R	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
	49600	ALL	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
		R	2	0	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0

Montana Fish Wildlife and Parks
2004 Moose Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
512	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	51220	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
513	ALL	ALL	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	51320	ALL	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	3	0	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
514	ALL	ALL	18	0	0	4	8	3	2	0	0.0	25.0	43.8	18.8	12.5	0.0
		R	18	0	0	4	8	3	2	0	0.0	25.0	43.8	18.8	12.5	0.0
	51400	ALL	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	51410	ALL	3	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	3	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	51411	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	51412	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
	51420	ALL	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
	51421	ALL	6	0	0	0	4	1	1	0	0.0	0.0	60.0	20.0	20.0	0.0
		R	6	0	0	0	4	1	1	0	0.0	0.0	60.0	20.0	20.0	0.0
515	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	51520	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
516	ALL	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	51620	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0

Bighorn Sheep

License Year 2004

Tables of Statistical Estimates

Hunting

Harvest

Time Period of Kill

Bighorn Sheep Hunting Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
Statewide and Regional

Location	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
State	ALL	392	1.130	324	315.9	332.5	82.7	2,246	2,223.9	2,267.7	6.9
	R	339	1.138	282	274.1	290.1	83.2	1,937	1,916.4	1,958.2	6.9
	N	53	1.082	42	39.8	44.6	79.6	308	301.8	314.7	7.3
Reg 1	ALL	47	1.044	43	41.1	44.6	91.1	374	368.7	379.1	8.7
	R	43	1.049	40	38.1	41.6	92.7	329	324.2	334.5	8.3
	N	4	1.000	3	3.0	3.0	75.0	44	44.0	44.0	14.7
Reg 2	ALL	75	1.136	73	68.7	76.8	97.0	499	488.3	509.4	6.9
	R	70	1.129	69	65.0	72.7	98.4	490	479.8	500.2	7.1
	N	5	1.250	4	2.5	5.0	75.0	6	4.6	7.9	1.7
Reg 3	ALL	67	1.175	53	49.0	56.8	78.9	326	315.9	335.3	6.2
	R	55	1.196	42	38.2	45.5	76.1	234	225.7	243.0	5.6
	N	12	1.091	11	9.6	12.2	90.9	88	84.7	92.0	8.1
Reg 4	ALL	46	1.022	43	41.7	44.2	93.3	302	298.2	304.9	7.0
	R	44	1.023	41	39.7	42.2	93.0	298	294.4	301.1	7.3
	N	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
Reg 5	ALL	123	1.183	83	77.8	87.8	67.3	620	606.1	633.4	7.5
	R	96	1.215	61	56.1	65.4	63.3	461	447.8	473.3	7.6
	N	27	1.080	22	19.9	23.3	80.0	157	152.1	161.1	7.3
Reg 6	ALL	34	1.133	28	25.8	30.8	83.3	108	102.8	112.5	3.8
	R	31	1.148	28	25.0	30.1	88.9	102	97.2	107.2	3.7
	N	3	1.000	1	1.0	1.0	33.3	6	6.0	6.0	6.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
102	ALL	ALL	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
		N	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
	10200	ALL	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
		N	1	1.000	1	1.0	1.0	100.0	16	16.0	16.0	16.0
121	ALL	ALL	9	1.125	9	7.6	10.4	100.0	87	82.4	90.8	9.6
		R	8	1.143	8	6.6	9.4	100.0	59	55.7	63.2	7.4
		N	1	1.000	1	1.0	1.0	100.0	25	25.0	25.0	25.0
	12100	ALL	9	1.125	9	7.6	10.4	100.0	87	82.4	90.8	9.6
		R	8	1.143	8	6.6	9.4	100.0	59	55.7	63.2	7.4
		N	1	1.000	1	1.0	1.0	100.0	25	25.0	25.0	25.0
122	ALL	ALL	14	1.077	12	10.6	13.1	84.6	104	100.8	108.1	8.8
		R	14	1.077	12	10.6	13.1	84.6	104	100.8	108.1	8.8
	12200	ALL	6	1.000	6	6.0	6.0	100.0	63	63.0	63.0	10.5
		R	6	1.000	6	6.0	6.0	100.0	63	63.0	63.0	10.5
	12230	ALL	8	1.143	6	4.6	6.9	71.4	39	35.8	41.9	6.8
		R	8	1.143	6	4.6	6.9	71.4	39	35.8	41.9	6.8
123	ALL	ALL	5	1.000	4	4.0	4.0	80.0	50	50.0	50.0	12.5
		R	5	1.000	4	4.0	4.0	80.0	50	50.0	50.0	12.5
	12300	ALL	4	1.000	4	4.0	4.0	100.0	50	50.0	50.0	12.5
		R	4	1.000	4	4.0	4.0	100.0	50	50.0	50.0	12.5
	12330	ALL	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
		R	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
124	ALL	ALL	18	1.000	17	17.0	17.0	94.4	118	118.0	118.0	6.9
		R	16	1.000	16	16.0	16.0	100.0	115	115.0	115.0	7.2
		N	2	1.000	1	1.0	1.0	50.0	3	3.0	3.0	3.0
	12400	ALL	8	1.000	8	8.0	8.0	100.0	87	87.0	87.0	10.9
		R	7	1.000	7	7.0	7.0	100.0	84	84.0	84.0	12.0
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	12430	ALL	10	1.000	9	9.0	9.0	90.0	31	31.0	31.0	3.4
		R	9	1.000	9	9.0	9.0	100.0	31	31.0	31.0	3.4
		N	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
203	ALL	ALL	4	1.000	4	4.0	4.0	100.0	18	18.0	18.0	4.5
		R	3	1.000	3	3.0	3.0	100.0	16	16.0	16.0	5.3
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
	20300	ALL	2	1.000	2	2.0	2.0	100.0	14	14.0	14.0	7.0
		R	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
	20330	ALL	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
		R	2	1.000	2	2.0	2.0	100.0	4	4.0	4.0	2.0
210	ALL	ALL	4	1.000	4	4.0	4.0	100.0	85	85.0	85.0	21.3
		R	4	1.000	4	4.0	4.0	100.0	85	85.0	85.0	21.3
	21000	ALL	4	1.000	4	4.0	4.0	100.0	85	85.0	85.0	21.3
		R	4	1.000	4	4.0	4.0	100.0	85	85.0	85.0	21.3

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
212	ALL	ALL	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
		R	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
	21200	ALL	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
		R	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
213	ALL	ALL	11	1.222	10	7.9	11.7	88.9	55	50.5	59.5	5.6
		R	11	1.222	10	7.9	11.7	88.9	55	50.5	59.5	5.6
	21300	ALL	6	1.500	6	3.8	8.2	100.0	51	44.5	57.5	8.5
		R	6	1.500	6	3.8	8.2	100.0	51	44.5	57.5	8.5
	21330	ALL	5	1.000	4	4.0	4.0	80.0	11	11.0	11.0	2.8
		R	5	1.000	4	4.0	4.0	80.0	11	11.0	11.0	2.8
216	ALL	ALL	18	1.200	17	14.4	19.2	93.3	142	134.8	148.4	8.4
		R	17	1.214	17	14.6	19.4	100.0	143	136.2	150.4	8.4
		N	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
	21600	ALL	8	1.333	8	5.9	10.1	100.0	92	84.9	99.1	11.5
		R	8	1.333	8	5.9	10.1	100.0	92	84.9	99.1	11.5
	21630	ALL	10	1.111	9	7.6	10.2	88.9	54	51.3	57.6	6.1
		R	9	1.125	9	7.6	10.4	100.0	55	51.8	58.5	6.1
		N	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
250	ALL	ALL	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
		R	2	1.000	2	2.0	2.0	100.0	28	28.0	28.0	14.0
	25000	ALL	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
		R	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
	25010	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
261	ALL	ALL	2	1.000	2	2.0	2.0	100.0	24	24.0	24.0	12.0
		R	2	1.000	2	2.0	2.0	100.0	24	24.0	24.0	12.0
	26100	ALL	2	1.000	2	2.0	2.0	100.0	24	24.0	24.0	12.0
		R	2	1.000	2	2.0	2.0	100.0	24	24.0	24.0	12.0
270	ALL	ALL	28	1.120	28	25.6	30.4	100.0	92	87.6	96.1	3.3
		R	26	1.130	26	23.6	28.4	100.0	89	84.9	93.7	3.4
		N	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	1.5
	27000	ALL	8	1.333	8	5.9	10.1	100.0	47	41.6	51.7	5.8
		R	8	1.333	8	5.9	10.1	100.0	47	41.6	51.7	5.8
	27030	ALL	20	1.053	20	18.7	21.3	100.0	49	47.4	51.5	2.5
		R	18	1.059	18	16.7	19.3	100.0	47	44.5	48.7	2.6
		N	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	1.5
283	ALL	ALL	5	1.250	5	3.6	6.4	100.0	43	38.3	46.7	8.5
		R	4	1.000	4	4.0	4.0	100.0	34	34.0	34.0	8.5
		N	1	-0.000	-0	-0.0	-0.0	-0.0	-0	-0.0	-0.0	-0.0
	28300	ALL	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
		R	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
	28330	ALL	4	1.333	4	2.5	5.5	100.0	19	15.5	21.9	4.7
		R	3	1.000	3	3.0	3.0	100.0	14	14.0	14.0	4.7
		N	1	-0.000	-0	-0.0	-0.0	-0.0	-0	-0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
300	ALL	ALL	37	1.156	30	27.3	32.8	81.3	125	119.2	130.5	4.2
		R	30	1.200	24	21.2	26.8	80.0	85	79.9	90.5	3.6
		N	7	1.000	6	6.0	6.0	85.7	37	37.0	37.0	6.2
	30020	ALL	37	1.156	30	27.3	32.8	81.3	125	119.2	130.5	4.2
		R	30	1.200	24	21.2	26.8	80.0	85	79.9	90.5	3.6
		N	7	1.000	6	6.0	6.0	85.7	37	37.0	37.0	6.2
303	ALL	ALL	23	1.278	15	12.7	18.0	66.7	114	106.5	120.9	7.4
		R	18	1.286	10	8.1	12.5	57.1	58	52.6	63.1	5.6
		N	5	1.250	5	3.6	6.4	100.0	55	50.2	59.8	11.0
	30320	ALL	23	1.278	15	12.7	18.0	66.7	114	106.5	120.9	7.4
		R	18	1.286	10	8.1	12.5	57.1	58	52.6	63.1	5.6
		N	5	1.250	5	3.6	6.4	100.0	55	50.2	59.8	11.0
304	ALL	ALL	1	1.000	1	1.0	1.0	100.0	32	32.0	32.0	32.0
		R	1	1.000	1	1.0	1.0	100.0	32	32.0	32.0	32.0
	30400	ALL	1	1.000	1	1.0	1.0	100.0	32	32.0	32.0	32.0
		R	1	1.000	1	1.0	1.0	100.0	32	32.0	32.0	32.0
305	ALL	ALL	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
		R	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
	30510	ALL	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
		R	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
340	ALL	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
	34000	ALL	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
		R	1	1.000	1	1.0	1.0	100.0	8	8.0	8.0	8.0
380	ALL	ALL	3	1.000	3	3.0	3.0	100.0	24	24.0	24.0	8.0
		R	3	1.000	3	3.0	3.0	100.0	24	24.0	24.0	8.0
	38000	ALL	3	1.000	3	3.0	3.0	100.0	24	24.0	24.0	8.0
		R	3	1.000	3	3.0	3.0	100.0	24	24.0	24.0	8.0
381	ALL	ALL	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
		R	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
	38100	ALL	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
		R	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
421	ALL	ALL	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
		R	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
	42100	ALL	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
		R	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
422	ALL	ALL	10	1.000	9	9.0	9.0	90.0	56	56.0	56.0	6.2
		R	10	1.000	9	9.0	9.0	90.0	56	56.0	56.0	6.2
	42200	ALL	5	1.000	5	5.0	5.0	100.0	47	47.0	47.0	9.4
		R	5	1.000	5	5.0	5.0	100.0	47	47.0	47.0	9.4
	42230	ALL	5	1.000	4	4.0	4.0	80.0	9	9.0	9.0	2.3
		R	5	1.000	4	4.0	4.0	80.0	9	9.0	9.0	2.3

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
423	ALL	ALL	7	1.000	7	7.0	7.0	100.0	26	26.0	26.0	3.7
		R	7	1.000	7	7.0	7.0	100.0	26	26.0	26.0	3.7
	42300	ALL	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
		R	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
	42330	ALL	5	1.000	5	5.0	5.0	100.0	17	17.0	17.0	3.4
		R	5	1.000	5	5.0	5.0	100.0	17	17.0	17.0	3.4
424	ALL	ALL	10	1.111	8	6.6	9.0	77.8	40	37.3	42.7	5.1
		R	9	1.125	7	5.6	7.9	75.0	39	36.5	42.2	5.8
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	42400	ALL	5	1.000	5	5.0	5.0	100.0	34	34.0	34.0	6.8
		R	5	1.000	5	5.0	5.0	100.0	34	34.0	34.0	6.8
	42430	ALL	5	1.250	3	1.5	3.5	50.0	3	1.5	3.5	1.0
		R	4	1.333	1	0.5	2.2	33.3	1	0.5	2.2	1.0
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
441	ALL	ALL	5	1.000	5	5.0	5.0	100.0	51	51.0	51.0	10.2
		R	5	1.000	5	5.0	5.0	100.0	51	51.0	51.0	10.2
	44100	ALL	5	1.000	5	5.0	5.0	100.0	51	51.0	51.0	10.2
		R	5	1.000	5	5.0	5.0	100.0	51	51.0	51.0	10.2
482	ALL	ALL	13	1.000	13	13.0	13.0	100.0	108	108.0	108.0	8.3
		R	12	1.000	12	12.0	12.0	100.0	105	105.0	105.0	8.8
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	48200	ALL	10	1.000	10	10.0	10.0	100.0	91	91.0	91.0	9.1
		R	9	1.000	9	9.0	9.0	100.0	88	88.0	88.0	9.8
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	48230	ALL	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
		R	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	48231	ALL	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
		R	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
	482XX	ALL	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
		R	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
500	ALL	ALL	47	1.237	25	21.6	27.8	52.6	118	110.7	124.3	4.7
		R	35	1.296	13	10.5	15.5	37.0	44	39.4	48.7	3.4
		N	12	1.091	11	9.6	12.2	90.9	67	63.4	69.7	6.1
	50020	ALL	47	1.237	25	21.6	27.8	52.6	118	110.7	124.3	4.7
		R	35	1.296	13	10.5	15.5	37.0	44	39.4	48.7	3.4
		N	12	1.091	11	9.6	12.2	90.9	67	63.4	69.7	6.1
501	ALL	ALL	75	1.154	57	52.8	60.3	75.4	489	478.1	500.4	8.7
		R	60	1.176	46	42.2	49.5	76.5	400	389.2	410.8	8.7
		N	15	1.071	11	9.6	11.8	71.4	90	86.7	93.3	8.4
	50120	ALL	75	1.154	57	52.8	60.3	75.4	489	478.1	500.4	8.7
		R	60	1.176	46	42.2	49.5	76.5	400	389.2	410.8	8.7
		N	15	1.071	11	9.6	11.8	71.4	90	86.7	93.3	8.4

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
503	ALL	ALL	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
		R	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
	50310	ALL	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
		R	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
622	ALL	ALL	4	1.000	4	4.0	4.0	100.0	8	8.0	8.0	2.0
		R	4	1.000	4	4.0	4.0	100.0	8	8.0	8.0	2.0
	62200	ALL	4	1.000	4	4.0	4.0	100.0	8	8.0	8.0	2.0
		R	4	1.000	4	4.0	4.0	100.0	8	8.0	8.0	2.0
680	ALL	ALL	30	1.154	24	21.8	26.7	80.8	100	95.3	105.4	4.1
		R	27	1.174	23	20.9	26.1	87.0	95	89.9	100.3	4.1
		N	3	1.000	1	1.0	1.0	33.3	6	6.0	6.0	6.0
	68000	ALL	10	1.250	10	8.0	12.0	100.0	70	64.6	75.4	7.0
		R	9	1.286	9	6.9	11.1	100.0	64	58.8	69.8	7.1
		N	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
	68030	ALL	20	1.111	14	12.8	16.1	72.2	34	31.9	37.0	2.4
		R	18	1.125	15	12.9	16.4	81.3	35	32.2	37.6	2.4
		N	2	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0

Bighorn Sheep Harvest Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

March 25, 2005 page 1

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
Statewide and Regional

Location	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
State	ALL	392	324	195	189.0	201.9	0	0	77	119	0.0	39.3	60.7	60.3	11.5	2.0
	R	339	282	183	176.7	189.6	0	0	74	109	0.0	40.4	59.6	64.9	10.6	1.9
	N	53	42	13	11.7	14.3	0	0	3	10	0.0	25.0	75.0	30.8	23.7	4.1
Reg 1	ALL	47	43	37	34.9	38.2	0	0	10	26	0.0	28.6	71.4	85.4	10.2	1.3
	R	43	40	35	32.9	36.3	0	0	10	24	0.0	30.3	69.7	86.8	9.5	1.2
	N	4	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	22.0	2.0
Reg 2	ALL	75	73	72	67.6	75.6	0	0	40	32	0.0	55.6	44.4	98.4	7.0	1.0
	R	70	69	68	64.0	71.5	0	0	37	30	0.0	55.0	45.0	98.4	7.2	1.0
	N	5	4	4	2.5	5.0	0	0	3	1	0.0	66.7	33.3	100.0	1.7	1.3
Reg 3	ALL	67	53	9	7.8	11.1	0	0	0	9	0.0	0.0	100.0	17.8	34.6	7.1
	R	55	42	7	5.7	8.7	0	0	0	7	0.0	0.0	100.0	17.1	32.7	7.7
	N	12	11	2	1.6	2.8	0	0	0	2	0.0	0.0	100.0	20.0	40.5	5.5
Reg 4	ALL	46	43	39	37.7	40.0	0	0	11	28	0.0	28.9	71.1	90.5	7.8	1.2
	R	44	41	37	35.7	38.0	0	0	10	27	0.0	27.8	72.2	90.0	8.1	1.2
	N	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	2.0	1.0
Reg 5	ALL	123	83	6	4.6	7.2	0	0	0	6	0.0	0.0	100.0	7.1	104.8	20.8
	R	96	61	4	2.5	4.8	0	0	0	4	0.0	0.0	100.0	6.0	126.3	26.3
	N	27	22	2	1.6	2.7	0	0	0	2	0.0	0.0	100.0	10.0	72.5	12.5
Reg 6	ALL	34	28	27	24.8	29.6	0	0	14	14	0.0	50.0	50.0	96.0	4.0	1.3
	R	31	28	26	23.9	28.9	0	0	14	13	0.0	52.2	47.8	95.8	3.9	1.2
	N	3	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	3.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
102	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	10200	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
121	ALL	ALL	9	9	9	7.6	10.4	0	0	0	9	0.0	0.0	100.0	100.0	9.6	1.0
		R	8	8	8	6.6	9.4	0	0	0	8	0.0	0.0	100.0	100.0	7.4	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	25.0	1.0
	12100	ALL	9	9	9	7.6	10.4	0	0	0	9	0.0	0.0	100.0	100.0	9.6	1.0
		R	8	8	8	6.6	9.4	0	0	0	8	0.0	0.0	100.0	100.0	7.4	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	25.0	1.0
122	ALL	ALL	14	12	10	8.6	10.8	0	0	3	6	0.0	33.3	66.7	81.8	10.8	1.4
		R	14	12	10	8.6	10.8	0	0	3	6	0.0	33.3	66.7	81.8	10.8	1.4
	12200	ALL	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	10.5	1.0
		R	6	6	6	6.0	6.0	0	0	0	6	0.0	0.0	100.0	100.0	10.5	1.0
	12230	ALL	8	6	3	2.5	4.3	0	0	3	0	0.0	100.0	0.0	60.0	11.3	2.3
		R	8	6	3	2.5	4.3	0	0	3	0	0.0	100.0	0.0	60.0	11.3	2.3
123	ALL	ALL	5	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	16.7	1.7
		R	5	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	16.7	1.7
	12300	ALL	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	16.7	1.3
		R	4	4	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	75.0	16.7	1.3
	12330	ALL	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
124	ALL	ALL	18	17	15	15.0	15.0	0	0	7	8	0.0	46.7	53.3	88.2	7.9	1.2
		R	16	16	14	14.0	14.0	0	0	7	7	0.0	50.0	50.0	87.5	8.2	1.1
		N	2	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	2.0
	12400	ALL	8	8	8	8.0	8.0	0	0	0	8	0.0	0.0	100.0	100.0	10.9	1.0
		R	7	7	7	7.0	7.0	0	0	0	7	0.0	0.0	100.0	100.0	12.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
	12430	ALL	10	9	7	7.0	7.0	0	0	7	0	0.0	100.0	0.0	77.8	4.4	1.4
		R	9	9	7	7.0	7.0	0	0	7	0	0.0	100.0	0.0	77.8	4.4	1.3
		N	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
203	ALL	ALL	4	4	4	4.0	4.0	0	0	2	2	0.0	50.0	50.0	100.0	4.5	1.0
		R	3	3	3	3.0	3.0	0	0	2	1	0.0	66.7	33.3	100.0	5.3	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	2.0	1.0
	20300	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	7.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	12.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	2.0	1.0
	20330	ALL	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0
		R	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	2.0	1.0
210	ALL	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	21.3	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	21.3	1.0
	21000	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	21.3	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	21.3	1.0
212	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
	21200	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
213	ALL	ALL	11	10	10	7.9	11.7	0	0	5	5	0.0	50.0	50.0	100.0	5.6	1.1
		R	11	10	10	7.9	11.7	0	0	5	5	0.0	50.0	50.0	100.0	5.6	1.1
	21300	ALL	6	6	6	3.8	8.2	0	0	0	6	0.0	0.0	100.0	100.0	8.5	1.0
		R	6	6	6	3.8	8.2	0	0	0	6	0.0	0.0	100.0	100.0	8.5	1.0
	21330	ALL	5	4	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	100.0	2.8	1.3
		R	5	4	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	100.0	2.8	1.3
216	ALL	ALL	18	17	16	13.3	17.9	0	0	8	7	0.0	53.8	46.2	92.9	9.1	1.2
		R	17	17	16	13.4	18.1	0	0	8	7	0.0	53.8	46.2	92.9	9.1	1.1
		N	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	21600	ALL	8	8	8	5.9	10.1	0	0	0	8	0.0	0.0	100.0	100.0	11.5	1.0
		R	8	8	8	5.9	10.1	0	0	0	8	0.0	0.0	100.0	100.0	11.5	1.0
	21630	ALL	10	9	8	6.6	9.0	0	0	8	0	0.0	100.0	0.0	87.5	7.0	1.3
		R	9	9	8	6.6	9.1	0	0	8	0	0.0	100.0	0.0	87.5	7.0	1.1
		N	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
250	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	14.0	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	14.0	1.0
	25000	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
	25010	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
261	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.0	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.0	1.0
	26100	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.0	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	12.0	1.0
270	ALL	ALL	28	28	28	25.6	30.4	0	0	21	7	0.0	76.0	24.0	100.0	3.3	1.0
		R	26	26	26	23.6	28.4	0	0	19	7	0.0	73.9	26.1	100.0	3.4	1.0
		N	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	1.5	1.0
	27000	ALL	8	8	8	5.9	10.1	0	0	0	8	0.0	0.0	100.0	100.0	5.8	1.0
		R	8	8	8	5.9	10.1	0	0	0	8	0.0	0.0	100.0	100.0	5.8	1.0
	27030	ALL	20	20	20	18.7	21.3	0	0	20	0	0.0	100.0	0.0	100.0	2.5	1.0
		R	18	18	18	16.7	19.3	0	0	18	0	0.0	100.0	0.0	100.0	2.6	1.0
		N	2	2	2	2.0	2.0	0	0	2	0	0.0	100.0	0.0	100.0	1.5	1.0
283	ALL	ALL	5	5	5	3.6	6.4	0	0	4	1	0.0	75.0	25.0	100.0	8.5	1.0
		R	4	4	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	100.0	8.5	1.0
		N	1	-0	-0	-0.0	-0.0	-0	-0	-0	-0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	28300	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	20.0	1.0
	28330	ALL	4	4	4	2.5	5.5	0	0	4	0	0.0	100.0	0.0	100.0	4.7	1.0
		R	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	4.7	1.0
		N	1	-0	-0	-0.0	-0.0	-0	-0	-0	-0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
300	ALL	ALL	37	30	2	1.5	3.1	0	0	0	2	0.0	0.0	100.0	7.7	54.0	16.0
		R	30	24	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	7	6	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	33.3	18.5	3.5
	30020	ALL	37	30	2	1.5	3.1	0	0	0	2	0.0	0.0	100.0	7.7	54.0	16.0
		R	30	24	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	7	6	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	33.3	18.5	3.5

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
303	ALL	ALL	23	15	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	18	10	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	5	5	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	30320	ALL	23	15	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	18	10	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	5	5	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
304	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	30400	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
305	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
	30510	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
340	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
	34000	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	8.0	1.0
380	ALL	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	8.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	8.0	1.0
	38000	ALL	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	8.0	1.0
		R	3	3	3	3.0	3.0	0	0	0	3	0.0	0.0	100.0	100.0	8.0	1.0
381	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
	38100	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	10.0	1.0
421	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
	42100	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
422	ALL	ALL	10	9	9	9.0	9.0	0	0	3	6	0.0	33.3	66.7	100.0	6.2	1.1
		R	10	9	9	9.0	9.0	0	0	3	6	0.0	33.3	66.7	100.0	6.2	1.1
	42200	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.4	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	9.4	1.0
	42230	ALL	5	4	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	100.0	2.3	1.3
		R	5	4	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	100.0	2.3	1.3
423	ALL	ALL	7	7	6	6.0	6.0	0	0	4	2	0.0	66.7	33.3	85.7	4.3	1.2
		R	7	7	6	6.0	6.0	0	0	4	2	0.0	66.7	33.3	85.7	4.3	1.2
	42300	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.0
	42330	ALL	5	5	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	80.0	4.3	1.3
		R	5	5	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	80.0	4.3	1.3
424	ALL	ALL	10	8	8	6.6	9.0	0	0	2	6	0.0	28.6	71.4	100.0	5.1	1.3
		R	9	7	7	5.6	7.9	0	0	1	6	0.0	16.7	83.3	100.0	5.8	1.3
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
	42400	ALL	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	6.8	1.0
		R	5	5	5	5.0	5.0	0	0	0	5	0.0	0.0	100.0	100.0	6.8	1.0
	42430	ALL	5	3	3	1.5	3.5	0	0	3	0	0.0	100.0	0.0	100.0	1.0	2.0
		R	4	1	1	0.5	2.2	0	0	1	0	0.0	100.0	0.0	100.0	1.0	3.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
441	ALL	ALL	5	5	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	40.0	25.5	2.5
		R	5	5	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	40.0	25.5	2.5
	44100	ALL	5	5	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	40.0	25.5	2.5
		R	5	5	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	40.0	25.5	2.5

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
482	ALL	ALL	13	13	13	13.0	13.0	0	0	2	11	0.0	15.4	84.6	100.0	8.3	1.0
		R	12	12	12	12.0	12.0	0	0	2	10	0.0	16.7	83.3	100.0	8.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
	48200	ALL	10	10	10	10.0	10.0	0	0	0	10	0.0	0.0	100.0	100.0	9.1	1.0
		R	9	9	9	9.0	9.0	0	0	0	9	0.0	0.0	100.0	100.0	9.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
	48230	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	4.0	1.0
	48231	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	6.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	6.0	1.0
	482XX	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	7.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	7.0	1.0
500	ALL	ALL	47	25	2	1.5	3.5	0	0	0	2	0.0	0.0	100.0	10.0	47.5	19.0
		R	35	13	1	0.5	2.1	0	0	0	1	0.0	0.0	100.0	10.0	34.0	27.0
		N	12	11	1	0.7	1.5	0	0	0	1	0.0	0.0	100.0	10.0	61.0	11.0
	50020	ALL	47	25	2	1.5	3.5	0	0	0	2	0.0	0.0	100.0	10.0	47.5	19.0
		R	35	13	1	0.5	2.1	0	0	0	1	0.0	0.0	100.0	10.0	34.0	27.0
		N	12	11	1	0.7	1.5	0	0	0	1	0.0	0.0	100.0	10.0	61.0	11.0
501	ALL	ALL	75	57	2	1.5	3.1	0	0	0	2	0.0	0.0	100.0	4.1	212.0	32.5
		R	60	46	1	0.6	1.8	0	0	0	1	0.0	0.0	100.0	2.6	340.0	51.0
		N	15	11	1	0.7	1.4	0	0	0	1	0.0	0.0	100.0	10.0	84.0	14.0
	50120	ALL	75	57	2	1.5	3.1	0	0	0	2	0.0	0.0	100.0	4.1	212.0	32.5
		R	60	46	1	0.6	1.8	0	0	0	1	0.0	0.0	100.0	2.6	340.0	51.0
		N	15	11	1	0.7	1.4	0	0	0	1	0.0	0.0	100.0	10.0	84.0	14.0
503	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
	50310	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	5.0	1.0
622	ALL	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	2.0	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	2.0	1.0
	62200	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	2.0	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	2.0	1.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
680	ALL	ALL	30	24	23	20.7	25.5	0	0	14	9	0.0	60.0	40.0	95.2	4.4	1.3
		R	27	23	22	19.8	24.8	0	0	14	8	0.0	63.2	36.8	95.0	4.3	1.2
		N	3	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	3.0
	68000	ALL	10	10	10	8.0	12.0	0	0	0	10	0.0	0.0	100.0	100.0	7.0	1.0
		R	9	9	9	6.9	11.1	0	0	0	9	0.0	0.0	100.0	100.0	7.1	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
	68030	ALL	20	14	13	11.8	14.9	0	0	13	0	0.0	100.0	0.0	92.3	2.6	1.5
		R	18	15	14	11.8	15.2	0	0	14	0	0.0	100.0	0.0	92.3	2.6	1.3
		N	2	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Bighorn Sheep
Time Period of Kill
Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

BIGHORN SHEEP – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
Statewide and Regional

Location	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
State	ALL	195	0	1	55	60	66	14	0	0.6	28.3	30.6	33.5	6.9	0.0
	R	183	0	0	52	57	61	13	0	0.0	28.6	31.1	33.5	6.8	0.0
	N	13	0	1	3	3	4	1	0	8.3	25.0	25.0	33.3	8.3	0.0
Reg 1	ALL	37	0	0	4	13	18	2	0	0.0	11.4	34.3	48.6	5.7	0.0
	R	35	0	0	4	13	16	2	0	0.0	12.1	36.4	45.5	6.1	0.0
	N	2	0	0	0	0	2	0	0	0.0	0.0	0.0	100.0	0.0	0.0
Reg 2	ALL	72	0	0	19	27	20	5	0	0.0	27.0	38.1	28.6	6.3	0.0
	R	68	0	0	19	26	19	3	0	0.0	28.3	38.3	28.3	5.0	0.0
	N	4	0	0	0	1	1	1	0	0.0	0.0	33.3	33.3	33.3	0.0
Reg 3	ALL	9	0	1	5	4	0	0	0	12.5	50.0	37.5	0.0	0.0	0.0
	R	7	0	0	4	4	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	N	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
Reg 4	ALL	39	0	0	10	8	14	6	0	0.0	26.3	21.1	36.8	15.8	0.0
	R	37	0	0	10	6	14	6	0	0.0	27.8	16.7	38.9	16.7	0.0
	N	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
Reg 5	ALL	6	0	0	4	1	1	0	0	0.0	60.0	20.0	20.0	0.0	0.0
	R	4	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	N	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
Reg 6	ALL	27	0	0	12	6	9	0	0	0.0	45.8	20.8	33.3	0.0	0.0
	R	26	0	0	13	6	8	0	0	0.0	47.8	21.7	30.4	0.0	0.0
	N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
102	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	10200	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
121	ALL	ALL	9	0	0	0	1	8	0	0	0.0	0.0	12.5	87.5	0.0	0.0
		R	8	0	0	0	1	7	0	0	0.0	0.0	14.3	85.7	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	12100	ALL	9	0	0	0	1	8	0	0	0.0	0.0	12.5	87.5	0.0	0.0
		R	8	0	0	0	1	7	0	0	0.0	0.0	14.3	85.7	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
122	ALL	ALL	10	0	0	1	4	3	1	0	0.0	11.1	44.4	33.3	11.1	0.0
		R	10	0	0	1	4	3	1	0	0.0	11.1	44.4	33.3	11.1	0.0
	12200	ALL	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	12230	ALL	3	0	0	1	0	1	1	0	0.0	33.3	0.0	33.3	33.3	0.0
		R	3	0	0	1	0	1	1	0	0.0	33.3	0.0	33.3	33.3	0.0
123	ALL	ALL	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
		R	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
	12300	ALL	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
		R	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
	12330	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
124	ALL	ALL	15	0	0	2	7	5	1	0	0.0	13.3	46.7	33.3	6.7	0.0
		R	14	0	0	2	7	4	1	0	0.0	14.3	50.0	28.6	7.1	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	12400	ALL	8	0	0	0	5	3	0	0	0.0	0.0	62.5	37.5	0.0	0.0
		R	7	0	0	0	5	2	0	0	0.0	0.0	71.4	28.6	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	12430	ALL	7	0	0	2	2	2	1	0	0.0	28.6	28.6	28.6	14.3	0.0
		R	7	0	0	2	2	2	1	0	0.0	28.6	28.6	28.6	14.3	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
203	ALL	ALL	4	0	0	1	0	3	0	0	0.0	25.0	0.0	75.0	0.0	0.0
		R	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	20300	ALL	2	0	0	0	0	2	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	20330	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
210	ALL	ALL	4	0	0	0	1	1	2	0	0.0	0.0	25.0	25.0	50.0	0.0
		R	4	0	0	0	1	1	2	0	0.0	0.0	25.0	25.0	50.0	0.0
	21000	ALL	4	0	0	0	1	1	2	0	0.0	0.0	25.0	25.0	50.0	0.0
		R	4	0	0	0	1	1	2	0	0.0	0.0	25.0	25.0	50.0	0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
212	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	21200	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
213	ALL	ALL	10	0	0	5	2	2	0	0	0.0	50.0	25.0	25.0	0.0	0.0
		R	10	0	0	5	2	2	0	0	0.0	50.0	25.0	25.0	0.0	0.0
	21300	ALL	6	0	0	5	0	2	0	0	0.0	75.0	0.0	25.0	0.0	0.0
		R	6	0	0	5	0	2	0	0	0.0	75.0	0.0	25.0	0.0	0.0
	21330	ALL	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
216	ALL	ALL	16	0	0	5	11	0	0	0	0.0	30.8	69.2	0.0	0.0	0.0
		R	16	0	0	5	11	0	0	0	0.0	30.8	69.2	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	21600	ALL	8	0	0	1	7	0	0	0	0.0	16.7	83.3	0.0	0.0	0.0
		R	8	0	0	1	7	0	0	0	0.0	16.7	83.3	0.0	0.0	0.0
	21630	ALL	8	0	0	3	4	0	0	0	0.0	42.9	57.1	0.0	0.0	0.0
		R	8	0	0	3	5	0	0	0	0.0	42.9	57.1	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
250	ALL	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
	25000	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	25010	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
261	ALL	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
	26100	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
270	ALL	ALL	28	0	0	7	11	8	2	0	0.0	24.0	40.0	28.0	8.0	0.0
		R	26	0	0	7	10	8	1	0	0.0	26.1	39.1	30.4	4.3	0.0
		N	2	0	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
	27000	ALL	8	0	0	1	3	4	0	0	0.0	16.7	33.3	50.0	0.0	0.0
		R	8	0	0	1	3	4	0	0	0.0	16.7	33.3	50.0	0.0	0.0
	27030	ALL	20	0	0	5	8	4	2	0	0.0	26.3	42.1	21.1	10.5	0.0
		R	18	0	0	5	7	4	1	0	0.0	29.4	41.2	23.5	5.9	0.0
		N	2	0	0	0	1	0	1	0	0.0	0.0	50.0	0.0	50.0	0.0
283	ALL	ALL	5	0	0	0	1	4	0	0	0.0	0.0	25.0	75.0	0.0	0.0
		R	4	0	0	0	1	3	0	0	0.0	0.0	25.0	75.0	0.0	0.0
		N	-0	-0	-0	-0	-0	-0	-0	-0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	28300	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	28330	ALL	4	0	0	0	1	3	0	0	0.0	0.0	33.3	66.7	0.0	0.0
		R	3	0	0	0	1	2	0	0	0.0	0.0	33.3	66.7	0.0	0.0
		N	-0	-0	-0	-0	-0	-0	-0	-0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
300	ALL	ALL	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
	30020	ALL	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
303	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	30320	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
304	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	30400	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
305	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	30510	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
340	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	34000	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
380	ALL	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
	38000	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
381	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	38100	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
421	ALL	ALL	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	42100	ALL	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
422	ALL	ALL	9	0	0	1	1	4	3	0	0.0	11.1	11.1	44.4	33.3	0.0
		R	9	0	0	1	1	4	3	0	0.0	11.1	11.1	44.4	33.3	0.0
	42200	ALL	5	0	0	0	0	2	3	0	0.0	0.0	0.0	40.0	60.0	0.0
		R	5	0	0	0	0	2	3	0	0.0	0.0	0.0	40.0	60.0	0.0
	42230	ALL	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
423	ALL	ALL	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	42300	ALL	2	0	0	0	0	2	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	2	0	0	0	0	2	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	42330	ALL	4	0	0	0	4	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	4	0	0	0	4	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
424	ALL	ALL	8	0	0	0	1	6	1	0	0.0	0.0	14.3	71.4	14.3	0.0
		R	7	0	0	0	0	6	1	0	0.0	0.0	0.0	83.3	16.7	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	42400	ALL	5	0	0	0	0	4	1	0	0.0	0.0	0.0	80.0	20.0	0.0
		R	5	0	0	0	0	4	1	0	0.0	0.0	0.0	80.0	20.0	0.0
	42430	ALL	3	0	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
441	ALL	ALL	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
	44100	ALL	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
		R	2	0	0	1	0	0	1	0	0.0	50.0	0.0	0.0	50.0	0.0
482	ALL	ALL	13	0	0	8	2	3	0	0	0.0	61.5	15.4	23.1	0.0	0.0
		R	12	0	0	8	1	3	0	0	0.0	66.7	8.3	25.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	48200	ALL	10	0	0	7	2	1	0	0	0.0	70.0	20.0	10.0	0.0	0.0
		R	9	0	0	7	1	1	0	0	0.0	77.8	11.1	11.1	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	48230	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	48231	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	482XX	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
500	ALL	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	50020	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
501	ALL	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	50120	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0

BIGHORN SHEEP – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
503	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	50310	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
622	ALL	ALL	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
	62200	ALL	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
		R	4	0	0	3	1	0	0	0	0.0	75.0	25.0	0.0	0.0	0.0
680	ALL	ALL	23	0	0	9	5	9	0	0	0.0	40.0	20.0	40.0	0.0	0.0
		R	22	0	0	9	5	8	0	0	0.0	42.1	21.1	36.8	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	68000	ALL	10	0	0	5	1	4	0	0	0.0	50.0	12.5	37.5	0.0	0.0
		R	9	0	0	5	1	3	0	0	0.0	57.1	14.3	28.6	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	68030	ALL	13	0	0	4	3	6	0	0	0.0	33.3	25.0	41.7	0.0	0.0
		R	14	0	0	5	3	6	0	0	0.0	33.3	25.0	41.7	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Mountain Goat

License Year 2004

Tables of Statistical Estimates

Hunting

Harvest

Time Period of Kill

Mountain Goat Hunting Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

MOUNTAIN GOAT – HUNTING

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
Statewide and Regional

Location	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
State	ALL	334	1.054	321	316.0	326.7	96.2	1,832	1,819.5	1,845.0	5.7
	R	311	1.054	299	294.2	304.6	96.3	1,721	1,708.1	1,732.9	5.7
	N	23	1.045	22	20.7	23.2	95.5	112	109.0	114.8	5.1
Reg 1	ALL	44	1.048	42	40.1	43.7	95.2	331	326.0	336.1	7.9
	R	42	1.050	40	38.1	41.7	95.0	315	309.9	320.1	7.9
	N	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
Reg 2	ALL	24	1.000	24	24.0	24.0	100.0	179	179.0	179.0	7.5
	R	23	1.000	23	23.0	23.0	100.0	175	175.0	175.0	7.6
	N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
Reg 3	ALL	217	1.064	210	204.9	214.2	96.6	1,106	1,095.5	1,117.0	5.3
	R	198	1.065	192	187.1	196.1	96.8	1,019	1,008.3	1,029.1	5.3
	N	19	1.056	18	16.7	19.2	94.4	88	84.8	90.4	4.9
Reg 4	ALL	29	1.074	29	27.1	30.9	100.0	133	129.2	137.2	4.6
	R	28	1.077	28	26.1	29.9	100.0	129	125.2	133.3	4.6
	N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
Reg 5	ALL	20	1.000	17	17.0	17.0	85.0	80	80.0	80.0	4.7
	R	20	1.000	17	17.0	17.0	85.0	80	80.0	80.0	4.7

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
100	ALL	ALL	8	1.000	8	8.0	8.0	100.0	102	102.0	102.0	12.8
		R	8	1.000	8	8.0	8.0	100.0	102	102.0	102.0	12.8
	10000	ALL	8	1.000	8	8.0	8.0	100.0	102	102.0	102.0	12.8
		R	8	1.000	8	8.0	8.0	100.0	102	102.0	102.0	12.8
101	ALL	ALL	4	1.000	4	4.0	4.0	100.0	40	40.0	40.0	10.0
		R	4	1.000	4	4.0	4.0	100.0	40	40.0	40.0	10.0
	10100	ALL	4	1.000	4	4.0	4.0	100.0	40	40.0	40.0	10.0
		R	4	1.000	4	4.0	4.0	100.0	40	40.0	40.0	10.0
131	ALL	ALL	5	1.000	5	5.0	5.0	100.0	21	21.0	21.0	4.2
		R	5	1.000	5	5.0	5.0	100.0	21	21.0	21.0	4.2
	13100	ALL	5	1.000	5	5.0	5.0	100.0	21	21.0	21.0	4.2
		R	5	1.000	5	5.0	5.0	100.0	21	21.0	21.0	4.2
132	ALL	ALL	5	1.000	4	4.0	4.0	80.0	48	48.0	48.0	12.0
		R	4	1.000	3	3.0	3.0	75.0	39	39.0	39.0	13.0
		N	1	1.000	1	1.0	1.0	100.0	9	9.0	9.0	9.0
	13200	ALL	5	1.000	4	4.0	4.0	80.0	48	48.0	48.0	12.0
		R	4	1.000	3	3.0	3.0	75.0	39	39.0	39.0	13.0
		N	1	1.000	1	1.0	1.0	100.0	9	9.0	9.0	9.0
133	ALL	ALL	5	1.250	5	3.6	6.4	100.0	36	32.4	40.1	7.3
		R	4	1.333	4	2.5	5.5	100.0	29	25.3	33.3	7.3
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	13300	ALL	5	1.250	5	3.6	6.4	100.0	36	32.4	40.1	7.3
		R	4	1.333	4	2.5	5.5	100.0	29	25.3	33.3	7.3
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
134	ALL	ALL	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	1.5
		R	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	
	13400	ALL	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	1.5
		R	2	1.000	2	2.0	2.0	100.0	3	3.0	3.0	1.5
140	ALL	ALL	2	1.000	2	2.0	2.0	100.0	18	18.0	18.0	9.0
		R	2	1.000	2	2.0	2.0	100.0	18	18.0	18.0	9.0
	14000	ALL	2	1.000	2	2.0	2.0	100.0	18	18.0	18.0	9.0
		R	2	1.000	2	2.0	2.0	100.0	18	18.0	18.0	9.0
141	ALL	ALL	4	1.000	4	4.0	4.0	100.0	6	6.0	6.0	1.5
		R	4	1.000	4	4.0	4.0	100.0	6	6.0	6.0	1.5
	14100	ALL	4	1.000	4	4.0	4.0	100.0	6	6.0	6.0	1.5
		R	4	1.000	4	4.0	4.0	100.0	6	6.0	6.0	1.5
142	ALL	ALL	3	1.000	2	2.0	2.0	66.7	9	9.0	9.0	4.5
		R	3	1.000	2	2.0	2.0	66.7	9	9.0	9.0	4.5
	14200	ALL	3	1.000	2	2.0	2.0	66.7	9	9.0	9.0	4.5
		R	3	1.000	2	2.0	2.0	66.7	9	9.0	9.0	4.5
150	ALL	ALL	2	2.000	2	0.2	3.8	100.0	20	14.3	25.7	10.0
		R	2	2.000	2	0.2	3.8	100.0	20	14.3	25.7	10.0
	15000	ALL	2	2.000	2	0.2	3.8	100.0	20	14.3	25.7	10.0
		R	2	2.000	2	0.2	3.8	100.0	20	14.3	25.7	10.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
151	ALL	ALL	4	1.000	4	4.0	4.0	100.0	30	30.0	30.0	7.5
		R	4	1.000	4	4.0	4.0	100.0	30	30.0	30.0	7.5
	15100	ALL	4	1.000	4	4.0	4.0	100.0	30	30.0	30.0	7.5
		R	4	1.000	4	4.0	4.0	100.0	30	30.0	30.0	7.5
212	ALL	ALL	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
		R	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
	21200	ALL	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
		R	2	1.000	2	2.0	2.0	100.0	9	9.0	9.0	4.5
222	ALL	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
	22200	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
223	ALL	ALL	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
		R	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
	22300	ALL	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
		R	2	1.000	2	2.0	2.0	100.0	16	16.0	16.0	8.0
240	ALL	ALL	12	1.000	12	12.0	12.0	100.0	98	98.0	98.0	8.2
		R	12	1.000	12	12.0	12.0	100.0	98	98.0	98.0	8.2
	24000	ALL	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
		R	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
	24001	ALL	2	1.000	2	2.0	2.0	100.0	27	27.0	27.0	13.5
		R	2	1.000	2	2.0	2.0	100.0	27	27.0	27.0	13.5
	24002	ALL	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
		R	2	1.000	2	2.0	2.0	100.0	11	11.0	11.0	5.5
	24003	ALL	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
		R	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	24004	ALL	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
		R	1	1.000	1	1.0	1.0	100.0	20	20.0	20.0	20.0
	24005	ALL	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
		R	2	1.000	2	2.0	2.0	100.0	17	17.0	17.0	8.5
	24006	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	24007	ALL	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
		R	1	1.000	1	1.0	1.0	100.0	6	6.0	6.0	6.0
	24008	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
250	ALL	ALL	2	1.000	2	2.0	2.0	100.0	22	22.0	22.0	11.0
		R	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	25000	ALL	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
		R	1	1.000	1	1.0	1.0	100.0	18	18.0	18.0	18.0
	25001	ALL	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
261	ALL	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	26100	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
270	ALL	ALL	1	1.000	1	1.0	1.0	100.0	17	17.0	17.0	17.0
		R	1	1.000	1	1.0	1.0	100.0	17	17.0	17.0	17.0
	27000	ALL	1	1.000	1	1.0	1.0	100.0	17	17.0	17.0	17.0
		R	1	1.000	1	1.0	1.0	100.0	17	17.0	17.0	17.0
280	ALL	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
	28000	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
312	ALL	ALL	8	1.000	8	8.0	8.0	100.0	86	86.0	86.0	10.8
		R	7	1.000	7	7.0	7.0	100.0	56	56.0	56.0	8.0
		N	1	1.000	1	1.0	1.0	100.0	30	30.0	30.0	30.0
	31200	ALL	8	1.000	8	8.0	8.0	100.0	86	86.0	86.0	10.8
		R	7	1.000	7	7.0	7.0	100.0	56	56.0	56.0	8.0
		N	1	1.000	1	1.0	1.0	100.0	30	30.0	30.0	30.0
313	ALL	ALL	30	1.111	30	27.7	32.3	100.0	156	150.2	160.9	5.2
		R	27	1.125	27	24.6	29.4	100.0	151	145.2	156.3	5.6
		N	3	1.000	3	3.0	3.0	100.0	6	6.0	6.0	2.0
	31300	ALL	30	1.111	30	27.7	32.3	100.0	156	150.2	160.9	5.2
		R	27	1.125	27	24.6	29.4	100.0	151	145.2	156.3	5.6
		N	3	1.000	3	3.0	3.0	100.0	6	6.0	6.0	2.0
314	ALL	ALL	14	1.077	13	11.6	14.2	92.3	46	43.9	48.7	3.6
		R	13	1.083	13	11.7	14.3	100.0	47	44.1	49.1	3.6
		N	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
	31400	ALL	14	1.077	13	11.6	14.2	92.3	46	43.9	48.7	3.6
		R	13	1.083	13	11.7	14.3	100.0	47	44.1	49.1	3.6
		N	1	1.000	0	0.0	0.0	0.0	0	0.0	0.0	-0.0
316	ALL	ALL	12	1.000	12	12.0	12.0	100.0	48	48.0	48.0	4.0
		R	11	1.000	11	11.0	11.0	100.0	46	46.0	46.0	4.2
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
	31600	ALL	12	1.000	12	12.0	12.0	100.0	48	48.0	48.0	4.0
		R	11	1.000	11	11.0	11.0	100.0	46	46.0	46.0	4.2
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
320	ALL	ALL	15	1.071	15	13.7	16.3	100.0	122	118.4	125.9	8.1
		R	14	1.077	14	12.7	15.3	100.0	117	113.5	121.2	8.4
		N	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0
	32000	ALL	15	1.071	15	13.7	16.3	100.0	122	118.4	125.9	8.1
		R	14	1.077	14	12.7	15.3	100.0	117	113.5	121.2	8.4
		N	1	1.000	1	1.0	1.0	100.0	5	5.0	5.0	5.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
321	ALL	ALL	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8
		R	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8
	32100	ALL	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8
		R	4	1.000	4	4.0	4.0	100.0	15	15.0	15.0	3.8
322	ALL	ALL	2	1.000	2	2.0	2.0	100.0	20	20.0	20.0	10.0
		R	2	1.000	2	2.0	2.0	100.0	20	20.0	20.0	10.0
	32200	ALL	2	1.000	2	2.0	2.0	100.0	20	20.0	20.0	10.0
		R	2	1.000	2	2.0	2.0	100.0	20	20.0	20.0	10.0
323	ALL	ALL	38	1.056	37	35.1	38.8	97.2	198	194.2	202.7	5.4
		R	35	1.029	34	32.7	35.3	97.1	189	186.4	192.4	5.6
		N	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
	32300	ALL	38	1.056	37	35.1	38.8	97.2	198	194.2	202.7	5.4
		R	35	1.029	34	32.7	35.3	97.1	189	186.4	192.4	5.6
		N	3	1.500	3	1.4	4.6	100.0	6	3.8	8.2	2.0
324	ALL	ALL	4	1.000	4	4.0	4.0	100.0	39	39.0	39.0	9.8
		R	4	1.000	4	4.0	4.0	100.0	39	39.0	39.0	9.8
	32400	ALL	4	1.000	4	4.0	4.0	100.0	39	39.0	39.0	9.8
		R	4	1.000	4	4.0	4.0	100.0	39	39.0	39.0	9.8
325	ALL	ALL	10	1.111	8	6.6	9.0	77.8	34	31.9	37.0	4.4
		R	9	1.125	7	5.6	7.9	75.0	24	21.4	25.8	3.5
		N	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
	32500	ALL	10	1.111	8	6.6	9.0	77.8	34	31.9	37.0	4.4
		R	9	1.125	7	5.6	7.9	75.0	24	21.4	25.8	3.5
		N	1	1.000	1	1.0	1.0	100.0	10	10.0	10.0	10.0
326	ALL	ALL	16	1.067	15	13.7	16.2	93.3	62	59.3	64.5	4.1
		R	15	1.071	14	12.6	15.2	92.9	58	55.3	60.5	4.2
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	32600	ALL	16	1.067	15	13.7	16.2	93.3	62	59.3	64.5	4.1
		R	15	1.071	14	12.6	15.2	92.9	58	55.3	60.5	4.2
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
327	ALL	ALL	8	1.000	7	7.0	7.0	87.5	34	34.0	34.0	4.9
		R	8	1.000	7	7.0	7.0	87.5	34	34.0	34.0	4.9
	32700	ALL	8	1.000	7	7.0	7.0	87.5	34	34.0	34.0	4.9
		R	8	1.000	7	7.0	7.0	87.5	34	34.0	34.0	4.9
328	ALL	ALL	4	1.000	4	4.0	4.0	100.0	29	29.0	29.0	7.3
		R	3	1.000	3	3.0	3.0	100.0	22	22.0	22.0	7.3
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0
	32800	ALL	4	1.000	4	4.0	4.0	100.0	29	29.0	29.0	7.3
		R	3	1.000	3	3.0	3.0	100.0	22	22.0	22.0	7.3
		N	1	1.000	1	1.0	1.0	100.0	7	7.0	7.0	7.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
329	ALL	ALL	30	1.111	30	27.7	32.3	100.0	146	140.4	150.7	4.9
		R	27	1.125	27	24.6	29.4	100.0	137	131.9	142.6	5.1
		N	3	1.000	3	3.0	3.0	100.0	9	9.0	9.0	3.0
	32900	ALL	30	1.111	30	27.7	32.3	100.0	146	140.4	150.7	4.9
		R	27	1.125	27	24.6	29.4	100.0	137	131.9	142.6	5.1
		N	3	1.000	3	3.0	3.0	100.0	9	9.0	9.0	3.0
330	ALL	ALL	6	1.000	6	6.0	6.0	100.0	21	21.0	21.0	3.5
		R	5	1.000	5	5.0	5.0	100.0	19	19.0	19.0	3.8
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
	33000	ALL	6	1.000	6	6.0	6.0	100.0	21	21.0	21.0	3.5
		R	5	1.000	5	5.0	5.0	100.0	19	19.0	19.0	3.8
		N	1	1.000	1	1.0	1.0	100.0	2	2.0	2.0	2.0
331	ALL	ALL	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
		R	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
	33100	ALL	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
		R	5	1.000	5	5.0	5.0	100.0	18	18.0	18.0	3.6
362	ALL	ALL	6	1.200	5	3.5	6.1	80.0	13	11.1	15.3	2.8
		R	5	1.250	4	2.5	5.0	75.0	10	8.0	12.0	2.7
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
	36200	ALL	6	1.200	5	3.5	6.1	80.0	13	11.1	15.3	2.8
		R	5	1.250	4	2.5	5.0	75.0	10	8.0	12.0	2.7
		N	1	1.000	1	1.0	1.0	100.0	3	3.0	3.0	3.0
393	ALL	ALL	5	1.000	5	5.0	5.0	100.0	14	14.0	14.0	2.8
		R	4	1.000	4	4.0	4.0	100.0	13	13.0	13.0	3.3
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	39300	ALL	5	1.000	5	5.0	5.0	100.0	14	14.0	14.0	2.8
		R	4	1.000	4	4.0	4.0	100.0	13	13.0	13.0	3.3
		N	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
414	ALL	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
	41400	ALL	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
		R	1	1.000	1	1.0	1.0	100.0	1	1.0	1.0	1.0
415	ALL	ALL	3	1.000	3	3.0	3.0	100.0	11	11.0	11.0	3.7
		R	3	1.000	3	3.0	3.0	100.0	11	11.0	11.0	3.7
	41500	ALL	3	1.000	3	3.0	3.0	100.0	11	11.0	11.0	3.7
		R	3	1.000	3	3.0	3.0	100.0	11	11.0	11.0	3.7
442	ALL	ALL	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
		R	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
	44200	ALL	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
		R	1	1.000	1	1.0	1.0	100.0	12	12.0	12.0	12.0
447	ALL	ALL	15	1.071	15	13.7	16.3	100.0	29	27.1	30.8	1.9
		R	14	1.077	14	12.7	15.3	100.0	25	23.0	26.5	1.8
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0
	44700	ALL	15	1.071	15	13.7	16.3	100.0	29	27.1	30.8	1.9
		R	14	1.077	14	12.7	15.3	100.0	25	23.0	26.5	1.8
		N	1	1.000	1	1.0	1.0	100.0	4	4.0	4.0	4.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Hunting Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Expand Factor	Hunters	Hunters Low Bnd	Hunters Up Bnd	Percent Hunting	Hunter Days	H Days Low Bnd	H Days Up Bnd	Days Per Hunter
451	ALL	ALL	4	1.000	4	4.0	4.0	100.0	58	58.0	58.0	14.5
		R	4	1.000	4	4.0	4.0	100.0	58	58.0	58.0	14.5
	45100	ALL	4	1.000	4	4.0	4.0	100.0	58	58.0	58.0	14.5
		R	4	1.000	4	4.0	4.0	100.0	58	58.0	58.0	14.5
460	ALL	ALL	5	1.250	5	3.6	6.4	100.0	19	16.0	21.5	3.8
		R	5	1.250	5	3.6	6.4	100.0	19	16.0	21.5	3.8
	46000	ALL	5	1.250	5	3.6	6.4	100.0	19	16.0	21.5	3.8
		R	5	1.250	5	3.6	6.4	100.0	19	16.0	21.5	3.8
514	ALL	ALL	4	1.000	4	4.0	4.0	100.0	14	14.0	14.0	3.5
		R	4	1.000	4	4.0	4.0	100.0	14	14.0	14.0	3.5
	51400	ALL	4	1.000	4	4.0	4.0	100.0	14	14.0	14.0	3.5
		R	4	1.000	4	4.0	4.0	100.0	14	14.0	14.0	3.5
517	ALL	ALL	9	1.000	7	7.0	7.0	77.8	42	42.0	42.0	6.0
		R	9	1.000	7	7.0	7.0	77.8	42	42.0	42.0	6.0
	51700	ALL	9	1.000	7	7.0	7.0	77.8	42	42.0	42.0	6.0
		R	9	1.000	7	7.0	7.0	77.8	42	42.0	42.0	6.0
518	ALL	ALL	5	1.000	4	4.0	4.0	80.0	16	16.0	16.0	4.0
		R	5	1.000	4	4.0	4.0	80.0	16	16.0	16.0	4.0
	51800	ALL	5	1.000	4	4.0	4.0	80.0	16	16.0	16.0	4.0
		R	5	1.000	4	4.0	4.0	80.0	16	16.0	16.0	4.0
519	ALL	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
	51900	ALL	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0
		R	2	1.000	2	2.0	2.0	100.0	8	8.0	8.0	4.0

Mountain Goat
Harvest Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
Statewide and Regional

Location	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
State	ALL	334	321	250	245.0	254.4	0	1	92	157	0.4	36.7	62.9	77.7	7.3	1.3
	R	311	299	232	227.4	236.5	0	1	85	145	0.5	36.8	62.7	77.5	7.4	1.3
	N	23	22	18	16.6	18.9	0	0	6	12	0.0	35.3	64.7	81.0	6.3	1.3
Reg 1	ALL	44	42	31	29.9	33.0	0	0	9	22	0.0	30.0	70.0	75.0	10.5	1.4
	R	42	40	30	28.9	32.0	0	0	8	22	0.0	27.6	72.4	76.3	10.3	1.4
	N	2	2	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	50.0	16.0	2.0
Reg 2	ALL	24	24	18	18.0	18.0	0	0	4	14	0.0	22.2	77.8	75.0	9.9	1.3
	R	23	23	17	17.0	17.0	0	0	4	13	0.0	23.5	76.5	73.9	10.3	1.4
	N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
Reg 3	ALL	217	210	157	153.4	161.5	0	1	67	89	0.7	42.6	56.8	75.1	7.0	1.4
	R	198	192	143	138.8	146.5	0	1	62	80	0.7	43.3	56.0	74.4	7.1	1.4
	N	19	18	15	13.6	15.9	0	0	5	10	0.0	35.7	64.3	82.4	5.9	1.3
Reg 4	ALL	29	29	28	26.1	29.8	0	0	8	20	0.0	26.9	73.1	96.3	4.8	1.0
	R	28	28	27	25.1	28.8	0	0	8	19	0.0	28.0	72.0	96.2	4.8	1.0
	N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
Reg 5	ALL	20	17	15	15.0	15.0	0	0	4	11	0.0	26.7	73.3	88.2	5.3	1.3
	R	20	17	15	15.0	15.0	0	0	4	11	0.0	26.7	73.3	88.2	5.3	1.3

250/334

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
100	ALL	ALL	8	8	8	8.0	8.0	0	0	1	7	0.0	12.5	87.5	100.0	12.8	1.0
		R	8	8	8	8.0	8.0	0	0	1	7	0.0	12.5	87.5	100.0	12.8	1.0
	10000	ALL	8	8	8	8.0	8.0	0	0	1	7	0.0	12.5	87.5	100.0	12.8	1.0
		R	8	8	8	8.0	8.0	0	0	1	7	0.0	12.5	87.5	100.0	12.8	1.0
101	ALL	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.3	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.3	1.3
	10100	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.3	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.3	1.3
131	ALL	ALL	5	5	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	80.0	5.3	1.3
		R	5	5	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	80.0	5.3	1.3
	13100	ALL	5	5	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	80.0	5.3	1.3
		R	5	5	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	80.0	5.3	1.3
132	ALL	ALL	5	4	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	25.0	48.0	5.0
		R	4	3	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	9.0	1.0
	13200	ALL	5	4	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	25.0	48.0	5.0
		R	4	3	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	9.0	1.0
133	ALL	ALL	5	5	3	1.5	3.5	0	0	0	3	0.0	0.0	100.0	50.0	14.5	2.0
		R	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	11.0	1.5
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	13300	ALL	5	5	3	1.5	3.5	0	0	0	3	0.0	0.0	100.0	50.0	14.5	2.0
		R	4	4	3	1.5	3.9	0	0	0	3	0.0	0.0	100.0	66.7	11.0	1.5
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
134	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	1.5	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	1.5	1.0
	13400	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	1.5	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	1.5	1.0
140	ALL	ALL	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	14000	ALL	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	2	2	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
141	ALL	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	1.5	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	1.5	1.0
	14100	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	1.5	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	1.5	1.0
142	ALL	ALL	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.5
		R	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.5
	14200	ALL	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.5
		R	3	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.5	1.5
150	ALL	ALL	2	2	2	0.2	3.8	0	0	2	0	0.0	100.0	0.0	100.0	10.0	1.0
		R	2	2	2	0.2	3.8	0	0	2	0	0.0	100.0	0.0	100.0	10.0	1.0
	15000	ALL	2	2	2	0.2	3.8	0	0	2	0	0.0	100.0	0.0	100.0	10.0	1.0
		R	2	2	2	0.2	3.8	0	0	2	0	0.0	100.0	0.0	100.0	10.0	1.0
151	ALL	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	10.0	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	10.0	1.3
	15100	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	10.0	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	10.0	1.3
212	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.5	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.5	1.0
	21200	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.5	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.5	1.0
222	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.0
	22200	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	4.0	1.0
223	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0
	22300	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	8.0	1.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
240	ALL	ALL	12	12	8	8.0	8.0	0	0	2	6	0.0	25.0	75.0	66.7	12.3	1.5
		R	12	12	8	8.0	8.0	0	0	2	6	0.0	25.0	75.0	66.7	12.3	1.5
	24000	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	12.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	12.0	1.0
	24001	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	13.5	1.0
		R	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	13.5	1.0
	24002	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	11.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	11.0	2.0
	24003	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	24004	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	24005	ALL	2	2	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	50.0	17.0	2.0
		R	2	2	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	50.0	17.0	2.0
	24006	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
	24007	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	6.0	1.0
	24008	ALL	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
250	ALL	ALL	2	2	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	100.0	11.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
	25000	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	18.0	1.0
	25001	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
261	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
	26100	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
270	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	27000	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
280	ALL	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	8.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	8.0	2.0
	28000	ALL	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	8.0	2.0
		R	2	2	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	50.0	8.0	2.0
312	ALL	ALL	8	8	7	7.0	7.0	0	0	3	4	0.0	42.9	57.1	87.5	12.3	1.1
		R	7	7	6	6.0	6.0	0	0	3	3	0.0	50.0	50.0	85.7	9.3	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	30.0	1.0
	31200	ALL	8	8	7	7.0	7.0	0	0	3	4	0.0	42.9	57.1	87.5	12.3	1.1
		R	7	7	6	6.0	6.0	0	0	3	3	0.0	50.0	50.0	85.7	9.3	1.2
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	30.0	1.0
313	ALL	ALL	30	30	24	22.3	26.6	0	0	9	16	0.0	36.4	63.6	81.5	6.4	1.2
		R	27	27	23	20.3	24.7	0	0	9	14	0.0	40.0	60.0	83.3	6.7	1.2
		N	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	3.0	1.5
	31300	ALL	30	30	24	22.3	26.6	0	0	9	16	0.0	36.4	63.6	81.5	6.4	1.2
		R	27	27	23	20.3	24.7	0	0	9	14	0.0	40.0	60.0	83.3	6.7	1.2
		N	3	3	2	2.0	2.0	0	0	0	2	0.0	0.0	100.0	66.7	3.0	1.5
314	ALL	ALL	14	13	10	8.6	10.8	0	0	3	6	0.0	33.3	66.7	75.0	4.8	1.4
		R	13	13	10	8.6	10.9	0	0	3	6	0.0	33.3	66.7	75.0	4.8	1.3
		N	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	31400	ALL	14	13	10	8.6	10.8	0	0	3	6	0.0	33.3	66.7	75.0	4.8	1.4
		R	13	13	10	8.6	10.9	0	0	3	6	0.0	33.3	66.7	75.0	4.8	1.3
		N	1	0	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
316	ALL	ALL	12	12	8	8.0	8.0	0	0	4	4	0.0	50.0	50.0	66.7	6.0	1.5
		R	11	11	7	7.0	7.0	0	0	4	3	0.0	57.1	42.9	63.6	6.6	1.6
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	2.0	1.0
	31600	ALL	12	12	8	8.0	8.0	0	0	4	4	0.0	50.0	50.0	66.7	6.0	1.5
		R	11	11	7	7.0	7.0	0	0	4	3	0.0	57.1	42.9	63.6	6.6	1.6
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	2.0	1.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
320	ALL	ALL	15	15	13	11.6	14.1	0	0	7	5	0.0	58.3	41.7	85.7	9.5	1.2
		R	14	14	12	10.6	13.1	0	0	6	5	0.0	54.5	45.5	84.6	9.9	1.2
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	5.0	1.0
	32000	ALL	15	15	13	11.6	14.1	0	0	7	5	0.0	58.3	41.7	85.7	9.5	1.2
		R	14	14	12	10.6	13.1	0	0	6	5	0.0	54.5	45.5	84.6	9.9	1.2
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	5.0	1.0
321	ALL	ALL	4	4	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	50.0	7.5	2.0
		R	4	4	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	50.0	7.5	2.0
	32100	ALL	4	4	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	50.0	7.5	2.0
		R	4	4	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	50.0	7.5	2.0
322	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.0	1.0
	32200	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	10.0	1.0
323	ALL	ALL	38	37	26	24.8	27.9	0	0	12	15	0.0	44.0	56.0	71.4	7.5	1.4
		R	35	34	24	22.6	24.7	0	0	10	13	0.0	43.5	56.5	69.7	8.0	1.5
		N	3	3	3	1.4	4.6	0	0	2	2	0.0	50.0	50.0	100.0	2.0	1.0
	32300	ALL	38	37	26	24.8	27.9	0	0	12	15	0.0	44.0	56.0	71.4	7.5	1.4
		R	35	34	24	22.6	24.7	0	0	10	13	0.0	43.5	56.5	69.7	8.0	1.5
		N	3	3	3	1.4	4.6	0	0	2	2	0.0	50.0	50.0	100.0	2.0	1.0
324	ALL	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.0	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.0	1.3
	32400	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.0	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	13.0	1.3
325	ALL	ALL	10	8	4	3.5	5.3	0	0	1	3	0.0	25.0	75.0	57.1	7.8	2.3
		R	9	7	5	3.5	5.5	0	0	1	3	0.0	25.0	75.0	66.7	5.3	2.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	32500	ALL	10	8	4	3.5	5.3	0	0	1	3	0.0	25.0	75.0	57.1	7.8	2.3
		R	9	7	5	3.5	5.5	0	0	1	3	0.0	25.0	75.0	66.7	5.3	2.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
326	ALL	ALL	16	15	10	8.6	10.6	0	0	2	7	0.0	22.2	77.8	64.3	6.4	1.7
		R	15	14	9	7.6	9.6	0	0	2	6	0.0	25.0	75.0	61.5	6.8	1.8
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
	32600	ALL	16	15	10	8.6	10.6	0	0	2	7	0.0	22.2	77.8	64.3	6.4	1.7
		R	15	14	9	7.6	9.6	0	0	2	6	0.0	25.0	75.0	61.5	6.8	1.8
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
327	ALL	ALL	8	7	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	42.9	11.3	2.7
		R	8	7	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	42.9	11.3	2.7
	32700	ALL	8	7	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	42.9	11.3	2.7
		R	8	7	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	42.9	11.3	2.7
328	ALL	ALL	4	4	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	75.0	9.7	1.3
		R	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	7.3	1.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	32800	ALL	4	4	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	75.0	9.7	1.3
		R	3	3	3	3.0	3.0	0	0	3	0	0.0	100.0	0.0	100.0	7.3	1.0
		N	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
329	ALL	ALL	30	30	24	22.3	26.6	0	1	6	18	4.5	22.7	72.7	81.5	6.0	1.2
		R	27	27	21	19.3	23.5	0	1	5	16	5.3	21.1	73.7	79.2	6.4	1.3
		N	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.0	1.0
	32900	ALL	30	30	24	22.3	26.6	0	1	6	18	4.5	22.7	72.7	81.5	6.0	1.2
		R	27	27	21	19.3	23.5	0	1	5	16	5.3	21.1	73.7	79.2	6.4	1.3
		N	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.0	1.0
330	ALL	ALL	6	6	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	66.7	5.3	1.5
		R	5	5	3	3.0	3.0	0	0	2	1	0.0	66.7	33.3	60.0	6.3	1.7
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	2.0	1.0
	33000	ALL	6	6	4	4.0	4.0	0	0	3	1	0.0	75.0	25.0	66.7	5.3	1.5
		R	5	5	3	3.0	3.0	0	0	2	1	0.0	66.7	33.3	60.0	6.3	1.7
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	2.0	1.0
331	ALL	ALL	5	5	5	5.0	5.0	0	0	3	2	0.0	60.0	40.0	100.0	3.6	1.0
		R	5	5	5	5.0	5.0	0	0	3	2	0.0	60.0	40.0	100.0	3.6	1.0
	33100	ALL	5	5	5	5.0	5.0	0	0	3	2	0.0	60.0	40.0	100.0	3.6	1.0
		R	5	5	5	5.0	5.0	0	0	3	2	0.0	60.0	40.0	100.0	3.6	1.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
362	ALL	ALL	6	5	4	2.5	4.7	0	0	1	2	0.0	33.3	66.7	75.0	3.7	1.7
		R	5	4	3	1.5	3.5	0	0	1	1	0.0	50.0	50.0	66.7	4.0	2.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
	36200	ALL	6	5	4	2.5	4.7	0	0	1	2	0.0	33.3	66.7	75.0	3.7	1.7
		R	5	4	3	1.5	3.5	0	0	1	1	0.0	50.0	50.0	66.7	4.0	2.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	3.0	1.0
393	ALL	ALL	5	5	5	5.0	5.0	0	0	5	0	0.0	100.0	0.0	100.0	2.8	1.0
		R	4	4	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	100.0	3.3	1.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
	39300	ALL	5	5	5	5.0	5.0	0	0	5	0	0.0	100.0	0.0	100.0	2.8	1.0
		R	4	4	4	4.0	4.0	0	0	4	0	0.0	100.0	0.0	100.0	3.3	1.0
		N	1	1	1	1.0	1.0	0	0	1	0	0.0	100.0	0.0	100.0	1.0	1.0
414	ALL	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
	41400	ALL	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
		R	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	1.0	1.0
415	ALL	ALL	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.7	1.0
		R	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.7	1.0
	41500	ALL	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.7	1.0
		R	3	3	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	100.0	3.7	1.0
442	ALL	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
	44200	ALL	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
		R	1	1	0	0.0	0.0	0	0	0	0	-0.0	-0.0	-0.0	0.0	-0.0	-0.0
447	ALL	ALL	15	15	15	13.7	16.3	0	0	6	9	0.0	42.9	57.1	100.0	1.9	1.0
		R	14	14	14	12.7	15.3	0	0	6	8	0.0	46.2	53.8	100.0	1.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
	44700	ALL	15	15	15	13.7	16.3	0	0	6	9	0.0	42.9	57.1	100.0	1.9	1.0
		R	14	14	14	12.7	15.3	0	0	6	8	0.0	46.2	53.8	100.0	1.8	1.0
		N	1	1	1	1.0	1.0	0	0	0	1	0.0	0.0	100.0	100.0	4.0	1.0
451	ALL	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.5	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.5	1.0
	45100	ALL	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.5	1.0
		R	4	4	4	4.0	4.0	0	0	0	4	0.0	0.0	100.0	100.0	14.5	1.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Harvest Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Hunters	Total Harvest	Harvest Low Bnd	Harvest Up Bnd	Harvest Unkn	Harvest Young	Harvest Female	Harvest Male	Pcnt Young	Pcnt Female	Pcnt Male	Percent Success	Days To Kill	Tags To Kill
460	ALL	ALL	5	5	5	3.6	6.4	0	0	0	5	0.0	0.0	100.0	100.0	3.8	1.0
		R	5	5	5	3.6	6.4	0	0	0	5	0.0	0.0	100.0	100.0	3.8	1.0
	46000	ALL	5	5	5	3.6	6.4	0	0	0	5	0.0	0.0	100.0	100.0	3.8	1.0
		R	5	5	5	3.6	6.4	0	0	0	5	0.0	0.0	100.0	100.0	3.8	1.0
514	ALL	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	4.7	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	4.7	1.3
	51400	ALL	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	4.7	1.3
		R	4	4	3	3.0	3.0	0	0	1	2	0.0	33.3	66.7	75.0	4.7	1.3
517	ALL	ALL	9	7	6	6.0	6.0	0	0	1	5	0.0	16.7	83.3	85.7	7.0	1.5
		R	9	7	6	6.0	6.0	0	0	1	5	0.0	16.7	83.3	85.7	7.0	1.5
	51700	ALL	9	7	6	6.0	6.0	0	0	1	5	0.0	16.7	83.3	85.7	7.0	1.5
		R	9	7	6	6.0	6.0	0	0	1	5	0.0	16.7	83.3	85.7	7.0	1.5
518	ALL	ALL	5	4	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	100.0	4.0	1.3
		R	5	4	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	100.0	4.0	1.3
	51800	ALL	5	4	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	100.0	4.0	1.3
		R	5	4	4	4.0	4.0	0	0	1	3	0.0	25.0	75.0	100.0	4.0	1.3
519	ALL	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.0	1.0
	51900	ALL	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.0	1.0
		R	2	2	2	2.0	2.0	0	0	1	1	0.0	50.0	50.0	100.0	4.0	1.0

Mountain Goat
Time Period of Kill
Statistics

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

MOUNTAIN GOAT – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
Statewide and Regional

Location	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
State	ALL	250	0	16	93	89	43	9	0	6.3	37.1	35.4	17.3	3.8	0.0
	R	232	0	16	88	79	40	9	0	6.8	37.7	34.1	17.3	4.1	0.0
	N	18	0	0	5	9	3	0	0	0.0	29.4	52.9	17.6	0.0	0.0
Reg 1	ALL	31	0	0	16	8	7	0	0	0.0	50.0	26.7	23.3	0.0	0.0
	R	30	0	0	15	8	7	0	0	0.0	48.3	27.6	24.1	0.0	0.0
	N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
Reg 2	ALL	18	0	0	4	7	5	2	0	0.0	22.2	38.9	27.8	11.1	0.0
	R	17	0	0	4	7	4	2	0	0.0	23.5	41.2	23.5	11.8	0.0
	N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
Reg 3	ALL	157	0	16	61	56	17	7	0	10.1	38.5	35.8	10.8	4.7	0.0
	R	143	0	16	56	48	15	7	0	11.2	39.6	33.6	10.4	5.2	0.0
	N	15	0	0	4	8	2	0	0	0.0	28.6	57.1	14.3	0.0	0.0
Reg 4	ALL	28	0	0	10	11	8	0	0	0.0	34.6	38.5	26.9	0.0	0.0
	R	27	0	0	10	10	8	0	0	0.0	36.0	36.0	28.0	0.0	0.0
	N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
Reg 5	ALL	15	0	0	3	6	6	0	0	0.0	20.0	40.0	40.0	0.0	0.0
	R	15	0	0	3	6	6	0	0	0.0	20.0	40.0	40.0	0.0	0.0

MOUNTAIN GOAT – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
100	ALL	ALL	8	0	0	2	3	3	0	0	0.0	25.0	37.5	37.5	0.0	0.0
		R	8	0	0	2	3	3	0	0	0.0	25.0	37.5	37.5	0.0	0.0
	10000	ALL	8	0	0	2	3	3	0	0	0.0	25.0	37.5	37.5	0.0	0.0
		R	8	0	0	2	3	3	0	0	0.0	25.0	37.5	37.5	0.0	0.0
101	ALL	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
	10100	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
131	ALL	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	13100	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
132	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	13200	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
133	ALL	ALL	3	0	0	0	0	3	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	3	0	0	0	0	3	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	13300	ALL	3	0	0	0	0	3	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	3	0	0	0	0	3	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
134	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	13400	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
140	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	14000	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
141	ALL	ALL	4	0	0	4	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	4	0	0	4	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	14100	ALL	4	0	0	4	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	4	0	0	4	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
142	ALL	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	14200	ALL	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
150	ALL	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	15000	ALL	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	2	0	0	2	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0

MOUNTAIN GOAT – TIME PERIOD OF KILL

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
151	ALL	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
	15100	ALL	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
		R	3	0	0	2	0	1	0	0	0.0	66.7	0.0	33.3	0.0	0.0
212	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	21200	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
222	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	22200	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
223	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	22300	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
240	ALL	ALL	8	0	0	0	3	3	2	0	0.0	0.0	37.5	37.5	25.0	0.0
		R	8	0	0	0	3	3	2	0	0.0	0.0	37.5	37.5	25.0	0.0
	24000	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	24001	ALL	2	0	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
		R	2	0	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
	24002	ALL	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	24003	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	24004	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	24005	ALL	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
		R	1	0	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
	24006	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	24007	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	24008	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
250	ALL	ALL	2	0	0	0	0	2	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	25000	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		R	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	25001	ALL	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
261	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	26100	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
270	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	27000	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
280	ALL	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	28000	ALL	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
312	ALL	ALL	7	0	0	1	2	3	1	0	0.0	14.3	28.6	42.9	14.3	0.0
		R	6	0	0	1	2	2	1	0	0.0	16.7	33.3	33.3	16.7	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	31200	ALL	7	0	0	1	2	3	1	0	0.0	14.3	28.6	42.9	14.3	0.0
		R	6	0	0	1	2	2	1	0	0.0	16.7	33.3	33.3	16.7	0.0
		N	1	0	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
313	ALL	ALL	24	0	3	6	12	2	1	0	13.6	22.7	50.0	9.1	4.5	0.0
		R	23	0	3	6	10	2	1	0	15.0	25.0	45.0	10.0	5.0	0.0
		N	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	31300	ALL	24	0	3	6	12	2	1	0	13.6	22.7	50.0	9.1	4.5	0.0
		R	23	0	3	6	10	2	1	0	15.0	25.0	45.0	10.0	5.0	0.0
		N	2	0	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
314	ALL	ALL	10	0	2	6	1	0	0	0	22.2	66.7	11.1	0.0	0.0	0.0
		R	10	0	2	6	1	0	0	0	22.2	66.7	11.1	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	31400	ALL	10	0	2	6	1	0	0	0	22.2	66.7	11.1	0.0	0.0	0.0
		R	10	0	2	6	1	0	0	0	22.2	66.7	11.1	0.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
316	ALL	ALL	8	0	0	5	3	0	0	0	0.0	62.5	37.5	0.0	0.0	0.0
		R	7	0	0	4	3	0	0	0	0.0	57.1	42.9	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	31600	ALL	8	0	0	5	3	0	0	0	0.0	62.5	37.5	0.0	0.0	0.0
		R	7	0	0	4	3	0	0	0	0.0	57.1	42.9	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
320	ALL	ALL	13	0	3	2	4	2	1	0	25.0	16.7	33.3	16.7	8.3	0.0
		R	12	0	3	2	3	2	1	0	27.3	18.2	27.3	18.2	9.1	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	32000	ALL	13	0	3	2	4	2	1	0	25.0	16.7	33.3	16.7	8.3	0.0
		R	12	0	3	2	3	2	1	0	27.3	18.2	27.3	18.2	9.1	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
321	ALL	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
	32100	ALL	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
		R	2	0	0	1	0	1	0	0	0.0	50.0	0.0	50.0	0.0	0.0
322	ALL	ALL	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
		R	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
	32200	ALL	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
		R	2	0	1	1	0	0	0	0	50.0	50.0	0.0	0.0	0.0	0.0
323	ALL	ALL	26	0	0	12	10	2	3	0	0.0	44.0	36.0	8.0	12.0	0.0
		R	24	0	0	10	8	2	3	0	0.0	43.5	34.8	8.7	13.0	0.0
		N	3	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	32300	ALL	26	0	0	12	10	2	3	0	0.0	44.0	36.0	8.0	12.0	0.0
		R	24	0	0	10	8	2	3	0	0.0	43.5	34.8	8.7	13.0	0.0
		N	3	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
324	ALL	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
	32400	ALL	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
325	ALL	ALL	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	5	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	32500	ALL	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	5	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
326	ALL	ALL	10	0	2	3	1	2	1	0	22.2	33.3	11.1	22.2	11.1	0.0
		R	9	0	2	3	0	2	1	0	25.0	37.5	0.0	25.0	12.5	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	32600	ALL	10	0	2	3	1	2	1	0	22.2	33.3	11.1	22.2	11.1	0.0
		R	9	0	2	3	0	2	1	0	25.0	37.5	0.0	25.0	12.5	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
327	ALL	ALL	3	0	1	0	2	0	0	0	33.3	0.0	66.7	0.0	0.0	0.0
		R	3	0	1	0	2	0	0	0	33.3	0.0	66.7	0.0	0.0	0.0
	32700	ALL	3	0	1	0	2	0	0	0	33.3	0.0	66.7	0.0	0.0	0.0
		R	3	0	1	0	2	0	0	0	33.3	0.0	66.7	0.0	0.0	0.0
328	ALL	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	32800	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		N	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
329	ALL	ALL	24	0	0	14	9	1	0	0	0.0	59.1	36.4	4.5	0.0	0.0
		R	21	0	0	14	8	0	0	0	0.0	63.2	36.8	0.0	0.0	0.0
		N	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	32900	ALL	24	0	0	14	9	1	0	0	0.0	59.1	36.4	4.5	0.0	0.0
		R	21	0	0	14	8	0	0	0	0.0	63.2	36.8	0.0	0.0	0.0
		N	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
330	ALL	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	33000	ALL	4	0	0	2	2	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	3	0	0	2	1	0	0	0	0.0	66.7	33.3	0.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
331	ALL	ALL	5	0	1	1	3	0	0	0	20.0	20.0	60.0	0.0	0.0	0.0
		R	5	0	1	1	3	0	0	0	20.0	20.0	60.0	0.0	0.0	0.0
	33100	ALL	5	0	1	1	3	0	0	0	20.0	20.0	60.0	0.0	0.0	0.0
		R	5	0	1	1	3	0	0	0	20.0	20.0	60.0	0.0	0.0	0.0
362	ALL	ALL	4	0	0	0	4	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	3	0	0	0	3	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	36200	ALL	4	0	0	0	4	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		R	3	0	0	0	3	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
393	ALL	ALL	5	0	2	2	1	0	0	0	40.0	40.0	20.0	0.0	0.0	0.0
		R	4	0	2	1	1	0	0	0	50.0	25.0	25.0	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	39300	ALL	5	0	2	2	1	0	0	0	40.0	40.0	20.0	0.0	0.0	0.0
		R	4	0	2	1	1	0	0	0	50.0	25.0	25.0	0.0	0.0	0.0
		N	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
414	ALL	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
	41400	ALL	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
		R	1	0	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
415	ALL	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
	41500	ALL	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
		R	3	0	0	1	1	1	0	0	0.0	33.3	33.3	33.3	0.0	0.0
442	ALL	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
	44200	ALL	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
		R	0	0	0	0	0	0	0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
447	ALL	ALL	15	0	0	5	5	4	0	0	0.0	35.7	35.7	28.6	0.0	0.0
		R	14	0	0	5	4	4	0	0	0.0	38.5	30.8	30.8	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
	44700	ALL	15	0	0	5	5	4	0	0	0.0	35.7	35.7	28.6	0.0	0.0
		R	14	0	0	5	4	4	0	0	0.0	38.5	30.8	30.8	0.0	0.0
		N	1	0	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0

Montana Fish Wildlife and Parks
2004 Mountain Goat Time Period of Kill Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Total Harvest	Date Unkn	Bfr Sep15	Sep15 Oct 3	Oct 4 Oct31	Nov 1 Nov21	Nov22 Nov28	After Nov28	Pcnt 1st	Pcnt 2nd	Pcnt 3rd	Pcnt 4th	Pcnt 5th	Pcnt 6th
451	ALL	ALL	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
	45100	ALL	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	4	0	0	1	2	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
460	ALL	ALL	5	0	0	1	3	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	5	0	0	1	3	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
	46000	ALL	5	0	0	1	3	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
		R	5	0	0	1	3	1	0	0	0.0	25.0	50.0	25.0	0.0	0.0
514	ALL	ALL	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
		R	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
	51400	ALL	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
		R	3	0	0	1	0	2	0	0	0.0	33.3	0.0	66.7	0.0	0.0
517	ALL	ALL	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
	51700	ALL	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
		R	6	0	0	0	4	2	0	0	0.0	0.0	66.7	33.3	0.0	0.0
518	ALL	ALL	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
	51800	ALL	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
		R	4	0	0	1	1	2	0	0	0.0	25.0	25.0	50.0	0.0	0.0
519	ALL	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
	51900	ALL	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0
		R	2	0	0	1	1	0	0	0	0.0	50.0	50.0	0.0	0.0	0.0

Appendix A

Special Big Game Sampling Statistics Tables

License Year 2004

Moose

Bighorn Sheep

Mountain Goat

Moose
Sampling Statistics Tables

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

March 25, 2005 page 1

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
Statewide and Regional

Location	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
State	ALL	649	649	616	100.00	94.92	94.92	1.054
	R	632	632	599	100.00	94.78	94.78	1.055
	N	17	17	17	100.00	100.00	100.00	1.000
Reg 1	ALL	144	144	138	100.00	95.83	95.83	1.043
	R	138	138	132	100.00	95.65	95.65	1.045
	N	6	6	6	100.00	100.00	100.00	1.000
Reg 2	ALL	82	82	79	100.00	96.34	96.34	1.038
	R	81	81	78	100.00	96.30	96.30	1.038
	N	1	1	1	100.00	100.00	100.00	1.000
Reg 3	ALL	376	376	355	100.00	94.41	94.41	1.059
	R	367	367	346	100.00	94.28	94.28	1.061
	N	9	9	9	100.00	100.00	100.00	1.000
Reg 4	ALL	13	13	12	100.00	92.31	92.31	1.083
	R	12	12	11	100.00	91.67	91.67	1.091
	N	1	1	1	100.00	100.00	100.00	1.000
Reg 5	ALL	34	34	32	100.00	94.12	94.12	1.063
	R	34	34	32	100.00	94.12	94.12	1.063

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
100	ALL	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
	10000	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
101	ALL	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
	10100	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
102	ALL	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	11	11	11	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	10200	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	11	11	11	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
103	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	10300	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
104	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	10400	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
105	ALL	ALL	20	20	20	100.00	100.00	100.00	1.000
		R	18	18	18	100.00	100.00	100.00	1.000
		N	2	2	2	100.00	100.00	100.00	1.000
	10500	ALL	20	20	20	100.00	100.00	100.00	1.000
		R	18	18	18	100.00	100.00	100.00	1.000
		N	2	2	2	100.00	100.00	100.00	1.000
106	ALL	ALL	15	15	15	100.00	100.00	100.00	1.000
		R	15	15	15	100.00	100.00	100.00	1.000
	10600	ALL	15	15	15	100.00	100.00	100.00	1.000
		R	15	15	15	100.00	100.00	100.00	1.000
110	ALL	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	10	10	8	100.00	80.00	80.00	1.250
	11000	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	10	10	8	100.00	80.00	80.00	1.250
111	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	11100	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
112	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	11200	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
121	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	12100	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
122	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	12200	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
125	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	12500	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
130	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	13000	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
140	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	14000	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
141	ALL	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	6	6	5	100.00	83.33	83.33	1.200
	14100	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	6	6	5	100.00	83.33	83.33	1.200
150	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	15000	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
210	ALL	ALL	8	8	7	100.00	87.50	87.50	1.143
		R	8	8	7	100.00	87.50	87.50	1.143
	21010	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	21020	ALL	4	4	3	100.00	75.00	75.00	1.333
		R	4	4	3	100.00	75.00	75.00	1.333

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
211	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	21110	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	21120	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
212	ALL	ALL	13	13	13	100.00	100.00	100.00	1.000
		R	13	13	13	100.00	100.00	100.00	1.000
	21210	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	21220	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
214	ALL	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
	21400	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	21410	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
215	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	21510	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	21520	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
220	ALL	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
	22020	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
230	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	23020	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
240	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	24000	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
250	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	25020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
261	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	26120	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
270	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	27000	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
280	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	28020	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
285	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	28520	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
291	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	29100	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
292	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	29220	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
293	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	29320	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
300	ALL	ALL	15	15	13	100.00	86.67	86.67	1.154
		R	14	14	12	100.00	85.71	85.71	1.167
		N	1	1	1	100.00	100.00	100.00	1.000
	30010	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	10	10	8	100.00	80.00	80.00	1.250
	30020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
301	ALL	ALL	20	20	19	100.00	95.00	95.00	1.053
		R	20	20	19	100.00	95.00	95.00	1.053
	30110	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	10	10	9	100.00	90.00	90.00	1.111
	30120	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
302	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	30210	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	30220	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
303	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	30300	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	30310	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
304	ALL	ALL	4	4	3	100.00	75.00	75.00	1.333
		R	4	4	3	100.00	75.00	75.00	1.333
	30420	ALL	4	4	3	100.00	75.00	75.00	1.333
		R	4	4	3	100.00	75.00	75.00	1.333
306	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	30620	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
307	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	30720	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
308	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	30820	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	308XX	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
309	ALL	ALL	7	7	5	100.00	71.43	71.43	1.400
		R	7	7	5	100.00	71.43	71.43	1.400
	30920	ALL	7	7	5	100.00	71.43	71.43	1.400
		R	7	7	5	100.00	71.43	71.43	1.400
310	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	31020	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
311	ALL	ALL	15	15	15	100.00	100.00	100.00	1.000
		R	15	15	15	100.00	100.00	100.00	1.000
	31120	ALL	15	15	15	100.00	100.00	100.00	1.000
		R	15	15	15	100.00	100.00	100.00	1.000
312	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	31220	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
313	ALL	ALL	5	5	3	100.00	60.00	60.00	1.667
		R	5	5	3	100.00	60.00	60.00	1.667
	31320	ALL	5	5	3	100.00	60.00	60.00	1.667
		R	5	5	3	100.00	60.00	60.00	1.667
314	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	31420	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
315	ALL	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
	31510	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	31520	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
316	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	31620	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
317	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	31720	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
318	ALL	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
	31820	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
319	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	31910	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	31920	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
320	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	32010	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	32020	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
321	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	32110	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	32120	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
322	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	32220	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
323	ALL	ALL	50	50	47	100.00	94.00	94.00	1.064
		R	49	49	46	100.00	93.88	93.88	1.065
		N	1	1	1	100.00	100.00	100.00	1.000
	32300	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	32310	ALL	30	30	28	100.00	93.33	93.33	1.071
		R	30	30	28	100.00	93.33	93.33	1.071
	32320	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	10	10	9	100.00	90.00	90.00	1.111
324	ALL	ALL	22	22	20	100.00	90.91	90.91	1.100
		R	20	20	18	100.00	90.00	90.00	1.111
		N	2	2	2	100.00	100.00	100.00	1.000
	32400	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	32410	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	9	9	7	100.00	77.78	77.78	1.286
		N	1	1	1	100.00	100.00	100.00	1.000
	32420	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
325	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	32510	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	32520	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
326	ALL	ALL	22	22	21	100.00	95.45	95.45	1.048
		R	22	22	21	100.00	95.45	95.45	1.048
	32600	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	32610	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	12	12	12	100.00	100.00	100.00	1.000
	32620	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
327	ALL	ALL	19	19	18	100.00	94.74	94.74	1.056
		R	18	18	17	100.00	94.44	94.44	1.059
		N	1	1	1	100.00	100.00	100.00	1.000
	32700	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	32710	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
	32720	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
328	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	32820	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
329	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	32920	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
330	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	33010	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	33020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
331	ALL	ALL	20	20	20	100.00	100.00	100.00	1.000
		R	19	19	19	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	33110	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	33120	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
332	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	33210	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	33220	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
333	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	33310	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	33320	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
334	ALL	ALL	11	11	11	100.00	100.00	100.00	1.000
		R	11	11	11	100.00	100.00	100.00	1.000
	33410	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	33411	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	33420	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
335	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	33520	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
340	ALL	ALL	20	20	18	100.00	90.00	90.00	1.111
		R	20	20	18	100.00	90.00	90.00	1.111
	34010	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	34020	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	10	10	8	100.00	80.00	80.00	1.250
341	ALL	ALL	4	4	3	100.00	75.00	75.00	1.333
		R	4	4	3	100.00	75.00	75.00	1.333
	34110	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	34120	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
350	ALL	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
	35010	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	35020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
360	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	36020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
361	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	3	100.00	75.00	75.00	1.333
		N	1	1	1	100.00	100.00	100.00	1.000
	36120	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	3	100.00	75.00	75.00	1.333
		N	1	1	1	100.00	100.00	100.00	1.000
362	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	36220	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
380	ALL	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	38010	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	38020	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
382	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	38220	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
415	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	41520	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
494	ALL	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	6	6	5	100.00	83.33	83.33	1.200
	49400	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	6	6	5	100.00	83.33	83.33	1.200
496	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	49600	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Moose Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
512	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	51220	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
513	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	51320	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
514	ALL	ALL	22	22	20	100.00	90.91	90.91	1.100
		R	22	22	20	100.00	90.91	90.91	1.100
	51400	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	51410	ALL	3	3	2	100.00	66.67	66.67	1.500
		R	3	3	2	100.00	66.67	66.67	1.500
	51411	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	51412	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	51420	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	51421	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	6	6	5	100.00	83.33	83.33	1.200
515	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	51520	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
516	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	51620	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000

Bighorn Sheep
Sampling Statistics Tables

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

March 25, 2005 page 1

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
Statewide and Regional

Location	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
State	ALL	392	392	347	100.00	88.52	88.52	1.130
	R	339	339	298	100.00	87.91	87.91	1.138
	N	53	53	49	100.00	92.45	92.45	1.082
Reg 1	ALL	47	47	45	100.00	95.74	95.74	1.044
	R	43	43	41	100.00	95.35	95.35	1.049
	N	4	4	4	100.00	100.00	100.00	1.000
Reg 2	ALL	75	75	66	100.00	88.00	88.00	1.136
	R	70	70	62	100.00	88.57	88.57	1.129
	N	5	5	4	100.00	80.00	80.00	1.250
Reg 3	ALL	67	67	57	100.00	85.07	85.07	1.175
	R	55	55	46	100.00	83.64	83.64	1.196
	N	12	12	11	100.00	91.67	91.67	1.091
Reg 4	ALL	46	46	45	100.00	97.83	97.83	1.022
	R	44	44	43	100.00	97.73	97.73	1.023
	N	2	2	2	100.00	100.00	100.00	1.000
Reg 5	ALL	123	123	104	100.00	84.55	84.55	1.183
	R	96	96	79	100.00	82.29	82.29	1.215
	N	27	27	25	100.00	92.59	92.59	1.080
Reg 6	ALL	34	34	30	100.00	88.24	88.24	1.133
	R	31	31	27	100.00	87.10	87.10	1.148
	N	3	3	3	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
102	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	10200	ALL	1	1	1	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
121	ALL	ALL	9	9	8	100.00	88.89	88.89	1.125
		R	8	8	7	100.00	87.50	87.50	1.143
		N	1	1	1	100.00	100.00	100.00	1.000
	12100	ALL	9	9	8	100.00	88.89	88.89	1.125
		R	8	8	7	100.00	87.50	87.50	1.143
		N	1	1	1	100.00	100.00	100.00	1.000
122	ALL	ALL	14	14	13	100.00	92.86	92.86	1.077
		R	14	14	13	100.00	92.86	92.86	1.077
	12200	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	6	6	6	100.00	100.00	100.00	1.000
	12230	ALL	8	8	7	100.00	87.50	87.50	1.143
		R	8	8	7	100.00	87.50	87.50	1.143
123	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	12300	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	12330	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
124	ALL	ALL	18	18	18	100.00	100.00	100.00	1.000
		R	16	16	16	100.00	100.00	100.00	1.000
		N	2	2	2	100.00	100.00	100.00	1.000
	12400	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	12430	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
203	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	20300	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	20330	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
210	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	21000	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
212	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	21200	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
213	ALL	ALL	11	11	9	100.00	81.82	81.82	1.222
		R	11	11	9	100.00	81.82	81.82	1.222
	21300	ALL	6	6	4	100.00	66.67	66.67	1.500
		R	6	6	4	100.00	66.67	66.67	1.500
	21330	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
216	ALL	ALL	18	18	15	100.00	83.33	83.33	1.200
		R	17	17	14	100.00	82.35	82.35	1.214
		N	1	1	1	100.00	100.00	100.00	1.000
	21600	ALL	8	8	6	100.00	75.00	75.00	1.333
		R	8	8	6	100.00	75.00	75.00	1.333
	21630	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	9	9	8	100.00	88.89	88.89	1.125
		N	1	1	1	100.00	100.00	100.00	1.000
250	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	25000	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	25010	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
261	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	26100	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
270	ALL	ALL	28	28	25	100.00	89.29	89.29	1.120
		R	26	26	23	100.00	88.46	88.46	1.130
		N	2	2	2	100.00	100.00	100.00	1.000
	27000	ALL	8	8	6	100.00	75.00	75.00	1.333
		R	8	8	6	100.00	75.00	75.00	1.333
	27030	ALL	20	20	19	100.00	95.00	95.00	1.053
		R	18	18	17	100.00	94.44	94.44	1.059
		N	2	2	2	100.00	100.00	100.00	1.000
283	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	0	100.00	0.00	0.00	-9.900
	28300	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	28330	ALL	4	4	3	100.00	75.00	75.00	1.333
		R	3	3	3	100.00	100.00	100.00	1.000
		N	1	1	0	100.00	0.00	0.00	-9.900

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
300	ALL	ALL	37	37	32	100.00	86.49	86.49	1.156
		R	30	30	25	100.00	83.33	83.33	1.200
		N	7	7	7	100.00	100.00	100.00	1.000
	30020	ALL	37	37	32	100.00	86.49	86.49	1.156
		R	30	30	25	100.00	83.33	83.33	1.200
		N	7	7	7	100.00	100.00	100.00	1.000
303	ALL	ALL	23	23	18	100.00	78.26	78.26	1.278
		R	18	18	14	100.00	77.78	77.78	1.286
		N	5	5	4	100.00	80.00	80.00	1.250
	30320	ALL	23	23	18	100.00	78.26	78.26	1.278
		R	18	18	14	100.00	77.78	77.78	1.286
		N	5	5	4	100.00	80.00	80.00	1.250
304	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	30400	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
305	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	30510	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
340	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	34000	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
380	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	38000	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
381	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	38100	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
421	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	42100	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
422	ALL	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	10	10	10	100.00	100.00	100.00	1.000
	42200	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	42230	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
423	ALL	ALL	7	7	7	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
	42300	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	42330	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
424	ALL	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	9	9	8	100.00	88.89	88.89	1.125
		N	1	1	1	100.00	100.00	100.00	1.000
	42400	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	42430	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	3	100.00	75.00	75.00	1.333
		N	1	1	1	100.00	100.00	100.00	1.000
441	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	44100	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
482	ALL	ALL	13	13	13	100.00	100.00	100.00	1.000
		R	12	12	12	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	48200	ALL	10	10	10	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	48230	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	48231	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	482XX	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
500	ALL	ALL	47	47	38	100.00	80.85	80.85	1.237
		R	35	35	27	100.00	77.14	77.14	1.296
		N	12	12	11	100.00	91.67	91.67	1.091
	50020	ALL	47	47	38	100.00	80.85	80.85	1.237
		R	35	35	27	100.00	77.14	77.14	1.296
		N	12	12	11	100.00	91.67	91.67	1.091
501	ALL	ALL	75	75	65	100.00	86.67	86.67	1.154
		R	60	60	51	100.00	85.00	85.00	1.176
		N	15	15	14	100.00	93.33	93.33	1.071
	50120	ALL	75	75	65	100.00	86.67	86.67	1.154
		R	60	60	51	100.00	85.00	85.00	1.176
		N	15	15	14	100.00	93.33	93.33	1.071

Montana Fish Wildlife and Parks
2004 Bighorn Sheep Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
503	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	50310	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
622	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	62200	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
680	ALL	ALL	30	30	26	100.00	86.67	86.67	1.154
		R	27	27	23	100.00	85.19	85.19	1.174
		N	3	3	3	100.00	100.00	100.00	1.000
	68000	ALL	10	10	8	100.00	80.00	80.00	1.250
		R	9	9	7	100.00	77.78	77.78	1.286
		N	1	1	1	100.00	100.00	100.00	1.000
	68030	ALL	20	20	18	100.00	90.00	90.00	1.111
		R	18	18	16	100.00	88.89	88.89	1.125
		N	2	2	2	100.00	100.00	100.00	1.000

Mountain Goat
Sampling Statistics Tables

License Year 2004

Statewide and Regional

and

By Hunting District and License Type

March 25, 2005 page 1

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
Statewide and Regional

Location	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
State	ALL	334	334	317	100.00	94.91	94.91	1.054
	R	311	311	295	100.00	94.86	94.86	1.054
	N	23	23	22	100.00	95.65	95.65	1.045
Reg 1	ALL	44	44	42	100.00	95.45	95.45	1.048
	R	42	42	40	100.00	95.24	95.24	1.050
	N	2	2	2	100.00	100.00	100.00	1.000
Reg 2	ALL	24	24	24	100.00	100.00	100.00	1.000
	R	23	23	23	100.00	100.00	100.00	1.000
	N	1	1	1	100.00	100.00	100.00	1.000
Reg 3	ALL	217	217	204	100.00	94.01	94.01	1.064
	R	198	198	186	100.00	93.94	93.94	1.065
	N	19	19	18	100.00	94.74	94.74	1.056
Reg 4	ALL	29	29	27	100.00	93.10	93.10	1.074
	R	28	28	26	100.00	92.86	92.86	1.077
	N	1	1	1	100.00	100.00	100.00	1.000
Reg 5	ALL	20	20	20	100.00	100.00	100.00	1.000
	R	20	20	20	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
100	ALL	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
	10000	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
101	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	10100	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
131	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	13100	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
132	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	13200	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
133	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	3	100.00	75.00	75.00	1.333
		N	1	1	1	100.00	100.00	100.00	1.000
	13300	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	4	4	3	100.00	75.00	75.00	1.333
		N	1	1	1	100.00	100.00	100.00	1.000
134	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	13400	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
140	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	14000	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
141	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	14100	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
142	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	14200	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
150	ALL	ALL	2	2	1	100.00	50.00	50.00	2.000
		R	2	2	1	100.00	50.00	50.00	2.000
	15000	ALL	2	2	1	100.00	50.00	50.00	2.000
		R	2	2	1	100.00	50.00	50.00	2.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
151	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	15100	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
212	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	21200	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
222	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	22200	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
223	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	22300	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
240	ALL	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	12	12	12	100.00	100.00	100.00	1.000
	24000	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	24001	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	24002	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	24003	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	24004	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	24005	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	24006	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	24007	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	24008	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
250	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	25000	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	25001	ALL	1	1	1	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
261	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	26100	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
270	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	27000	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
280	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	28000	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
312	ALL	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	31200	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	7	7	7	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
313	ALL	ALL	30	30	27	100.00	90.00	90.00	1.111
		R	27	27	24	100.00	88.89	88.89	1.125
		N	3	3	3	100.00	100.00	100.00	1.000
	31300	ALL	30	30	27	100.00	90.00	90.00	1.111
		R	27	27	24	100.00	88.89	88.89	1.125
		N	3	3	3	100.00	100.00	100.00	1.000
314	ALL	ALL	14	14	13	100.00	92.86	92.86	1.077
		R	13	13	12	100.00	92.31	92.31	1.083
		N	1	1	1	100.00	100.00	100.00	1.000
	31400	ALL	14	14	13	100.00	92.86	92.86	1.077
		R	13	13	12	100.00	92.31	92.31	1.083
		N	1	1	1	100.00	100.00	100.00	1.000
316	ALL	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	11	11	11	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	31600	ALL	12	12	12	100.00	100.00	100.00	1.000
		R	11	11	11	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
320	ALL	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
	32000	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
321	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	32100	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
322	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	32200	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
323	ALL	ALL	38	38	36	100.00	94.74	94.74	1.056
		R	35	35	34	100.00	97.14	97.14	1.029
		N	3	3	2	100.00	66.67	66.67	1.500
	32300	ALL	38	38	36	100.00	94.74	94.74	1.056
		R	35	35	34	100.00	97.14	97.14	1.029
		N	3	3	2	100.00	66.67	66.67	1.500
324	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	32400	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
325	ALL	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	9	9	8	100.00	88.89	88.89	1.125
		N	1	1	1	100.00	100.00	100.00	1.000
	32500	ALL	10	10	9	100.00	90.00	90.00	1.111
		R	9	9	8	100.00	88.89	88.89	1.125
		N	1	1	1	100.00	100.00	100.00	1.000
326	ALL	ALL	16	16	15	100.00	93.75	93.75	1.067
		R	15	15	14	100.00	93.33	93.33	1.071
		N	1	1	1	100.00	100.00	100.00	1.000
	32600	ALL	16	16	15	100.00	93.75	93.75	1.067
		R	15	15	14	100.00	93.33	93.33	1.071
		N	1	1	1	100.00	100.00	100.00	1.000
327	ALL	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
	32700	ALL	8	8	8	100.00	100.00	100.00	1.000
		R	8	8	8	100.00	100.00	100.00	1.000
328	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	32800	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
329	ALL	ALL	30	30	27	100.00	90.00	90.00	1.111
		R	27	27	24	100.00	88.89	88.89	1.125
		N	3	3	3	100.00	100.00	100.00	1.000
	32900	ALL	30	30	27	100.00	90.00	90.00	1.111
		R	27	27	24	100.00	88.89	88.89	1.125
		N	3	3	3	100.00	100.00	100.00	1.000
330	ALL	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	33000	ALL	6	6	6	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
331	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	33100	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
362	ALL	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	5	5	4	100.00	80.00	80.00	1.250
		N	1	1	1	100.00	100.00	100.00	1.000
	36200	ALL	6	6	5	100.00	83.33	83.33	1.200
		R	5	5	4	100.00	80.00	80.00	1.250
		N	1	1	1	100.00	100.00	100.00	1.000
393	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
	39300	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
		N	1	1	1	100.00	100.00	100.00	1.000
414	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	41400	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
415	ALL	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
	41500	ALL	3	3	3	100.00	100.00	100.00	1.000
		R	3	3	3	100.00	100.00	100.00	1.000
442	ALL	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
	44200	ALL	1	1	1	100.00	100.00	100.00	1.000
		R	1	1	1	100.00	100.00	100.00	1.000
447	ALL	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000
	44700	ALL	15	15	14	100.00	93.33	93.33	1.071
		R	14	14	13	100.00	92.86	92.86	1.077
		N	1	1	1	100.00	100.00	100.00	1.000

Montana Fish Wildlife and Parks
2004 Mountain Goat Sampling Statistics Table
By Hunting District and License Type

Location	Lic Type	Res	Number Issued	Holders Sampled	Holders Respond	Rate Sampled	Rate Returned	Overall Response	Expand Factor
451	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	45100	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
460	ALL	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
	46000	ALL	5	5	4	100.00	80.00	80.00	1.250
		R	5	5	4	100.00	80.00	80.00	1.250
514	ALL	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
	51400	ALL	4	4	4	100.00	100.00	100.00	1.000
		R	4	4	4	100.00	100.00	100.00	1.000
517	ALL	ALL	9	9	9	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
	51700	ALL	9	9	9	100.00	100.00	100.00	1.000
		R	9	9	9	100.00	100.00	100.00	1.000
518	ALL	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
	51800	ALL	5	5	5	100.00	100.00	100.00	1.000
		R	5	5	5	100.00	100.00	100.00	1.000
519	ALL	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000
	51900	ALL	2	2	2	100.00	100.00	100.00	1.000
		R	2	2	2	100.00	100.00	100.00	1.000

Appendix B

Special Big Game Hunting and Harvest Statistics

Data File Description

License Years 1996-2004

Special Big Game
Hunting and Harvest Statistics
Data File Description

March 25, 2005

License Years 1996-2004

This document provides a description of the Special Big Game Hunting and Harvest Statistics data file for license years 1996 through 2004 (LY1996-2004). This file contains all of the information contained in the original Oracle statistics tables used to produce the **LY1996 through LY2004 Special Big Game Hunting and Harvest Reports**. The data is distributed as a **Comma Separated Value ASCII text file**. The file name is **SbgHh_2004to1996_050325.Csv**. Text columns are quoted. Numeric values were exported with 3 decimal places. Column headings are not included in the data file. They are defined below. Most data handling software (spreadsheet, database, statistical, graphing) can import comma delimited ASCII text data files. The data file is accompanied by a ***.Sch** file, which provides additional column name and format information. The ***.sch** file may be viewed with any text editor or word processor. This **data file description document** is included as Appendix B of the **2004 Special Big Game Hunting and Harvest Report** Word document, and as a stand alone document in rich text format (**SbgHh_2004to1996_DataDefn.Rtf**) included with the compressed WinZip distribution file. Descriptions and columns definitions for the data file are given below. See the full reports for further information and explanations of the analysis methods used to produce the statistical estimates.

SbgHh_2004to1996_050325.Csv – LY1996-2004 Hunting and Harvest Statistics as last assembled March 25, 2005

- **LicYr** (License Year): **2004..1996**. A license year runs from March 1 of the given calendar year through the end of February of the following year.
- **Spp** (Species): Special Big Game species – **MO**=Moose, **BS**=Bighorn Sheep, **MG**=Mountain Goat.
- **Loc** (Location): **STA**=Statewide, **R01**..**R07**=Regional 1..7, **###**=Hunting District (100,101,...).
- **Res** (Residency): **ALL**=All residencies, **R**=Residents of MT, **N**=Nonresidents.
- **Lpt** (License/Permit Type): **ALL**=All license types, **#####**=Specific type defined in 2004 regulations. Beginning in LY2004, statistics computed from responses from holders of the auctioned moose and sheep licenses are indicated by the reported District of hunt, followed by "XX".
- **Sales** (Number Issued): Number of special licenses issued.
- **Exp_Fact** (Expansion Factor): Number issued divided by number of valid responses used in analysis.
- **Hunt** (Hunters): Point estimate of number of license holders that actively hunted.
- **Hunt_L** (Hunters Low Bnd): Lower bound of 80% confidence interval on number of hunters.
- **Hunt_U** (Hunters Up Bnd): Upper bound of 80% confidence interval on number of hunters.
- **HDay** (Hunter Days): Point estimate of number of days or partial days hunters spent hunting.
- **HDay_L** (HDays Low Bnd): Lower bound of 80% confidence interval on number of hunter days.
- **HDay_U** (HDays Up Bnd): Upper bound of 80% confidence interval on number of hunter days.
- **Harv** (Total Harvest): Point estimate of total number harvested. Because one kill is allowed per licensed hunter, the harvest estimate is also the estimate of the number of successful hunters.
- **Harv_L** (Harvest Low Bnd): Lower bound of 80% confidence interval on total harvest.
- **Harv_U** (Harvest Up Bnd): Upper bound of 80% confidence interval on total harvest.
- **HarvU** (Harvest Unkn): Point estimate of number harvested where sex and age was unknown.
- **HarvY** (Harvest Young): Point estimate of number of young of year harvested.
- **HarvF** (Harvest Female): Point estimate of number of non-young females harvested.
- **HarvM** (Harvest Male): Point estimate of number of non-young males harvested.
- **TP0** (Date Unkn): Estimate of harvest occurring during an unknown time period.

- **TP1**: Estimate of harvest occurring early in the season before September 15 (**Time Period 1**).
- **TP2**: Estimate of harvest occurring during the next 3 week period (**Time Period 2**).
- **TP3**: Estimate of harvest occurring during the next 4 week period (**Time Period 3**).
- **TP4**: Estimate of harvest occurring during the next 3 week period (**Time Period 4**).
- **TP5**: Estimate of harvest occurring during the week of Thanksgiving (**Time Period 5**).
- **TP6**: Estimate of harvest occurring late in the season (**Time Period 6**).

The Special Big Game Hunting and Harvest Statistics for each license year are given **for the following combinations of values of the 4 variables Spp, Loc, Res, and Lpt**:

Spp	**Loc**	**Res**	**Lpt**
MO,BS,MG	STA	ALL	ALL
MO,BS,MG	STA	R&N	ALL
MO,BS,MG	R01..R07	ALL	ALL
MO,BS,MG	R01..R07	R&N	ALL
MO,BS,MG	###	ALL	ALL
MO,BS,MG	###	ALL	######
MO,BS,MG	###	R&N	ALL
MO,BS,MG	###	R&N	######

In some cases, **no response data** were returned by any sportspersons of a particular residency holding a particular license for a particular species. In these cases, the **expansion factor was undefined** (license holders divided by zero responses), and flagged as **–9.9** in the data file. All estimates of hunting and harvest statistics based on the undefined expansion factor are also undefined.

The printed tables in the **LY2004 Special Big Game Hunting and Harvest Report** included the following columns calculated from the values of other columns in the table. These columns are not stored in the data file, but may be calculated using the following simple formulas. Keep the following restrictions in mind: Any ratio derived from an undefined estimate (-9.9) is also undefined. Any ratio with zero in the denominator is undefined. This later case might occur when responses indicated no active hunting or kills for a particular residency class holding a particular license for a particular species.

- **PctHunt=Quota/Hunt*100** (Percent Hunting): Estimate of the percent of license holders actively hunting.
- **DaysPerHunt=Hday/Hunt** (Days Per Hunter): An estimate of the number of days the average hunter spent hunting.
- **PctHarvY=HarvY/Harv*100** (Percent Young): Estimate of percent of young of year in harvest.
- **PctHarvF=HarvF/Harv*100** (Percent Female): Estimate of percent of non-young females in harvest.
- **PctHarvM=HarvM/Harv*100** (Percent Male): Estimate of percent of non-young males in harvest.
- **PctSucc=Harv/Hunt*100** (Percent Success): Percent of active hunters who were successful.
- **DaysToKill=Hdays/Harv** (Days To Kill): An estimate of the average number of hunter days required to harvest an animal.
- **TagsToKill=Quota/Harv** (Tags To Kill): An estimate of the average number of licenses which must be issued to harvest an animal.
- **PctTP1=TP1/Harv*100** (Pcnt 1st): Percent of total harvest occurring during the first time period.
- **PctTP2=TP2/Harv*100** (Pcnt 2nd): Percent of total harvest occurring during the second time period.
- **PctTP3=TP3/Harv*100** (Pcnt 3rd): Percent of total harvest occurring during the third time period.
- **PctTP4=TP4/Harv*100** (Pcnt 4th): Percent of total harvest occurring during the fourth time period.
- **PctTP5=TP5/Harv*100** (Pcnt 5th): Percent of total harvest occurring during the fifth time period.
- **PctTP6=TP6/Harv*100** (Pcnt 6th): Percent of total harvest occurring during the sixth time period.